

Veritas™ Cluster Server Management Pack Guide for Microsoft System Center Operations Manager 2007

Windows

VCS Management Pack



Veritas™ Cluster Server Application Management Pack Guide for Microsoft System Center Operations Manager 2007

The software described in this book is furnished under a license agreement and may be used only in accordance with the terms of the agreement.

Product version:

Document version:

Legal Notice

Copyright © 2012 Symantec Corporation. All rights reserved.

Symantec, the Symantec logo, Veritas, Veritas Storage Foundation, CommandCentral, NetBackup, Enterprise Vault, and LiveUpdate are trademarks or registered trademarks of Symantec corporation or its affiliates in the U.S. and other countries. Other names may be trademarks of their respective owners.

This Symantec product may contain third party software for which Symantec is required to provide attribution to the third party ("Third Party Programs"). Some of the Third Party Programs are available under open source or free software licenses. The License Agreement accompanying the Software does not alter any rights or obligations you may have under those open source or free software licenses. See the Third-party Legal Notices document for this product, which is available online or included in the base release media.

The product described in this document is distributed under licenses restricting its use, copying, distribution, and decompilation/reverse engineering. No part of this document may be reproduced in any form by any means without prior written authorization of Symantec Corporation and its licensors, if any.

THE DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID. SYMANTEC CORPORATION SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH THE FURNISHING, PERFORMANCE, OR USE OF THIS DOCUMENTATION. THE INFORMATION CONTAINED IN THIS DOCUMENTATION IS SUBJECT TO CHANGE WITHOUT NOTICE.

The Licensed Software and Documentation are deemed to be commercial computer software as defined in FAR 12.212 and subject to restricted rights as defined in FAR Section 52.227-19 "Commercial Computer Software - Restricted Rights" and DFARS 227.7202, "Rights in Commercial Computer Software or Commercial Computer Software Documentation", as applicable, and any successor regulations. Any use, modification, reproduction release, performance, display or disclosure of the Licensed Software and Documentation by the U.S. Government shall be solely in accordance with the terms of this Agreement.

Symantec Corporation
350 Ellis Street
Mountain View, CA 94043

<http://www.symantec.com>

Technical Support

Symantec Technical Support maintains support centers globally. Technical Support's primary role is to respond to specific queries about product features and functionality. The Technical Support group also creates content for our online Knowledge Base. The Technical Support group works collaboratively with the other functional areas within Symantec to answer your questions in a timely fashion. For example, the Technical Support group works with Product Engineering and Symantec Security Response to provide alerting services and virus definition updates.

Symantec's support offerings include the following:

- A range of support options that give you the flexibility to select the right amount of service for any size organization
- Telephone and/or Web-based support that provides rapid response and up-to-the-minute information
- Upgrade assurance that delivers software upgrades
- Global support purchased on a regional business hours or 24 hours a day, 7 days a week basis
- Premium service offerings that include Account Management Services

For information about Symantec's support offerings, you can visit our Web site at the following URL:

www.symantec.com/business/support/index.jsp

All support services will be delivered in accordance with your support agreement and the then-current enterprise technical support policy.

Contacting Technical Support

Customers with a current support agreement may access Technical Support information at the following URL:

www.symantec.com/business/support/contact_techsupp_static.jsp

Before contacting Technical Support, make sure you have satisfied the system requirements that are listed in your product documentation. Also, you should be at the computer on which the problem occurred, in case it is necessary to replicate the problem.

When you contact Technical Support, please have the following information available:

- Product release level

- Hardware information
- Available memory, disk space, and NIC information
- Operating system
- Version and patch level
- Network topology
- Router, gateway, and IP address information
- Problem description:
 - Error messages and log files
 - Troubleshooting that was performed before contacting Symantec
 - Recent software configuration changes and network changes

Licensing and registration

If your Symantec product requires registration or a license key, access our technical support Web page at the following URL:

www.symantec.com/business/support/

Customer service

Customer service information is available at the following URL:

www.symantec.com/business/support/

Customer Service is available to assist with non-technical questions, such as the following types of issues:

- Questions regarding product licensing or serialization
- Product registration updates, such as address or name changes
- General product information (features, language availability, local dealers)
- Latest information about product updates and upgrades
- Information about upgrade assurance and support contracts
- Information about the Symantec Buying Programs
- Advice about Symantec's technical support options
- Nontechnical presales questions
- Issues that are related to CD-ROMs or manuals

Support agreement resources

If you want to contact Symantec regarding an existing support agreement, please contact the support agreement administration team for your region as follows:

Asia-Pacific and Japan	customercare_apac@symantec.com
Europe, Middle-East, and Africa	semea@symantec.com
North America and Latin America	supportolutions@symantec.com

Documentation

Your feedback on product documentation is important to us. Send suggestions for improvements and reports on errors or omissions. Include the title and document version (located on the second page), and chapter and section titles of the text on which you are reporting. Send feedback to:

doc_feedback@symantec.com

For information regarding the latest HOWTO articles, documentation updates, or to ask a question regarding product documentation, visit the Storage and Clustering Documentation forum on Symantec Connect.

<https://www-secure.symantec.com/connect/storage-management/forums/storage-and-clustering-documentation>

About Symantec Connect

Symantec Connect is the peer-to-peer technical community site for Symantec's enterprise customers. Participants can connect and share information with other product users, including creating forum posts, articles, videos, downloads, blogs and suggesting ideas, as well as interact with Symantec product teams and Technical Support. Content is rated by the community, and members receive reward points for their contributions.

<http://www.symantec.com/connect/storage-management>

Contents

Technical Support	4	
Chapter 1	VCS Mangement Pack monitoring rules 9	
	About the VCS Mangement Pack	9
	Rules	10
	Alerts and Events	11
	Views	11
	Groups	13
Chapter 2	Deploying the VCS Management Pack	15
	Supported Software	15
	Before you import the VCS Management Pack	15
	Importing the VCS Management Pack	16
Chapter 3	VCS Management Pack monitoring rules	17
	About monitoring rules	17
	HAD monitoring rules	17
	GAB monitoring rules	56
	LLT monitoring rules	58
	Agents monitoring rules	59
	VMDg event processing rules	59
	MountV agent event processing rules	61
	ElifNone agent event processing rules	63
	FileNone agent event processing rules	63
	FileOnOff agent event processing rules	63
	FileOnOnly agent event processing rules	64
	FileShare agent event processing rules	64
	Internet Information Services (IIS) agent event processing rules	66
	GenericService event processing rules	71
	Microsoft Virtual Machine (MSVirtualMachine) agent event processing rules	73
	PrintShare agent event processing rules	74
	PrintSpool agent event processing rules	76

Proxy agent event processing rules	78
IP agent event processing rules	79
IPMultiNicPlus agent event processing rules	80
NetLsnr agent event processing rules	83
NIC agent event processing rules	83
NotifierMngr agent event processing rules	84
Registry Replication (RegRep) agent event processing rules	85
Lanman agent event processing rules	87
VvrRvg agent event processing rules	90
RVGPrimary agent event processing rules	91
Enterprise application agents	95
MSDTC event processing rules	95
MSSearch event processing rules	97
SQL Server 2012 Agent event processing rules	99
SQL Server 2008 Agent event processing rules	100
SQL Server 2005 Agent Service event processing rules	100
SQL Server 2005 OLAP Service event processing rules	102
SQL Server 2005 event processing rules	104
Service Monitor event processing rules	106
Oracle Agent event processing rules	107
NetAppFiler agent event processing rules	108
NetAppSnapDrive agent event processing rules	109
NetAppSnapMirror agent event processing rules	110
Agent Framework monitoring rules	110

VCS Mangement Pack monitoring rules

This chapter includes the following topics:

- [About the VCS Mangement Pack](#)
- [Rules](#)
- [Alerts and Events](#)
- [Views](#)
- [Groups](#)

About the VCS Mangement Pack

The Veritas Cluster Server (VCS) Management Pack for Microsoft System Center Operations Manager 2007 (SCOM) helps you monitor VCS components in a SCOM monitoring environment.

[Table 1-1](#) lists the details of the VCS Management Pack for SCOM 2007.

Table 1-1 VCS Management Pack

File Name	Description
Symantec.SFW.HA.mp	The management pack that contains rules for monitoring VCS components.

The VCS Management Pack, *Symantec.SFW.HA.mp*, is a sealed management pack that contains rules to monitor the following VCS components:

Table 1-2 VCS Management Pack: VCS components monitored

Component name	Description
Engine (HAD)	The high availability engine, or HAD, is the main VCS daemon running on each system. It is responsible for building the running cluster configuration from the configuration files, distributing the information when new nodes join the cluster, responding to operator input, and taking corrective action when something fails. The VCS Management Pack monitors the status of the HAD and notifies the user in case of errors.
GAB	Group Membership Services/Atomic Broadcast (GAB) is responsible for cluster membership and cluster communications. The VCS Management Pack monitors the status of the cluster memberships and communications.
LLT	VCS uses private network communications between cluster nodes for cluster maintenance. The Low Latency Transport (LLT) functions as a high-performance, low-latency replacement for the IP stack, and is used for all cluster communications. The VCS Management Pack monitors the LLT status.
Agents (Agent Framework)	The VCS Management Pack monitors the status of the VCS Bundled agents and Enterprise agents. The VCS agent framework is a set of common, predefined functions compiled into each agent. These functions include the ability to connect to the VCS engine (HAD) and to understand common configuration attributes. The agent framework frees the developer from developing support functions required by the cluster, and instead focus on controlling a specific resource type. The VCS management pack monitors the status of the common agent framework.

The VCS Management Pack contains the following monitors:

- VCS for Windows Installation by Symantec
- VeritasCluster
 - These monitors are the targets for the rules defined in the VCS Management Pack.

Rules

The VCS Management Pack rules collect data, such as events, from the logs generated by the VCS components. Some of the rules have an associated alert that

notifies the administrator about the event that triggered the alert. You can view the VCS rules after you import the VCS Management Pack in Operations Manager 2007.

See [“About monitoring rules”](#) on page 17. for a detailed list of VCS rules.

Alerts and Events

Depending on the rule and the alert that has been set for an event, an appropriate alert is generated when the event is received on the Operations Manager 2007 server. An alert notifies the administrator about the event that triggered the alert.

Each rule that generates the alert assigns an alert level that indicates the severity of that event. You can use the severity level to determine the importance of the alert and the necessary steps required to address the alert.

Note: The VCS Management Pack does not include a notification group for automatic alerts by e-mail. If e-mail alerts are required, you must add the alert processing rules manually.

Views

Views are groups of managed objects that have a commonality, which is defined in the view properties. The views supported by the VCS Management Pack enable you to monitor the health of the VCS components within the managed environment. These views enable you to assess the state of the required cluster node within the managed environment.

When you import the VCS Management Pack, an item named Veritas Cluster Server by Symantec is created under the Monitoring node in the Monitoring pane of the Operations Manager 2007 console. Expand **Veritas Cluster Server by Symantec** to see the views supported by the VCS Management Pack.

The following views are supported:

- **Active Alerts**

This view provides a list of alerts that are open and require action for computers in the All Computers in Management Pack - Symantec.SFW.HA group. It indicates the current state and severity of those alerts.
- **State View**

This view provides a real-time, consolidated look at the health of the cluster within the managed environment, highlighting the systems that require

attention. It displays the state of the service groups and the resources configured in the service group.

In the Monitoring pane, expand **Veritas Cluster Server by Symantec** and click **State View**. In the State View pane, click an item in the **VeritasCluster** column. The Detail View section displays the status of the service group and the resources. Depending on the state the status is displayed as follows:

- *Healthy*: Indicates that the service group and its resources are online on the node.
- *Warning*: Indicates that the service group is partially online on the node.
- *Critical*: Indicates that either the service group or the resources in the service group have faulted on the node.

Whenever a service group or a resource in a service group faults on a node, an appropriate alert is generated.

VCS management pack has a separate monitor for monitoring the health of the Veritas High Availability Daemon (HAD). If HAD is not running on a node, then an appropriate alert is generated. This alert stays active until the time HAD starts on that node. As soon as HAD starts on the node, this alert gets resolved automatically. To enable the state view display for VCS, the following rules have been created in VCS for Windows Installation by Symantec:

- VeritasCluster Service Discovery
- VeritasCluster State Monitoring

The scripts that these rules invoke, internally use the MOMUtil.exe utility. The MOMUtil utility discovers all the service groups and resources in the cluster and then gathers the state related information for all the service groups and resources.

- Alerts

Displays alerts for the VCS components: Agents, Engine, GAB, and LLT. This view provides a list of issues and the current state and severity of each alert. It indicates whether the alerts have been acknowledged, escalated, or resolved, and also whether a Service Level Agreement has been breached.

- Events

Displays events for the VCS components: Agents, Engine, GAB, and LLT. The Event view provides a list of events that have occurred on managed servers, a description of each event, and the source of the problem.

Groups

Groups in Operations Manager 2007 are logical collections of objects such as computers, hard-disks, or instances of SQL or Exchange. Groups help define on which computers the rules are deployed. When you import the VCS Management Pack, the following groups are created:

- Veritas Cluster Server by Symantec Computer Group—Includes Windows servers running Veritas Cluster Server 5.1 or later.
- All Computers in ManagementPack: Symantec.SFW.HA—Contains all the computers that are discovered as a part of other computer groups defined in ManagementPack Symantec.SFW.HA

These groups are located under the Groups node in the Authoring pane of the Operations Manager 2007 Console.

Deploying the VCS Management Pack

This chapter includes the following topics:

- [Supported Software](#)
- [Before you import the VCS Management Pack](#)
- [Importing the VCS Management Pack](#)

Supported Software

The VCS Management Pack is compatible with the following product versions:

- Microsoft System Center Operations Manager 2007 SP1
- Microsoft System Center Operations Manager 2007 R2
- Storage Foundation and HA 5.1 for Windows or later
- Veritas Cluster Server 5.1 for Windows or later

Before you import the VCS Management Pack

Ensure that the following prerequisites are complete before you proceed:

- Verify that Operations Manager 2007 infrastructure is set up and configured correctly.
See the Microsoft System Center Operations Manager 2007 documentation for more information.
- Download and import the VCS Library Management Pack on the management server.

Refer to the *Veritas Cluster Server Library Management Pack Guide for System Center Operations Manager 2007* for instructions. This guide is available with the VCS Library Management pack. Ensure that you complete all the procedures mentioned in the guide.

Importing the VCS Management Pack

Import the VCS Management Pack file, Symantec.SFW.HA.mp, on the operations management server. Procedures for importing a management pack vary depending on the version of System Center Operations Manager 2007.

Refer to the System Center Operations Manager 2007 documentation and use the appropriate procedure.

VCS Management Pack monitoring rules

This chapter includes the following topics:

- [About monitoring rules](#)
- [HAD monitoring rules](#)
- [GAB monitoring rules](#)
- [LLT monitoring rules](#)
- [Agents monitoring rules](#)
- [Enterprise application agents](#)
- [Agent Framework monitoring rules](#)

About monitoring rules

This chapter lists the monitoring rules for VCS components. The monitoring rules consist of event processing rules and alert processing rules.

HAD monitoring rules

[Table 3-1](#) lists the rules for the VCS High Availability Engine (HAD).

Table 3-1 HAD Monitoring Rules

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
10746	HAD	Incorrect snmp command	Warning	Y	N
10755	HAD	Unexpected return value	Warning	Y	N
10761	HAD	Node id expected	Warning	Y	N
10772	HAD	Too many options	Warning	Y	N
10792	HAD	Must specify the type name	Warning	Y	N
10799	HAD	Too few arguments	Warning	Y	N
10805	HAD	Connection timed out	Warning	Y	N
10806	HAD	Error while registering resource	Warning	Y	N
10809	HAD	Value type not supported	Warning	Y	N
10811	HAD	Invalid group dependency type specified: %1	Warning	Y	N
10813	HAD	Unable to open file '%1'. The file may be corrupted or does not exist.	Warning	Y	N
10814	HAD	Incorrect LDF path specified	Warning	Y	N
10815	HAD	Incorrect message severity specified	Warning	Y	N
10816	HAD	Incorrect object type specified	Warning	Y	N
10817	HAD	Incorrect object name specified	Warning	Y	N
10818	HAD	VCS object tag does not have an object name	Warning	Y	N
10819	HAD	Incorrect message ID specified	Warning	Y	N
10821	HAD	No messages match your query	Warning	Y	N
10822	HAD	No log files available	Warning	Y	N
10823	HAD	Incorrect language specified	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
10824	HAD	Unable to open file '%1'. This file was generated by a newer version of the VCS engine.	Warning	Y	N
10825	HAD	Tail value must be an integer value greater than 0	Warning	Y	N
10826	HAD	Incorrect system specified for checkpartial option	Warning	Y	N
11005	HAD	hacf -status died. Transitioning to STALE_DISCOVER_WAIT	Error	Y	N
11007	HAD	Exiting:Cannot lock %1 error = %2	Error	Y	N
11009	HAD	Exiting: Another copy of VCS may be running	Error	Y	N
11012	HAD	Cannot lock file: %1 error = %2	Warning	Y	N
11014	HAD	Cannot write '%1' to %2	Warning	Y	N
11015	HAD	Environment variable %1 is not defined	Error	Y	N
11016	HAD	Failed to interpret line %1	Error	Y	N
11021	HAD	Failed to notify service ctl manager (SCM)	Warning	Y	N
11024	HAD	System name retrieval failed	Warning	Y	N
11028	HAD	Error querying Registry value %1	Error	Y	N
11030	HAD	HAD not ready to receive this command. Message was: 0x%1	Warning	Y	N
11031	HAD	GABTCP open failed. Exiting.	Error	Y	N
11032	HAD	Registration failed. Exiting.	Error	Y	N
11033	HAD	GAB open failed. Exiting.	Error	Y	N
11036	HAD	GAB recv failed. Exiting.	Error	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
11037	HAD	Failed to StartServiceCtrlDispatcher %1	Error	Y	N
11038	HAD	Failed to open had service	Error	Y	N
11039	HAD	Failed to make MSG_CLUSTER_STOP_SYS.	Error	Y	N
11041	HAD	Engine Stopping Deleting vlist for %1	Warning	Y	N
11043	HAD	Unknown major/minor msg = %1	Warning	Y	N
1045	HAD	Unable to create temporary file	Warning	Y	N
1046	HAD	Local system not available	Warning	Y	N
1047	HAD	Unable to execute the hastatus print command	Warning	Y	N
11055	HAD	Unknown process-registration msg: %1	Warning	Y	N
11062	HAD	Group '%1' does not exist. Resources added later will not be registered.	Warning	Y	N
11064	HAD	Type '%1' does not exist. Resources added later will not be registered	Warning	Y	N
11084	HAD	%1 is an invalid TAG	Warning	Y	N
11086	HAD	Exiting: Cannot make directory: %1	Error	Y	N
11098	HAD	Another hashadow running. VCS engine is exiting.	Warning	Y	N
11103	HAD	VCS exited. It will restart .	Error	Y	N
11104	HAD	VCS has faulted %1 times since %2 hashadow will not restart VCS. Correct the problem and restart VCS.	Error	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
11106	HAD	Cannot get lock on file: %1	Warning	Y	N
11108	HAD	Cannot start had. Error=0x%1	Warning	Y	N
11109	HAD	Cannot start had. Error=%1	Warning	Y	N
11113	HAD	Memory allocation failed.	Warning	Y	N
11130	HAD	No username.	Warning	Y	N
11131	HAD	Incorrect username.	Warning	Y	N
11135	HAD	Cannot get password -- error 0x%1	Warning	Y	N
11137	HAD	Cannot encrypt password -- error 0x%1	Warning	Y	N
11148	HAD	Cannot ioctl(IOCTL_LL_T_GETPARAM/IP_MAXLINKS (Windows Error Code = %1)	Warning	Y	N
11149	HAD	Cannot ioctl(IOCTL_LL_T_GETLINKINFO (Windows Error Code = %1)	Warning	Y	N
11150	HAD	Cannot ioctl(IOCTL_LL_T_GETPARAM/IP_MAXNODE (Windows Error Code = %1)	Warning	Y	N
11151	HAD	Cannot ioctl(IOCTL_LL_T_GETNODEALL (Windows Error Code = %1)	Warning	Y	N
11152	HAD	Cannot malloc(%1 for msgbuf)	Warning	Y	N
11154	HAD	Cannot ioctl(IOCTL_LL_T_GETPARAM/IP_MAXNODE)	Warning	Y	N
11164	HAD	Cannot ioctl(IOCTL_LL_T_GETNODEALL)	Warning	Y	N
11165	HAD	Error opening /dev/gab_0	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
11166	HAD	Error opening /dev/lit	Warning	Y	N
11168	HAD	Cannot ioctl(IOCTL_LLTT_GETLINKINFO)	Warning	Y	N
11169	HAD	Failed to get Link heartbeat status.	Error	Y	N
11170	HAD	Failed to get Disk heartbeat status.	Error	Y	N
11171	HAD	Cannot ioctl(IOCTL_LLTT_GETPARAM/MP_MAXLINKS)	Warning	Y	N
11274	HAD	System shutting down on %1	Error	Y	N
11277	HAD	Retry Interval is %1 at fault %2	Warning	Y	N
11278	HAD	Error on executing gab_getdisk.	Warning	Y	N
11279	HAD	Failed to read file '%1'	Warning	Y	N
11280	HAD	hadiscover could not find function (%1) in library	Warning	Y	N
11281	HAD	Discovery of %1 attribute failed	Warning	Y	N
11282	HAD	Failed to list discoverable attributes	Warning	Y	N
11283	HAD	Discovery not supported for Type %1	Warning	Y	N
11284	HAD	Your evaluation period has expired. VCS will not start the next time you invoke hastart	Warning	Y	N
11285	HAD	[Licensing] You have %1 day(s) left in your VCS evaluation period	Error	Y	N
11286	HAD	Updating license key on %1	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
11287	HAD	Failed to update engine's copy of license key	Error	Y	N
11288	HAD	License key updated successfully on the local node. The halic utility needs to be run on all nodes in the cluster in order for the VCS license to be updated properly	Warning	Y	N
11289	HAD	License key is not unique within cluster. Failed to update license key.	Error	Y	Y
11290	HAD	WARNING:One or more systems are not online.	Warning	Y	N
11291	HAD	Canceling license key update	Warning	Y	N
11292	HAD	WARNING:halic is unable to determine whether or\nnot this key is unique within the cluster. Duplicate keys\nwill prevent nodes from rejoining the cluster.\n\nDo you wish to continue? [Y/N]:	Warning	Y	N
11300	HAD	User name is a reserved word or contains invalid character(s)	Error	Y	Y
11301	HAD	System can not be restarted: err:%1	Error	Y	Y
11303	HAD	Exiting: HAD has encountered a critical error. Please check VCS_HOME/log/drwatson for logs	Error	Y	Y
11304	HAD	Please enter valid English arguments	Warning	Y	N
11309	HAD	Configuration must be ReadWrite	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
11316	HAD	User name should be of the format user@domain	Error	Y	Y
11317	HAD	'%1' is an invalid debug log tag.	Warning	Y	N
11318	HAD	Cannot specify both -sev and -dbg	Warning	Y	N
11319	HAD	The -parameters option must be the last option specified	Warning	Y	N
11320	HAD	Must also specify -parameters when using the -encoding option	Warning	Y	N
11321	HAD	Invalid message specified	Warning	Y	N
11322	HAD	Invalid system specified	Warning	Y	N
11323	HAD	Invalid severity specified	Warning	Y	N
11325	HAD	Invalid debug level specified	Warning	Y	N
11327	HAD	Message ID must be under 65535	Warning	Y	N
11328	HAD	Invalid message ID specified	Warning	Y	N
11329	HAD	Invalid encoding specified	Warning	Y	N
11330	HAD	Invalid parameters specified	Warning	Y	N
11331	HAD	Exiting:Cannot register with SCM(service ctl manager) .err: %1.	Error	Y	Y
12021	HAD	Error - %1 (%2) in file %3:%4	Warning	Y	N
12022	HAD	Failed to get working directory	Warning	Y	N
12023	HAD	Unsuccessful open of ipm service	Warning	Y	N
12025	HAD	%1 %2 has an Administrators/Operators list without any users defined	Warning	Y	N
12026	HAD	Types file should have a .%1 extension	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
12027	HAD	Cannot mkdir %1	Warning	Y	N
12028	HAD	Cannot chdir %1	Warning	Y	N
12029	HAD	%1 does not have a list	Warning	Y	N
12030	HAD	Cannot open lock file: errno = %1	Warning	Y	N
12031	HAD	Configuration locked	Warning	Y	N
12032	HAD	Cannot create file: %1	Warning	Y	N
12033	HAD	Cannot open file: %1	Warning	Y	N
12034	HAD	User %1 in %2 %3 %4	Warning	Y	N
12035	HAD	Error deleting file: %1	Warning	Y	N
12036	HAD	Source file should have a .%1 extension	Warning	Y	N
12037	HAD	Incorrect syntax for value of attribute SourceFile for type %1 : %2	Warning	Y	N
12038	HAD	Exiting: Cannot chdir %1.	Error	Y	Y
12039	HAD	Cannot open file: %1 error = %2	Warning	Y	N
12040	HAD	Failed to change to working directory	Warning	Y	N
12041	HAD	Keyword i18nstr found : %1\nLocalized input not allowed.	Warning	Y	N
12043	HAD	Failed to dump the configuration from the live engine	Warning	Y	N
12046	HAD	Configuration stale	Warning	Y	N
12047	HAD	Cannot fork %1	Warning	Y	N
12048	HAD	Destination file should have a .%1 extension	Warning	Y	N
12051	HAD	Illegal group dependency clause	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
12054	HAD	Cannot open input file: %1	Warning	Y	N
12055	HAD	Unexpected EOF: %1	Warning	Y	N
12056	HAD	Parent resource %1 does not exist %2	Warning	Y	N
12057	HAD	Child resource %1 does not exist %2	Warning	Y	N
12058	HAD	Unknown type %1 %2	Warning	Y	N
12059	HAD	Expecting -keys	Warning	Y	N
12060	HAD	Cannot find attribute %1	Warning	Y	N
12061	HAD	Scalar attributes cannot have multiple values	Warning	Y	N
12062	HAD	Cannot find resource %1	Warning	Y	N
12065	HAD	Unknown subcommand %1	Warning	Y	N
12066	HAD	Not enough arguments	Warning	Y	N
12071	HAD	Unexpected attribute %1	Warning	Y	N
12076	HAD	Cannot find group %1	Warning	Y	N
12083	HAD	Cannot find system %1	Warning	Y	N
12085	HAD	Expecting haevent -add	Warning	Y	N
12086	HAD	Unknown event %1	Warning	Y	N
12087	HAD	Unknown command %1	Warning	Y	N
12088	HAD	Unknown event subcommand %1	Warning	Y	N
12089	HAD	Unexpected message: %1	Warning	Y	N
12090	HAD	Unknown message: %1	Warning	Y	N
12092	HAD	Ipm send failure	Warning	Y	N
12093	HAD	Recv failure	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
12095	HAD	Aborting hacf: errors encountered	Warning	Y	N
12097	HAD	Duplicate definition for %1 at %2:%3	Warning	Y	N
12102	HAD	Parent resource %1 and child resource %2 do not belong to the same group	Warning	Y	N
12103	HAD	Cannot find attribute def for %1.%2	Warning	Y	N
12104	HAD	Expecting a list for %1	Warning	Y	N
12105	HAD	Cannot open output %1	Warning	Y	N
12109	HAD	Ipm sendrecv failure	Warning	Y	N
12111	HAD	Configuration may contain only one cluster clause	Warning	Y	N
12113	HAD	System %1 defined more than once	Warning	Y	N
12114	HAD	Group %1 defined more than once	Warning	Y	N
12115	HAD	Group %1 cannot have more than one group dependency clause	Warning	Y	N
12116	HAD	Group %1 has a local attribute without a SystemList	Warning	Y	N
12117	HAD	System %1 not on SystemList of group %2	Warning	Y	N
12120	HAD	Qualified name not found	Warning	Y	N
12121	HAD	Value for attribute %1 not found	Warning	Y	N
12122	HAD	Reserved word - %1 - cannot be used to name objects or attributes	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
12123	HAD	Type %1 defined more than once	Warning	Y	N
12127	HAD	Cannot find group %1 %2	Warning	Y	N
12128	HAD	Resource %1 is %2 and must not have children	Warning	Y	N
12129	HAD	Resource %1 in a cycle	Warning	Y	N
12130	HAD	Group %1 does not exist	Warning	Y	N
12131	HAD	Group %1 contains group dependency cycles	Warning	Y	N
12133	HAD	Group %1 contains too deep group dependency	Warning	Y	N
12134	HAD	SystemList for group %1 contains non-existent system %2	Warning	Y	N
12135	HAD	Group %1 has an AutoStartList without a SystemList	Warning	Y	N
12136	HAD	System %1 in the AutoStartList of group %2	Warning	Y	N
12137	HAD	Invalid Resource Type %1 in group %2	Warning	Y	N
12138	HAD	Cannot find type %1	Warning	Y	N
12139	HAD	Resource Type %1 occurring more than once in dependency attribute for group %2	Warning	Y	N
12140	HAD	Group %1 has SystemZones without a SystemList	Warning	Y	N
12141	HAD	System %1 in the SystemZones of group %2	Warning	Y	N
12142	HAD	Attribute %1 for %2 cannot be specified both local and global	Warning	Y	N
12143	HAD	Attribute %1 for %2 specified local on %3 more than once	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
12144	HAD	Reserved word - %1 - cannot be used to name objects or attributes: %2	Warning	Y	N
12145	HAD	SystemList does not have a list	Warning	Y	N
12146	HAD	Group %1 has a local attribute %2 without SystemList	Warning	Y	N
12148	HAD	Local system not specified for %1 in group %2	Warning	Y	N
12149	HAD	Local system was specified for non local attribute %1 in group %2	Warning	Y	N
12150	HAD	Duplicate event item name %1 %2	Warning	Y	N
12151	HAD	Duplicate event name %1 %2	Warning	Y	N
12155	HAD	Bad include line in file %1:%2	Warning	Y	N
12156	HAD	No group defined	Warning	Y	N
12158	HAD	AutoStartList does not have a list	Warning	Y	N
12159	HAD	Unable to get list of types files from VCS engine	Warning	Y	N
12160	HAD	Single slash not allowed	Warning	Y	N
12161	HAD	Quotes mismatch	Warning	Y	N
12162	HAD	Unexpected group dependency	Warning	Y	N
12163	HAD	No name given for cluster	Warning	Y	N
12164	HAD	No name given for group	Warning	Y	N
12165	HAD	No name given for system	Warning	Y	N
12166	HAD	No name given for type	Warning	Y	N
12167	HAD	Cannot change file permissions of %1	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
12168	HAD	Cannot find HeartBeat %1	Warning	Y	N
12169	HAD	Attempting to add Remote Cluster %1. It is already the existing local cluster	Warning	Y	N
12170	HAD	Attempting to add Cluster %1. It is already an existing remote cluster	Warning	Y	N
12171	HAD	Heartbeat %1 is defined more than once	Warning	Y	N
12172	HAD	Remote Cluster %1 is defined more than once	Warning	Y	N
12173	HAD	Remote Cluster name %1 is same as the local cluster name	Warning	Y	N
12174	HAD	No name given for heartbeat	Warning	Y	N
12175	HAD	No name given for Remote Cluster	Warning	Y	N
12177	HAD	Cluster %1 defined in ClusterList of Heartbeat %2 is not a remote cluster	Warning	Y	N
12178	HAD	Local Cluster name and value of Cluster attribute ClusterName must be the same	Warning	Y	N
12180	HAD	Must specify name and IP address of Remote Cluster to be added	Warning	Y	N
12181	HAD	Remote Cluster Name missing	Warning	Y	N
12182	HAD	%1 is not an existing Remote Cluster	Warning	Y	N
12183	HAD	Cannot override attribute %1	Warning	Y	N
12184	HAD	ClusterList of heartbeat %1 does not have a list	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
12185	HAD	Heartbeat %1 has a local attribute %2 without ClusterList	Warning	Y	N
12186	HAD	Cluster %1 not on ClusterList of heartbeat %2	Warning	Y	N
12187	HAD	Cluster %1 defined in ClusterList of Group %2 is not a local or remote cluster	Warning	Y	N
12188	HAD	ClusterList for group %1 does not have a list	Warning	Y	N
12189	HAD	Cluster-scope not specified for local attribute %1 in heartbeat %2	Warning	Y	N
12190	HAD	Cluster-scope was specified for global attribute %1 in heartbeat %2	Warning	Y	N
12191	HAD	Line %1 of file %2 is not in UTF-8 format	Warning	Y	N
12193	HAD	Undefined Type : %1 %2	Warning	Y	N
12194	HAD	Mandatory attribute Missing : %1.%2	Warning	Y	N
12196	HAD	Configuration does not contain a Heartbeat object	Warning	Y	N
12197	HAD	Group %1 has a local hard dependency with level more than 1	Warning	Y	N
12198	HAD	Group %1 has multiple local hard parents	Warning	Y	N
12199	HAD	%1 and %2 cannot have the same ClusterAddress	Warning	Y	N
12200	HAD	ClusterAddress not defined for %1	Warning	Y	N
12201	HAD	No name given for resource : %1	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
12202	HAD	Duplicate system name in SystemList of %1	Warning	Y	N
12203	HAD	Group ClusterService cannot have any parent group	Warning	Y	N
12207	HAD	Group ClusterService cannot have any child group	Warning	Y	N
12208	HAD	Group %1 : ClusterFailOverPolicy should be one of Manual	Warning	Y	N
12210	HAD	Group %1 : Authority should be either 0 or 1	Warning	Y	N
12211	HAD	IPM Receive Error	Warning	Y	N
12212	HAD	IPM Protocol Error	Warning	Y	N
12213	HAD	Attribute %1 for %2 specified more than once	Warning	Y	N
12214	HAD	IPM Send Error	Warning	Y	N
12216	HAD	Insufficient space in %1 for temporary files	Warning	Y	N
12217	HAD	Failed to open temporary files	Warning	Y	N
12218	HAD	Could not create temporary files in %1	Warning	Y	N
12219	HAD	Error encountered while writing temporary files : %1	Warning	Y	N
12221	HAD	Cannot open file specified in the include statement: %1	Warning	Y	N
12222	HAD	Invalid IP address assigned to ClusterAddress of remote cluster %1	Warning	Y	N
12223	HAD	Group %1 depends on a non-existing group : %2	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
13310	HAD	Offlining parent group %1 on system %2	Warning	Y	N
13326	HAD	Cannot find attribute(%1) in the resource type description	Error	Y	N
13327	HAD	Cannot find attribute(%1) in the resource attribute list	Error	Y	N
13332	HAD	Unable to update attribute ResourceInfo\n	Warning	Y	N
13338	HAD	Usage error	Warning	Y	N
13340	HAD	System name should be specified with cluster	Warning	Y	N
13341	HAD	Incorrect arguments to action	Warning	Y	N
13342	HAD	No overridden attributes	Warning	Y	N
13344	HAD	No overridden attributes in resources	Warning	Y	N
13345	HAD	No overridden attributes in resources	Warning	Y	N
13346	HAD	No overridden attributes in resources	Warning	Y	N
13347	HAD	No overridden attributes in any resource	Warning	Y	N
13350	HAD	Cannot specify type/group/attribute/system as values for any of the options to the display command.	Warning	Y	N
13351	HAD	Invalid option: %1	Warning	Y	N
13352	HAD	Usage error: Value missing for option %1	Warning	Y	N
13357	HAD	Error in converting the input string into UCS-2 encoding. Output may be truncated	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
13358	HAD	Error in converting the input string into UTF-8 encoding. Output may be truncated	Warning	Y	N
13463	HAD	Resource %1 does not belong to types(%2)\n	Warning	Y	N
13464	HAD	Resource %1 does not belong to groups(%2) \n	Warning	Y	N
13465	HAD	Resource %1 does not belong to types(%2) or groups(%3) \n	Warning	Y	N
13466	HAD	No overridden attributes in resources %1 or no resource in (%2) belongs to type(s) %3\n	Warning	Y	N
13467	HAD	No overridden attributes in resources %1 or no resource in (%2 belongs to group(s) %3\n	Warning	Y	N
13468	HAD	No overridden attributes in resources %1 or no resource in (%2) belongs to type(s) %3 and group(s) %4	Warning	Y	N
13469	HAD	No overridden attributes in resources %1	Warning	Y	N
14001	HAD	Config file %1 does not exist. Forming a one node cluster	Error	Y	N
14002	HAD	Node config file %1 does not exist. Forming a one node cluster	Error	Y	N
14005	HAD	Nodeid is %1. Forming a onenode cluster and setting nodeid to 0	Warning	Y	N
14007	HAD	Unsuccessful open of service %1	Error	Y	N
14016	HAD	Heartbeat did not contain 6 fields	Warning	Y	N
14017	HAD	Eject myself: Detected mynodeid in membership %1	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
14020	HAD	Deleting ipmhandle: No heartbeats received from nodeid %1 on link %2 current time = %3 past time = %4	Error	Y	N
14021	HAD	ioctl error while registering IP address %1	Warning	Y	N
16007	HAD	Failed to execute process: %1. Errno is %2	Warning	Y	N
16008	HAD	Failed to create process: %1. Errno is %2	Warning	Y	N
16009	HAD	Error in executing command: %1. Errno is %2	Warning	Y	N
17001	HAD	Notifier:Expected SNMP managers machine name	Warning	Y	N
17002	HAD	Notifier:Severity out of range	Warning	Y	N
17003	HAD	Notifier:Unexpected option	Warning	Y	N
17004	HAD	Notifier:Expected SMTP server name	Warning	Y	N
17005	HAD	Notifier:Expected mail recipients name	Warning	Y	N
17006	HAD	Notifier:Expected SNMP and or SMTP options	Warning	Y	N
17007	HAD	Notifier:exit by NOTIFIER_DISCONNECT msg. Connected to %1	Warning	Y	N
17009	HAD	Notifier:cannot connect to ipmserver	Warning	Y Y	N
17010	HAD	Notifier:cannot create thread	Warning	Y	N
17011	HAD	Notifier:cannot communicate to VCS	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
17012	HAD	Notifier:send MSG_NOTIFIER_CONNECT failure	Warning	Y	N
17013	HAD	Notifier:IPM connection failed	Warning	Y	N
17014	HAD	Notifier:exit by NOTIFIER_DISCONNECT msg. Connected to unknown host	Warning	Y	N
17015	HAD	Notifier:receive messages unknown minor	Warning	Y	N
17016	HAD	Notifier:send MSG_NOTIFIER_ACK failed	Warning	Y	N
17017	HAD	Notifier:receive unknown message from VCS	Warning	Y	N
17018	HAD	Notifier:cannot create PDU for snmp trap	Warning	Y	N
17019	HAD	Notifier:cannot get local IP address	Warning	Y	N
17020	HAD	Notifier:cannot create snmp trap OID	Warning	Y	N
17021	HAD	Notifier:cannot allocate memory for %1	Warning	Y	N
17022	HAD	Notifier:%1 undefined	Warning	Y	N
17023	HAD	Notifier:%1 command failure	Warning	Y	N
17024	HAD	Notifier:wrong service group type	Warning	Y	N
17025	HAD	Notifier:wrong heartbeat type	Warning	Y	N
17026	HAD	Notifier:cannot open snmp session to %1	Warning	Y	N
17027	HAD	Notifier:cannot send snmp trap	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
17028	HAD	Notifier:cannot close snmp session	Warning	Y	N
17029	HAD	Notifier:unknown error	Warning	Y	N
17030	HAD	Notifier:cannot verify recipient %1	Warning	Y	N
17031	HAD	Notifier:activated signal %1	Warning	Y	N
17032	HAD	Notifier:send MSG_NOTIFIER_DISCONNECT failed	Warning	Y	N
17033	HAD	Notifier:cannot get snmp traps up time	Warning	Y	N
17034	HAD	Notifier:SNMP error %1	Warning	Y	N
17035	HAD	Notifier:SNMP unknown error	Warning	Y	N
17036	HAD	Notifier:SMTP error %1	Warning	Y	N
17037	HAD	Notifier:SMTP unknown error	Warning	Y	N
17038	HAD	Notifier:value of option %1 is out of range	Warning	Y	N
17039	HAD	Notifier:unknown trap ID	Warning	Y	N
17040	HAD	Notifier:unknown entities type	Warning	Y	N
17041	HAD	Notifier:unknown entities subtype	Warning	Y	N
17042	HAD	Notifier:options wrong order. Entity type must be define before entity subtypes	Warning	Y	N
17043	HAD	Notifier:send MSG_NOTIFIER_NOTIFY failure	Warning	Y	N
17045	HAD	Notifier:response to MSG_NOTIFIER_ALIVE failure	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
17046	HAD	Notifier:%1 command failure for %2	Warning	Y	N
17047	HAD	Notifier:Setting message Queue size to default value as value specified is less than default	Warning	Y	N
17049	HAD	Notifier:Message %1 is being deleted since message cannot be delivered for more than a hour	Warning	Y	N
17050	HAD	Notifier:Unhandled exception occurred	Warning	Y	N
17051	HAD	Notifier:Unable to connect to %1	Warning	Y	N
17053	HAD	Notifier:Mail server specified does not support SMTP VRFY command. Email user cannot be verified	Warning	Y	N
40000	HAD	ULF_CLI ULF_AGT	Error	Y	N
40001	HAD	Cannot connect to VCS simulator	Warning	Y	N
40002	HAD	Passwords do not match	Error	Y	N
40004	HAD	Error: Nodeid(%1 should be less than maxnodes(%2 This node cannot join the cluster	Error	Y	N
40006	HAD	Error: Cannot Initialize Socket	Error	Y	N
40007	HAD	Error: Unsuccessful open of service	Error	Y	N
40009	HAD	Unable to specify -status from the command line. %1	Warning	Y	N
40016	HAD	Error: invalid type %c	Error	Y	N
40024	HAD	Passwords do not match enter again	Error	Y	N
40103	HAD	On the FAULTED cluster %1	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
40113	HAD	%1 %2	Warning	Y	N
40114	HAD	%1 %2 %3	Warning	Y	N
40115	HAD	Cannot specify both -localclus and -clus options	Warning	Y	N
40116	HAD	-localclus should be the last option.	Warning	Y	N
40125	HAD	No records found matching the specified conditions\n	Warning	Y	N
49001	HAD	Could not copy the sample configuration files	Error	Y	N
49002	HAD	Cannot find VCS_SIMULATOR_HOME	Error	Y	N
49003	HAD	Cannot gather Simulator port configurations for cluster %1	Error	Y	N
49004	HAD	Port specified is already configured in this configuration.	Error	Y	N
49007	HAD	Configuration files created but could not update the simconfig file.	Error	Y	N
49008	HAD	Cannot find default simulator configuration.	Error	Y	N
49009	HAD	Directory for the specified cluster already exists. Cannot continue to configure.	Error	Y	N
49015	HAD	Cannot write to file: %1	Error	Y	N
49017	HAD	Simulator is already running on port '%1' for cluster '%2'.	Error	Y	N
49018	HAD	Could not find port information for the cluster %1. Specified cluster may not be configured.	Error	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
49019	HAD	Could not connect to the cluster %1. It may not be Running.	Error	Y	N
49020	HAD	Could not stop SimServer. Error reported: %1	Error	Y	N
49021	HAD	Cannot gather cluster name information for port %1	Error	Y	N
50000	HAD	Group %1's prerequisites have not been fully met on system %2	Warning	Y	N
50007	HAD	Initiating auto-start online of group %1	Warning	Y	N
50016	HAD	Setting SYSSTATE to RSM_EXITED for node : %1.	Error	Y	N
50018	HAD	process_cluster() - received MSG_CLUSTER_DIE_DUPLICATE_NAME from node: %1. Will Exit now.	Warning	Y	N
50036	HAD	There are no enabled resources in the group %1 to online	Warning	Y	N
50039	HAD	Disabled resource: %1 can not be online	Error	Y	N
50040	HAD	All the resources in group are not completely offline	Error	Y	N
50043	HAD	For system %1 LLTNodeId:%2 and NodeId:%3 do not match	Warning	Y	N
50044	HAD	For system %1 check if llttab file has correct set-node entry with reference to the llthosts file. VCS engine will exit to prevent any inconsistency	Warning	Y	N
50045	HAD	Initiating online of parent group %s	Warning	Y	N N
50046	HAD	Initiating online of parent group %1 on node %2	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
50047	HAD	Clearing parent group %1's migrateq	Warning	Y	N
50048	HAD	Migrating child %1 from node %2	Warning	Y	N
50049	HAD	Initiating online of child group %1	Warning	Y	N
50050	HAD	Migrating parent %s from node %1	Warning	Y	N
50051	HAD	Failed to read GAB message %1 time(s) due to insufficient memory.	Warning	Y	N
50052	HAD	Insufficient memory to read GAB message. Panic system.	Warning	Y	N
50053	HAD	Insufficient memory to read GAB message. Exiting.	Warning	Y	N
50100	HAD	Command (%1) failed. Cluster Administrator or Group Administrator privilege required	Warning	Y	N
50101	HAD	Command (%1) failed. Cluster Administrator privilege required	Warning	Y	N
50102	HAD	Command (%1) failed. At least Cluster Operator privilege required	Warning	Y	N
50103	HAD	Command (%1) failed. At least Group Administrator privilege required	Warning	Y	N
50104	HAD	Command (%1) failed. At least Group Operator privilege required	Warning	Y	N
50105	HAD	Command (%1) failed. User should be a %2	Warning	Y	N
50112	HAD	hacli is disabled	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
50114	HAD	Invalid value %1 for key %2	Warning	Y	N
50115	HAD	Invalid value %1 for key %2	Warning	Y	N
50116	HAD	Invalid value %1 for key %2	Warning	Y	N
50117	HAD	Invalid value %1 for key %2 can not modify key for this value	Warning	Y	N
50118	HAD	%1 is not a valid key for CPUUsageMonitoring	Warning	Y	N
50119	HAD	Error in disabling CPUUsage monitoring: %1	Error	Y	N
50120	HAD	Error in enabling CPUUsage monitoring: %1	Error	Y	N
50121	HAD	Error in reading CPUUsage: %1	Error	Y	N
50122	HAD	Invalid CPUUsage obtained: %1	Error	Y	N
50123	HAD	CPUUsage: %1 exceeded ActionThreshold: %2 on system %3	Error	Y	N
50124	HAD	CPUUsage: %1 exceeded NotifyThreshold: %2 on system %3	Warning	Y	N
50126	HAD	Group %1 is not yet fully probed on system %2	Warning	Y	N
50132	HAD	User %1	Warning	Y	N
50134	HAD	User %1	Warning	Y	N
50138	HAD	Some resources are in ADMIN WAIT state on system %1	Warning	Y	N
50141	HAD	Clearing the migrateq for parent group %1	Warning	Y	N
50148	HAD	ADMIN_WAIT flag set for resource %1 on system %2 with the reason %3	Error	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
50300	HAD	Unsuccessful get of PDRs (%1)	Error	Y	N
50301	HAD	Unsuccessful in getting PD attributes (%1)	Warning	Y	N
50302	HAD	Unsuccessful search for non-root domain.	Error	Y	N
50303	HAD	Unsuccessful creation of private domain in Authentication Broker for VCS Engine(%1) %2	Error	Y	N
50304	HAD	Unsuccessful in getting Private Domain attributes (%1)	Error	Y	N
50305	HAD	Unsuccessful creation of Principal in Authentication Broker for VCS Engine(%1)	Error	Y	N
50307	HAD	Failed to initialize secure communication library (%1)	Error	Y	N
50309	HAD	Security ON. Init failed. Clients will be rejected	Error	Y	N
50312	HAD	Unable to get FQDN for host (%1)	Error	Y	N
50505	HAD	Remote cluster %1 cannot be deleted as it is in the %2 state	Error	Y	N
50506	HAD	Remote cluster %1 cannot be deleted as it is a part of the clusterlist for group %2	Error	Y	N
50507	HAD	Remote cluster %1 cannot be deleted as it is a part of the clusterlist for heartbeat %2	Error	Y	N
50523	HAD	Number of clusters in the ClusterList attribute for group %1 is different between clusters %2 and %3	Error	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
50524	HAD	Cluster %1 does not exist in the ClusterList attribute for group %2 in cluster %3	Error	Y	N
50526	HAD	Group %1's ClusterList priority for cluster %2 is different between clusters %3 and %4	Error	Y	N
50528	HAD	ClusterList values for global group %1 differ between the clusters. Not attempting to online group in local cluster	Error	Y	N
50529	HAD	Remote cluster %1 does not exist in the ClusterList attribute for group %2 in local cluster %3	Error	Y	N
50530	HAD	Group %1's ClusterList priority for cluster %2 is different between local cluster %3 and remote cluster %4	Error	Y	N
50531	HAD	Number of clusters in the ClusterList attribute for group %1 is different between local cluster %2 and remote cluster %3	Error	Y	N
50624	HAD	Simulator switched local system to %1	Warning	Y	N
50625	HAD	System (%1) is already up	Warning	Y	N
50626	HAD	Cannot bring system %1 up	Error	Y	N
50627	HAD	Cannot bring system %1 up	Error	Y	N
50628	HAD	System %1 is the last running node in the cluster. Stop the cluster instead of powering off this system	Warning	Y	N
50702	HAD	Remote cluster name needs to be specified.\n	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
50704	HAD	Incorrect remote cluster specified	Warning	Y	N
50705	HAD	Must specify a system name	Warning	Y	N
50706	HAD	Incorrect cluster specified	Warning	Y	N
50710	HAD	Incorrect option	Warning	Y	N
50711	HAD	Insufficient arguments	Warning	Y	N
50712	HAD	Bad parameter	Warning	Y	N
50713	HAD	Specify one remote cluster	Warning	Y	N
50714	HAD	Please specify the heartbeat and attribute name.	Warning	Y	N
50717	HAD	Must specify a system name or use the -all option	Warning	Y	N
50727	HAD	Unexpected message 0x%1 while processing alerts from engine	Warning	Y	N
50728	HAD	Invalid alert ID specified	Warning	Y	N
50729	HAD	Invalid description specified	Warning	Y	N
50731	HAD	Incorrect category ID specified	Warning	Y	N
50739	HAD	Need to specify a description of why alert is being deleted	Warning	Y	N
50743	HAD	ClusterService group is not properly configured on cluster %1	Warning	Y	N
50757	HAD	Remote cluster %1 does not have Authority for global group %2. Not attempting to online in local cluster	Error	Y	N
50758	HAD	Not initiating online of parent group %1 after child online because parent group is in deferred AutoStart	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
50759	HAD	Not initiating online of parent group %1 after child online since local cluster does not have Authority for parent group	Warning	Y	N
50809	HAD	Group %1 is unable to go online on any system in cluster %2	Warning	Y	N
50824	HAD	Command (%1) failed. At least Group Operator privilege required on remote cluster %2	Error	Y	N
50850	HAD	Unable to display alerts. An error has occurred while requesting alerts from engine	Warning	Y	N
50851	HAD	An error has occurred while receiving alerts from engine	Warning	Y	N
50878	HAD	Error opening LDF file for '%1'	Error	Y	N
50879	HAD	Invalid log message	Error	Y	N
50894	HAD	Command (%1) failed. The Group %2 cannot be frozen	Error	Y	N
50895	HAD	Remote cluster %1 was determined to be the next suitable failover target for group %2. Not initiating online of group	Warning	Y	N
50908	HAD	Remote cluster %1 has faulted. Determining if global group %2 should be failed over to local cluster	Error	Y	N
50909	HAD	Unable to find a suitable remote failover target for Group %1.	Error	Y	N
50910	HAD	Local cluster was determined to be the next suitable failover target for Group %1. Initiating online of group	Error	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
50911	HAD	Unable to fail over global group %1 in local cluster. Attempting to fail group over to a remote cluster [ClusterFailoverPolicy = %2]	Warning	Y	N
50921	HAD	CONCURRENCY VIOLATION:Group %1 is online on the following clusters [%2]	Error	Y	N
50922	HAD	Invalid group %1 specified	Warning	Y	N
50926	HAD	Local cluster was not granted Authority for group %1	Warning	Y	N
50927	HAD	Received invalid message 0x%1	Warning	Y	N
50931	HAD	Group %1 could not go online on remote system %2. Not initiating offline of group	Warning	Y	N
50932	HAD	Group %1 could not go online in remote cluster %2. Not initiating offline of group	Warning	Y	N
50934	HAD	Unable to AutoStart	Warning	Y	N
50952	HAD	Invalid remote group message 0x%1	Warning	Y	N
50953	HAD	Remote group name is required	Warning	Y	N
50954	HAD	Could not find cluster %1	Warning	Y	N
50955	HAD	Remote group %1 does not exist in cluster %2	Warning	Y	N
50961	HAD	Global group %1 is faulted on system %2 in cluster %3	Error	Y	N
50965	HAD	AutoFailOver value for group %1 is different between local cluster %2 and remote cluster %3	Error	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
50966	HAD	ClusterFailOverPolicy value for group %1 is different between local cluster %2 and remote cluster %3	Error	Y	N
50972	HAD	Invalid remote resource message 0x%1	Warning	Y	N
50973	HAD	Remote resource name is required	Warning	Y	N
50974	HAD	Remote type name is required	Warning	Y	N
50977	HAD	Could not find group %1 on cluster %2	Warning	Y	N
50978	HAD	Remote resource %1 does not exist in cluster %2	Warning	Y	N
50979	HAD	[Licensing] You have %1 day(s) left in your %2 feature evaluation period	Error	Y	N
50980	HAD	[Licensing] Your evaluation period for the %1 feature has expired. This feature will not be enabled the next time VCS starts	Error	Y	N
50981	HAD	Resource %1 is faulted on system %2 in cluster %3	Error	Y	N
50984	HAD	Invalid remote system message 0x%1	Warning	Y	N
50985	HAD	Remote system name is required	Warning	Y	N
50987	HAD	Remote system %1 does not exist in cluster %2	Warning	Y	N
50992	HAD	System %1 has faulted in cluster %2	Error	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
50993	HAD	Local cluster has Authority for group %1 but is unable to communicate with other remote clusters. Postponing AutoStart for %2 seconds	Warning	Y	N
50994	HAD	Local cluster does not have Authority for group %1. Not initiating AutoStart of group on system %2 after probe	Warning	Y	N
51000	HAD	offlining (path) group %1 on %2	Warning	Y	N
51001	HAD	Migrating child %1 from node %2 to %3	Warning	Y	N
51004	HAD	Invalid Timeout message 0x%1	Error	Y	N
51005	HAD	Timeout with ID = %1 already exists	Error	Y	N
51006	HAD	Invalid Timeout type 0x%1	Error	Y	N
51007	HAD	Timeout with ID = %1 does not exist	Error	Y	N
51008	HAD	Unknown Axis flag 0x%1	Warning	Y	N
51018	HAD	Cluster %1 does not exist	Warning	Y	N
51027	HAD	Global group %1 is faulted due to a persistent resource fault. Not setting Restart because local cluster does not have Authority for group	Warning	Y	N
51040	HAD	Unable to grant Authority to cluster %1 since local cluster no longer has Authority for group %2	Warning	Y	N
51041	HAD	Unable to grant cluster %1 Authority for group %2 since group is online/partial in local cluster	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
51043	HAD	Unable to grant cluster %1 Authority for group %2 since group is in the middle of a group operation	Warning	Y	N
51045	HAD	Unable to grant cluster %1 Authority for group %2 since child group %3 is in the middle of a group operation	Warning	Y	N
51050	HAD	Cannot switch global group %1. Cluster %2 is unable to locate Authority for group	Warning	Y	N
51060	HAD	VCS engine rejected connection request from wide area connector because group %1 is not properly configured	Error	Y	N
51061	HAD	VCS engine rejected connection request from wide area connector because group %1 is not running on local system %2	Error	Y	N
51062	HAD	VCS engine rejected connection request from wide area connector because a connection with the wide area connector has already been established	Error	Y	N
52501	HAD	LinkHandle::events select failed errno=%1	Warning	Y	N
52502	HAD	LinkHandle::open Cannot find usable Winsock.dll or correct version of Winsock.dll	Error	Y	N
52503	HAD	LinkHandle::open Cannot find protocol information for TCP	Warning	Y	N
52504	HAD	LinkHandle::open gethostbyname failed for %1	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
52505	HAD	LinkHandle::open Unrecognizable Address Format %1	Warning	Y	N
52506	HAD	LinkHandle::open Cannot create socket. errno = %1	Error	Y	N
52508	HAD	LinkHandle::open setting close on exec failed errno = %1	Warning	Y	N
52509	HAD	LinkHandle::open select failed errno = %1	Warning	Y	N
52510	HAD	LinkHandle::open set to nonblocking mode failed errno = %1	Warning	Y	N
52511	HAD	LinkHandle::open Cannot find service information for %1 errno = %2/tcp	Warning	Y	N
52512	HAD HAD	LinkHandle::open getpeername failed errno = %1	Warning	Y	N
52513	HAD	LinkHandle::open fcntl(FD_CLOEXEC) failed errno = %1	Warning	Y	N
52514	HAD	LinkHandle::send peer exited errno = %1	Warning	Y	N
52515	HAD	LinkHandle::send peer closed	Warning	Y	N
52516	HAD	LinkHandle::recvb_read_errno is %1	Warning	Y	N
52517	HAD	LinkHandle::recv peer exited errno=%1	Warning	Y	N
52518	HAD	LinkHandle::sendrecvb send() != IPM_SUCCESS	Warning	Y	N
52519	HAD	LinkHandle::sendrecvb recvb() != IPM_SUCCESS	Warning	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
52520	HAD	LinkHandle::sendrecvb Unexpected message	Error	Y	N
52521	HAD	Invalid Channel	Warning	Y	N
52522	HAD	LinkServer::open Cannot find service information for %1/tcp	Warning	Y	N
52523	HAD	LinkServer::open Cannot find protocol information for TCP	Warning	Y	N
52524	HAD	LinkServer::open Cannot create socket errno = %1	Error	Y	N
52525	HAD	LinkServer::open SO_REUSEADDR failed errno = %1	Warning	Y	N
52526	HAD	LinkServer::open Bind Failed errno = %1	Warning	Y	N
52527	HAD	LinkServer::open Listen Failed errno = %1	Warning	Y	N
52528	HAD	LinkServer::accept failed errno = %1	Warning	Y	N
52529	HAD	Login Incorrect	Warning	Y	N
52564	HAD	Cluster is not in RUNNING state	Warning	Y	N
52565	HAD	Bad cmd specified	Warning	Y	N
52566	HAD	Bad system specified	Warning	Y	N
52573	HAD	Command (%1) can not be run on a remote system	Error	Y	N
53000	HAD	SSL handshake failed %1	Error	Y	N
53005	HAD	Broker (%1) unable to authenticate logged on user (%2)	Error	Y	N
53006	HAD	Unable to connect to VCS engine securely	Error	Y	N

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
53007	HAD	Error returned from engine: HAD on this node not accepting clients.	Error	Y	N
53009	HAD	Failed to initialize security library (%1)	Error	Y	N
13005	vcsagfw.dll	Agent (%1) is exiting due to internal error.	Error	Y	N
13133	VCSAgTestClient	Cannot open stdin .. exiting	Error	Y	N
13134	VCSAgTestClient	Error receiving from the agent. Exiting	Error	Y	N
13135	VCSAgTestClient	Error sending to the agent. Exiting	Error	Y	N
13136	VCSAgTestClient	Could not connect to port %1 IPM error(%2)	Error	Y	N
13137	VCSAgTestServer	Could not get port number for the service %1. Will try port %2	Warning	Y	N
13138	VCSAgTestServer	Could open IPM server on port %1. Exiting	Error	Y	Y
13353	VCSAgTestServer	Invalid status message received for Resource(%1)	Warning	Y	N
13355	VCSAgTestServer	Error: Cannot find usable Winsock.dll or correct version of Winsock.dll	Error	Y	Y
13372	VCSAgTestServer	The following commands are supported:\n (Use 'help<command>' for more information on using <command> \n)	Error	Y	Y
13375	VCSAgTestServer	Cannot understand input -- type help for list of commands	Error	Y	Y
13379	VCSAgTestServer	Agent %1 has either not started or has not connected	Error	Y	Y

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
13381	VCSAgTestServer	Unknown agent (%1) is trying to connect	Error	Y	Y
13382	VCSAgTestServer	Agentid (%1) already exists -- cannot start two agents with the same id	Error	Y	Y
13383	VCSAgTestServer	Error(%1) opening (%2)	Error	Y	Y
13384	VCSAgTestServer	Cannot execute %1	Error	Y	Y
13386	VCSAgTestServer	Sends a message to an agent to online a resource	Error	Y	Y
13387	VCSAgTestServer	Sends a message to an agent to add a resource	Error	Y	Y
13388	VCSAgTestServer	Sends a message to an agent to determine the status of a resource	Error	Y	Y
13389	VCSAgTestServer	Sends a message to an agent to delete a resource	Error	Y	Y
13390	VCSAgTestServer	Sends message to an agent to offline a resource	Error	Y	Y
13391	VCSAgTestServer	Starts an agent and assigns it a name	Error	Y	Y
13392	VCSAgTestServer	The default value of <code>is</code> is <code>\$VCS_HOME\bin\VCSAgDriver.exe</code>	Error	Y	Y
13393	VCSAgTestServer	The default value of <code><filename></code> is <code>\$VCS_HOME/bin/<agentid>/<agentid>Agent</code>	Error	Y	Y
13394	VCSAgTestServer	Subsequent commands to this agent must specify <code><agentid></code> as the first arg	Error	Y	Y
13395	VCSAgTestServer	sends a shutdown message to the agent specified by the <code><agentid></code>	Error	Y	Y

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
13396	VCSAgTestServer	Deletes an agent entry from the list of agents started by this process.	Error	Y	Y
13397	VCSAgTestServer	Prints the ids of all the agents started by this process	Error	Y	Y
13398	VCSAgTestServer	Sends a message to the agent <agentid> to\n - either list all the hash tables\n - or display a particular hash table.	Error	Y	Y
13399	VCSAgTestServer	Sends a message to an agent to display the memory statistics of the\n internal C++ objects.	Error	Y	Y
13400	VCSAgTestServer	Sends a message to an agent to show its CPU usage statistics	Error	Y	Y
13401	VCSAgTestServer	Sends a message to an agent to add a resource type	Error	Y	Y
13402	VCSAgTestServer	Sends a message to an agent to add an attribute to a resource type	Error	Y	Y
13403	VCSAgTestServer	Sends a message to an agent to add an attribute to all the resources\n of a resource type	Error	Y	Y
13404	VCSAgTestServer	Sends a message to an agent to modify an attribute of a resource type	Error	Y	Y
13405	VCSAgTestServer	Sends a message to an agent to modify an attribute of a resource	Error	Y	Y
13406	VCSAgTestServer	Quits this program. All the agents started by this process must be \n stopped before this command can be issued	Error	Y	Y
13408	VCSAgTestServer	Cannot quit: Please stop all Agents before quitting	Error	Y	Y

Table 3-1 HAD Monitoring Rules (*continued*)

Event ID	Module Name	Rule Name	Severity	Event Enabled	Alert Enabled
13409	VCSAgTestServer	Unknown command (%1) . Type help for the list of commands	Error	Y	Y
13410	VCSAgTestServer	Agentid has not been specified	Error	Y	Y
13411	VCSAgTestServer	Received the MSG_CLUSTER_CONN_INFO message with non string key	Error	Y	Y
13412	VCSAgTestServer	No value specified for key (%1)	Error	Y	Y
13413	VCSAgTestServer	Value of key %1 should be a string	Error	Y	Y
13414	VCSAgTestServer	Value of key %1 should be an integer	Error	Y	Y
13420	VCSAgTestServer	Please verify the arguments	Error	Y	Y

GAB monitoring rules

[Table 3-2](#) lists the GAB rules included in the VCS Management Pack.

Table 3-2 GAB Monitoring Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
1	GAB	Event logging enabled for GAB driver.	Informational	Y	N
2	GAB	Error in creating Device Object in NT Gab Driver.	Error	Y	Y
3	GAB	A device which does not exist was specified.	Error	Y	Y
4	GAB	The I/O request was cancelled.	Error	Y	Y

Table 3-2 GAB Monitoring Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
5	GAB	Insufficient system resources exist to complete the request.	Error	Y	Y
6	GAB	Not enough memory resources to complete the request.	Error	Y	Y
7	GAB	The access right to the requested object has not been granted.	Error	Y	Y
8	GAB	The device for the request is currently busy.	Error	Y	Y
9	GAB	The Object Name already exists.	Error	Y	Y
10	GAB	An invalid parameter was passed to a function.	Error	Y	Y
11	GAB	A protocol error was detected.	Error	Y	Y
12	GAB	The I/O device reported an I/O error.	Error	Y	Y
13	GAB	The specified resources name can not be found.	Error	Y	Y
14	GAB	Driver report error on %2	Error	Y	Y
15	GAB	Driver report %2	Error	Y	Y

Table 3-2 GAB Monitoring Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
18	GAB	GAB: Driver information displayed in data field below. Use Byte mode display and scroll passed first 20 hex bytes starting at offset 28 hex.	Error	Y	N

LLT monitoring rules

Table 3-3 lists the LTT rules included in the VCS Management Pack.

Table 3-3 LLT Monitoring Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
3	LLT	Internal Error: Incorrect header size %2	Error	Y	Y
4	LLT	Internal Error: Failed to create LLT device"	Error	Y	Y
5	LLT	Internal error: Failed to create symbolic link	Error	Y	Y
6	LLT	Memory allocation error %2	Error	Y	Y
7	LLT	Failed to close the LLT link %2	Error	Y	Y
8	LLT	Protocol error: Acknowledgement in window but no messages to zap %2	Error	Y	Y
9	LLT	Duplicate cluster/node detected %2	Error	Y	Y
10	LLT	Link disabled %2	Error	Y	Y

Table 3-3 LLT Monitoring Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
11	LLT	LLT is disabled	Error	Y	Y
12	LLT	Timer was not called for quite sometime %2	Error	Y	Y

Agents monitoring rules

The Agent Framework rules for each agent categorized appropriately under properly named sub-folders.

VMDg event processing rules

[Table 3-4](#) lists the VMDg agent rules included in the VCS Management Pack.

Table 3-4 VMDg Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
9551	VMDg	Failed to query VxOb (Error = %d:%d).	Warning	Y	N
9550	VMDg	Failed to start VxOb Service (Error = %d:%d).	Warning	Y	N
9552	VMDg	Failed to open VxOb (Error = %d:%d).	Warning	Y	N
9558	VMDg	Failed to unmount volume	Warning	Y	N
9510	VMDg	Volume Manager Cluster support components not installed.	Error	Y	N
9507	VMDg	Could not initialize Volume Manager connection. Error = %08X	Error	Y	N
9509	VMDg	Could not get SCM handle [%d:%d]	Error	Y	N

Table 3-4 VMDg Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
9505	VMDg	Cluster Server license is not enabled in Volume Manager.	Error	Y	N
9506	VMDg	Diskgroup not configured	Error	Y	N
9559	VMDg	Query imported cluster diskgroups : %s	Warning	Y	N
9515	VMDg	Init diskgroup : %s	Error	Y	N
9615	VMDg	Init diskgroup failed : The diskgroup and GUID do not match	Error	Y	N
9715	VMDg	Init diskgroup failed [%d:%d]	Error	Y	N
9553	VMDg	Query imported cluster diskgroup state: %s	Warning	Y	N
9561	VMDg	Query SCSI Reservation : %s	Warning	Y	N
9562	VMDg	One or more disks in this diskgroup are unsteady.	Warning	Y	N
9513	VMDg	Online diskgroup : %s	Error	Y	N
9563	VMDg	Force Import of diskgroup enabled.	Warning	Y	N
9566	VMDg	Disk availability check : %s	Warning	Y	N
9511	VMDg	Online diskgroup. Less than half of total disks available in the diskgroup.	Error	Y	N
9613	VMDg	Import diskgroup failed [%d:%d]	Error	Y	N
9514	VMDg	Offline diskgroup : %s	Error	Y	N
9614	VMDg	Deport diskgroup failed [%d:%d]	Error	Y	N

MountV agent event processing rules

Table 3-5 lists the MountV agent rules included in the VCS Management Pack.

Table 3-5 MountV Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
9001	MountV	Volume Manager Cluster support components not installed.	Error	Y	N
9002	MountV	Could not initialize Volume Manager connection. Error=%08X	Error	Y	N
9005	MountV	Cluster Server license is not enabled in Volume Manager	Error	Y	N
9006	MountV	%s not configured	Error	Y	N
9007	MountV	Mount type unknown (%d:%d:%s)	Warning	Y	N
9008	MountV	Failed to get volume properties [%d:%d]	Warning	Y	N
9011	MountV	Volume %s is also mounted as NTFS Folder mount(s) at %s	Warning	Y	N
9010	MountV	Cannot access volume %s	Error	Y	N
9012	MountV	Volume %s is Mounted as %s but configured as %s	Warning	Y	N
9013	MountV	Volume %s is already mounted as NTFS Folder %s	Warning	Y	N
9015	MountV	Volume %s has been mounted multiple times (%s)	Warning	Y	N
9016	MountV	Volume %s has also been mounted as (%s)	Warning	Y	N

Table 3-5 MountV Agent Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
9009	MountV	Volume %s is also mounted as Driveletter %s	Warning	Y	N
9017	MountV	Diskgroup not present	Warning	Y	N
9018	MountV	Volume not present	Warning	Y	N
9019	MountV	Connection to VM not initialized	Warning	Y	N
9014	MountV	Volume %s is already mounted as Driveletter %s	Warning	Y	N
9020	MountV	%s is not suitable for folder mount [%d:%d]	Warning	Y	N
9021	MountV	%s is not on an NTFS formatted volume	Warning	Y	N
9022	MountV	Failed to unlock volume [%d:%d]	Warning	Y	N
9023	MountV	Failed to lock volume [%d:%d]	Warning	Y	N
9031	MountV	Unable to open volume [%d:%d]	Warning	Y	N
9024	MountV	Failed to mount volume %s at %s [%d:%d]	Error	Y	N
9025	MountV	Failed to unmount the volume from the configured mount path [%d:%d]	Error	Y	N
9026	MountV	Filesystem at %s is not clean [%d:%d]	Error	Y	N
9027	MountV	Failed to add administrative share	Error	Y	N

Table 3-5 MountV Agent Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
9030	MountV	Failed to delete administrative share [%d:%d]	Error	Y	N

ElifNone agent event processing rules

[Table 3-6](#) lists the ElifNone agent rules included in the VCS Management Pack.

Table 3-6 ElifNone Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
2	Agents	File Name is not valid	Error	Y	N

FileNone agent event processing rules

[Table 3-7](#) lists the FileNone agent rules included in the VCS Management Pack.

Table 3-7 FileNone Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
502	Agents	File Name is not specified	Error	Y	N

FileOnOff agent event processing rules

[Table 3-8](#) lists the FileOnOff agent rules included in the VCS Management Pack.

Table 3-8 FileOnOffAgent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
1002	Agents	Unable to create the file	Error	Y	N
1003	Agents	Unable to delete the file	Error	N	N

FileOnOnly agent event processing rules

[Table 3-9](#) lists the FileOnOnly agent rules included in the VCS Management Pack.

Table 3-9 FileOnOnly Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
1502	Agents	ERROR! FileName is not valid	Error	Y	N
1504	Agents	Unable to create the file	Error	Y	N

FileShare agent event processing rules

[Table 3-10](#) lists the FileShare agent rules included in the VCS Management Pack.

Table 3-10 FileShare Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
10501	FileShare	Attribute value(s) invalid for %s	Error	Y	N
10701	FileShare	Share name %s contains invalid characters	Error	Y	N
10502	FileShare	Failed to initialize folder %s [%d:%d]	Error	Y	N
10503	FileShare	Failed to initialize permissions. [%d:%d]	Error	Y	N
10504	FileShare	Failed to attach permissions. [%d:%d]	Error	Y	N
10520	FileShare	Path mismatch for share %s	Error	Y	N
10510	FileShare	MaxUsers for share %s is less than configured	Error	Y	N
10522	FileShare	FileShare Error : The Server service is not available	Error	Y	N

Table 3-10 FileShare Agent Event Processing Rules *(continued)*

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
10523	FileShare	The share %s is of type Print	Error	Y	N
10524	FileShare	The share %s is of type Device	Error	Y	N
10525	FileShare	The share %s is of type IPC	Error	Y	N
10526	FileShare	The share %s is of type Special	Error	Y	N
10527	FileShare	The share %s is of type Unknown	Error	Y	N
10506	FileShare	Unknown error for folder %s [%d:%d]	Error	Y	N
10521	FileShare	System error occurred for folder %s Error [%d]	Error	Y	N
10529	FileShare	Permissions error occurred for folder %s Error [%d]	Error	Y	N
10507	FileShare	Failed to get properties for folder %s [%d:%d]	Error	Y	N
10505	FileShare	Failed to open folder %s [%d:%d]	Error	Y	N
10528	FileShare	The folder %s may not be shared by VCS	Error	Y	N
10508	FileShare	Folder %s (\\\\%s\\%s) already shared	Error	Y	N
10509	FileShare	Failed to share folder %s as (\\\\%s\\%s) [%d:%d]	Error	Y	N
10519	FileShare	Failed to unshare folder %s as (\\\\%s\\%s) [%d:%d]	Error	Y	N

Internet Information Services (IIS) agent event processing rules

Table 3-11 lists the IIS agent rules included in the VCS Management Pack.

Table 3-11 Internet Information Services Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13503	Agents	Failed to parse the argument list.	Warning	Y	N
13505	Agents	Failed to allocate memory for IIS Service resource object.	Error	Y	N
13504	Agents	"Failed to find the service object. Please check the \SiteType\" attribute. (%s)""	Error	Y	N
13506	Agents	"Failed to initialize IIS site object. [%d	Error	Y	N
13507	Agents	"Failed to create a new object for (%s) service [%d	Error	Y	N
13556	Agents	"Arguments are not specified correctly	Error	Y	N
13557	Agents	Failed to convert resource name. Error %d	Error	Y	N
13558	Agents	Failed to convert the argument list. Error %d.	Error	Y	N
13559	Agents	"Configuration error. \Service\" attribute is not configured.""	Error	Y	N
13560	Agents	"Configuration error. \SiteName\" attribute is not configured.""	Error	Y	N
13561	Agents	"Configuration error. \IPResName\" attribute is not configured.""	Error	Y	N
13562	Agents	Internal error IP (%s) Failed to convert IP address to ASCII. Error Code: %d	Error	Y	N

Table 3-11 Internet Information Services Agent Event Processing Rules
(continued)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13563	Agents	Incorrect IP address (%s)	Error	Y	N
13547	Agents	"Failed to start the application pool (%s). [%d	Error	Y	N
13548	Agents	"Failed to stop the application pool (%s). [%d	Error	Y	N
13549	Agents	"Failed to get the application pool state (%s). [%d	Error	Y	N
13524	Agents	"Failed to get the container interface %s [%d	Error	Y	N
13525	Agents	"Failed to enumerate the object in container %s [%d	Error	Y	N
13567	Agents	"Failed to enumerate the next object in the container %s [%d	Error	Y	N
13526	Agents	"Failed to query interface %s [%d	Error	Y	N
13550	Agents	"Failed to get the application pool state. Please check the application pool name %s [%d	Error	Y	N
13551	Agents	"Failed to get the IIS web virtual directory object %s [%d	Error	Y	N
13552	Agents	"Failed to start the one or more application pools. [%d	Error	Y	N
13568	Agents	"Failed to start the default application pool (%s). [%d	Error	Y	N
13553	Agents	"Failed to get the application pool interface %s [%d	Error	Y	N
13554	Agents	"Failed to start the application pool %s [%d	Error	Y	N

Table 3-11 Internet Information Services Agent Event Processing Rules
(continued)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13555	Agents	"Failed to stop the application pool %s [%d	Error	Y	N
13508	Agents	"Failed to start the service (%s). [%d	Error	Y	N
13509	Agents	"Failed to start the IIS Site / Virtual Server (%s). [%d	Error	Y	N
13510	Agents	"Failed to initialize application pool object (%s). [%d	Error	Y	N
13512	Agents	Failed to get the service state (%s)	Error	Y	N
13514	Agents	"Failed to stop the IIS Site / Virtual Server (%s). [%d	Error	Y	N
13516	Agents	"Failed to determine the state of the site / virtual server (%s). [%d	Error	Y	N
13517	Agents	"Failed to get the application pool state and bind path(%s). [%d	Error	Y	N
25	Agents	CLEAN () Site Is running (%s).	Error	Y	N
13518	Agents	"Failed to get the IIS version [%d	Error	Y	N
13519	Agents	"Failed to get the service operations interface %s [%d	Error	Y	N
13520	Agents	"Failed to get the status of the site %s [%d	Error	Y	N
13522	Agents	"Failed to start the site %s [%d	Error	Y	N
13523	Agents	"Failed to stop the site %s [%d	Error	Y	N

Table 3-11 Internet Information Services Agent Event Processing Rules
(continued)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13527	Agents	"Failed to get the object name %s [%d	Error	Y	N
13528	Agents	"Failed to get the ServerComment %s [%d	Error	Y	N
13529	Agents	"Failed to get the ADsPath %s [%d	Error	Y	N
13530	Agents	"Failed to release the site enumerate %s [%d	Error	Y	N
13531	Agents	"Failed to get the registry %s \CurrentMode\" attribute value [%d"	Error	Y	N
13533	Agents	Failed to find a usable WinSock DLL return value %d error code [%d]	Error	Y	N
13534	Agents	Unsupported WinSock DLL version HIGHBYTE (%d) LOBYTE (%d)	Error	Y	N
13511	Agents	Socket call failed PortNumber (%ld) error (%ld)	Error	Y	N
13535	Agents	Failed to set the socket option SO_DONTLINGER PortNumber (%ld) error (%ld)	Error	Y	N
13536	Agents	Failed to set the socket option SO_REUSEADDR PortNumber (%ld) error (%ld)	Error	Y	N
13537	Agents	Failed to set the socket option SO_KEEPALIVE PortNumber (%ld) error (%ld)	Error	Y	N
13538	Agents	Failed to set the I/O mode of a socket FIONBIO PortNumber (%ld) error (%ld)	Error	Y	N

Table 3-11 Internet Information Services Agent Event Processing Rules
(continued)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13539	Agents	Failed to establish a connection with the specified socket PortNumber (%ld) error (%ld)	Error	Y	N
13540	Agents	Failed to receive data from a connected socket error (%ld)	Error	Y	N
13541	Agents	Failed to receive data from a connected socket timeout (%ld)	Error	Y	N
13542	Agents	Failed to determine the status of the socket error (%ld)	Error	Y	N
13543	Agents	Failed to create a IIS admin base object (%ld) error (%ld)	Error	Y	N
13544	Agents	Failed to open metabase key %s (%ld) error (%ld)	Error	Y	N
13545	Agents	Failed to enumerate the parent key (%s) subkey(%s) status (%ld) error (%ld)	Error	Y	N
13546	Agents	Failed to find a index in the metabase for key(%s) (%ld) error (%ld)	Error	Y	N
12	Agents	"Wait on critical section failed [%d	Error	Y	N
40	Agents	"Failed to start service (%s) [%d	Error	Y	N
13	Agents	Failed to get the state of the service (%s)	Warning	Y	N
41	Agents	"Failed to stop the service (%s) [%d	Error	Y	N
42	Agents	"Failed to terminate the service (%s) [%d	Error	Y	N

Table 3-11 Internet Information Services Agent Event Processing Rules
(continued)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
43	Agents	"Failed to initialize the service object (Service = %s) [%d	Error	Y	N
44	Agents	Failed to get the service status (Service = %s). Error = %d	Error	Y	N
45	Agents	"Failed to open the service object (Service = %s). [%d	Error	Y	N

GenericService event processing rules

[Table 3-12](#) lists the GenericService agent rules included in the VCS Management Pack.

Table 3-12 GenericService Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
6001	GenericService	Failed to convert the argument list. Error = %d.	Error	Y	N
6002	GenericService	The ServiceName attribute has not been configured.	Error	Y	N
6026	GenericService	The LanmanResName attribute has not been configured.	Error	Y	N
6003	GenericService	The password attribute has not been configured.	Error	Y	N
6005	GenericService	Failed to lookup the account name '%s'. Error = %d.	Error	Y	N
6007	GenericService	The service '%s' is not in stopped state.	Warning	Y	N
6008	GenericService	Failed to decrypt the password.	Error	Y	N

Table 3-12 GenericService Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
6009	GenericService	Failed to change the user context of the service '%s' to '%s\\%s'. Error = %d.	Error	Y	N
6027	GenericService	Failed to set the virtual computer name in the environment of the service '%s'. Error = %d.	Error	Y	N
6010	GenericService	Failed to start the service '%s'. Error = %d.	Error	Y	N
6011	GenericService	The service '%s' did not start within the specified time limit.	Error	Y	N
6012	GenericService	Failed to wait for the service '%s' to start. Error = %d.	Error	Y	N
6013	GenericService	Failed to get the user context of the running service '%s'. Error = %d.	Error	Y	N
6014	GenericService	Failed to get the SID for user '%s\\%s'.	Error	Y	N
6015	GenericService	The service '%s' is not running under the context of user '%s\\%s'.	Warning	Y	N
6028	GenericService	The '%s' service is in STARTED state but is not running under the context of Virtual Server '%s'	Warning	Y	N
6029	GenericService	Failed to remove the virtual name environment for the service '%s' Error : (%d:%d)	Warning	Y	N
6017	GenericService	The service '%s' shares the same process with other services. Killing it might affect those services.	Warning	Y	N

Table 3-12 GenericService Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
6018	GenericService	Failed to kill the process of service '%s'. Error = %d.	Error	Y	N
6021	GenericService	Failed to open the service '%s'. Error %d.	Error	Y	N
6022	GenericService	Failed to query the status of the service '%s'. Error = %d.	Error	Y	N
6023	GenericService	The service '%s' is not in running state. Attempt to stop it might be unsuccessful.	Warning	Y	N
6024	GenericService	The service '%s' did not stop. Error = %d.	Error	Y	N
6025	GenericService	The service '%s' did not stop within the specified timeout. Error = %d.	Warning	Y	N

Microsoft Virtual Machine (MSVirtualMachine) agent event processing rules

[Table 3-13](#) lists the MSVirtualMachine agent rules included in the VCS Management Pack.

Table 3-13 Microsoft Virtual Machine Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
14001		Failed to get Argument list.	Error	Y	
14002		Virtual Server COM interface could not be initialized. Reported Error : [%01X]	Error	Y	
14003		GetVM Query failed for VM %s. Reported Error : [%01X]	Error	Y	
14004		COM Object pointer is NULL even after GetVM() Query succeeded for VM %s.	Error	Y	

Table 3-13 Microsoft Virtual Machine Agent Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
14005		Failed to retrieve state for VM %s. Reported Error [%01X].	Error	Y	
14006		Invalid VM state was reported for VM %s. Reported state [%d].	Error	Y	
14007		MonitorHB failed. Could not create instance for the Guest OS for VM %s. Reported Error [%01X].	Error	Y	
14008		MonitorHB failed. Could not communicate with Virtual machine Additions for VM %s. Reported Error [%01X].	Error	Y	
14009		VM %s has stopped heartbeating.	Error	Y	
14012		Power on for VM %s failed. Reported Error : [%01X]	Error	Y	
14014		Could not get a handle for the Guest OS running in VM %s.	Warning	Y	
14013		OS Shutdown failed for VM %s. Reported Error : [%01X].	Warning	Y	
14010		Failed to poweroff the Virtual machine %s. Reported Error : [%01X].	Warning	Y	
14011		Virtual machine %s is already stopped.	Warning	Y	

PrintShare agent event processing rules

[Table 3-14](#) lists the PrintShare agent rules included in the VCS Management Pack.

Table 3-14 PrintShare Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
11001	PrintShare	Attribute value(s) invalid for %s	Error	Y	N
11201	PrintShare	Share name %s contains invalid characters	Error	Y	N
11002	PrintShare	Initializing printer %s on %s failed. [%d:%d]	Error	Y	N
11020	PrintShare	Printer mismatch for share %s	Error	Y	N
11022	PrintShare	PrintShare Error : The Server service is not available	Error	Y	N
11023	PrintShare	The share %s is of type Folder	Error	Y	N
11024	PrintShare	The share %s is of type Device	Error	Y	N
11025	PrintShare	The share %s is of type IPC	Error	Y	N
11026	PrintShare	The share %s is of type Special	Error	Y	N
11027	PrintShare	The share %s is of type Unknown	Error	Y	N
11006	PrintShare	Unknown error for printer (\\\\%s\\%s). [%d:%d]	Error	Y	N
11021	PrintShare	System error occurred for printer %s Error [%d]	Error	Y	N
11007	PrintShare	Failed to get properties for printer (\\\\%s\\%s). [%d:%d]	Error	Y	N
11029	PrintShare	Failed to open printer %s [%d:%d]	Error	Y	N
11008	PrintShare	Printer %s (\\\\%s\\%s) already shared	Error	Y	N

Table 3-14 PrintShare Agent Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
11009	PrintShare	Failed to share printer %s as (\\\\%s\\%s) [%d:%d]	Error	Y	N
11028	PrintShare	The printer %s may not be shared by VCS	Error	Y	N
11019	PrintShare	Failed to unshare printer %s as (\\\\%s\\%s) [%d:%d]	Error	Y	N

PrintSpool agent event processing rules

[Table 3-15](#) lists the PrintSpool agent rules included in the VCS Management Pack.

Table 3-15 PrintSpool Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
7001	PrintSpool	Failed to convert the argument list. Error = %d.	Error	Y	N
7002	PrintSpool	LanmanResName attribute has not been configured.	Error	Y	N
7003	PrintSpool	IPResName attribute has not been configured.	Error	Y	N
7004	PrintSpool	MountResName attribute has not been configured.	Error	Y	N
7005	PrintSpool	SpoolDirectory attribute has not been configured.	Error	Y	N
7006	PrintSpool	Failed to update the spooler registry keys. Error = %d.	Error	Y	N
7007	PrintSpool	The spooler path '%s' is not valid.	Error	Y	N
7008	PrintSpool	Failed to enumerate the processes in the system. Error = %d.	Error	Y	N

Table 3-15 PrintSpool Agent Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
7009	PrintSpool	Spooler is not running.	Error	Y	N
7010	PrintSpool	Failed to initialize the spooler. Error=%d.	Error	Y	N
7011	PrintSpool	Duplicate Lanman name (%s) provided. Another PrintSpool resource exists with this Lanman name.	Error	Y	N
7012	PrintSpool	Duplicate IP address (%s) provided. Another PrintSpool resource exists with this IP.	Error	Y	N
7013	PrintSpool	Failed to allocate memory.	Error	Y	N
7014	PrintSpool	Failed to get internal data for resource '%s'. Probably open entry point for this resource has failed.	Error	Y	N
7015	PrintSpool	Attribute mismatch for Lanman resource. Attribute change is not supported.	Warning	Y	N
7016	PrintSpool	Attribute mismatch for IP resource. Attribute change is not supported.	Warning	Y	N
7017	PrintSpool	Failed to open a communication channel to the helper process. Error=%d.	Error	Y	N
7018	PrintSpool	Failed to online the virtual spooler. Error=%d.	Error	Y	N
7019	PrintSpool	The helper process for this resource exited automatically.	Error	Y	N

Table 3-15 PrintSpool Agent Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
7020	PrintSpool	The communication channel to the helper process is invalid.	Error	Y	N
7021	PrintSpool	Failed to offline the resource. Error=%d. Killing the helper process.	Error	Y	N
7022	PrintSpool	Failed to terminate the helper process. Error=%d.	Error	Y	N
7024	PrintSpool	Failed to create the helper process. Error=%d.	Error	Y	N
7025	PrintSpool	Failed to enumerate the processes in the system. Error=%d.	Warning	Y	N
7026	PrintSpool	Failed to initialize the helper process. Error=%d.	Error	Y	N
7027	PrintSpool	The helper process is not ready to accept command=%d. Administrative intervention may be required.	Error	Y	N
7028	PrintSpool	Failed to send the command=%d to the helper process. Error=%d.	Error	Y	N
7029	PrintSpool	The communication channel with the helper process has timed out.	Error	Y	N
7030	PrintSpool	Failed to receive a reply from the helper process. Error=%d.	Error	Y	N

Proxy agent event processing rules

[Table 3-16](#) lists the Proxy agent rules included in the VCS Management Pack.

Table 3-16 Proxy Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
2501	Agents	Target Resource Name is not a valid name	Error	Y	N
2502	Agents	Unable to get the computer name	Error	Y	N
2503	Agents	Unable to determine the state using input values	Error	Y	N
2504	Agents	Target resource is not Probed	Error	Y	N
2505	Agents	Unable to convert the resource Name. Error Code %d	Error	Y	N
2506	Agents	Unable to find VCS_HOME. Error Code %d	Error	Y	N
2507	Agents	Unable to identify the state of the resource. Error Code %d	Error	Y	N
2508	Agents	Unable to convert the buffer. Error Code %d	Error	Y	N

IP agent event processing rules

[Table 3-17](#) lists the IP agent rules included in the VCS Management Pack.

Table 3-17 IP Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
4003	Agents	Invalid attributes	Error	Y	N
4004	Agents	Ping failed for IP (IP_Address).	Error	Y	N
4005	Agents	Host (IP_Address) already exists	Error	Y	N
4006	Agents	Failed to add IP (IP_Address).	Error	Y	N
4001	Agents	Initialization failed	Error	Y	N
4007	Agents	Failed to delete IP (IP_Address).	Error	Y	N

Table 3-17 IP Agent Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
4008	Agents	IP (IP_Address) is Admin IP	Warning	Y	N
4009	Agents	Invalid MacAddress format	Error	Y	N
4017	Agents	Invalid MacAddress (MAC_Address) specified	Error	Y	N
4018	Agents	TCP/IP is not enabled for adapter (%s)	Warning	Y	N
4010	Agents	Invalid IP format	Error	Y	N
4011	Agents	Internal error	Error	Y	N
4012	Agents	Incorrect IP (IP_Address)	Error	Y	N
4013	Agents	Incorrect subnet mask (SubNet_Mask)	Error	Y	N
4014	Agents	Adapter (MAC_Adress) not found	Error	Y	N
4015	Agents	DHCP is enabled on Adapter (%s)	Error	Y	N
4016	Agents	Invalid Adapter (MAC_Address)	Error	Y	N
4019	Agents	Failed to update the IP registry keys. Error = %d.	Error	Y	N

IPMultiNicPlus agent event processing rules

Table 3-18 lists the IPMultiNicPlus agent rules included in the VCS Management Pack.

Table 3-18 IPMultiPlus Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
4501	Agents	AdapterList is Invalid . Please check the configuration.	Error	Y	N
4502	Agents	Internal error.Error : %s	Error	Y	N

Table 3-18 IPMultiPlus Agent Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
4503	Agents	Internal error. Adapter: %s Error: %d	Error	Y	N
4504	Agents	Internal error. Returning Unknown state. Error: %d	Error	Y	N
4505	Agents	Admin IP address not specified. Check the configuration.	Error	Y	N
4506	Agents	IP address %s is not in standard 'a.b.c.d' form	Error	Y	N
4507	Agents	Invalid Admin IP address. Check the configuration. Admin IP: %s	Error	Y	N
4508	Agents	Admin SubNetMask not specified. Check the configuration.	Error	Y	N
4509	Agents	SubNetMask %s is not in standard 'a.b.c.d' form	Error	Y	N
4510	Agents	Invalid Admin SubNetMask. Check the configuration. Admin SubNetMask: %s	Error	Y	N
4511	Agents	AddIPAddress() failed for IP %S !!	Error	Y	N
4513	Agents	WaitForSingleObject() Failed !!	Error	Y	N
4514	Agents	WaitForMultipleObjects() Failed !!	Error	Y	N
4515	Agents	AdminIp configured used by an adapter which is not present in the configuration	Warning	Y	N
4604	Agents	Ip %s already exists on the network	Warning	Y	N

Table 3-18 IPMultiPlus Agent Event Processing Rules *(continued)*

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
4512	Agents	DeleteIPAddress() Failed for IP %s !!	Error	Y	N
4516	Agents	Invalid MAC address %s specified in adapter List	Error	Y	N
4530	Agents	TCP/IP is not enabled for MAC address %s specified in adapter List	Error	Y	N
4532	Agents	DHCP is enabled on Adapter (%s)	Error	Y	N
4533	Agents	Invalid Adapter (%s)	Error	Y	N
4517	Agents	No adapters specified in the AdapterList.	Error	Y	N
4531	Agents	Invalid IP format (%s)	Warning	Y	N
4518	Agents	PingHostList is Empty	Error	Y	N
4519	Agents	IP Address not specified. Check the configuration.	Error	Y	N
4520	Agents	Invalid IP Address : %s . Check the configuration.	Error	Y	N
4521	Agents	SubNetMask not specified. Check the configuration.	Error	Y	N
4522	Agents	Invalid SubNetMask : %s . Check the configuration.	Error	Y	N
4523	Agents	Internal error. Returning Unknown state. Error: %d-%d	Error	Y	N
4524	Agents	Invalid MAC address specified in the AdapterList. MAC Address: %s	Error	Y	N
4525	Agents	"VCS internal error, contact support. Returning Unknown state. Adapter: %s Error: %d-%d"	Error	Y	N

Table 3-18 IPMultiPlus Agent Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
4527	Agents	Internal error. Error: %d-%d	Error	Y	N
4526	Agents	Internal error. Adapter: %s Error: %d-%d	Error	Y	N

NetLsnr agent event processing rules

[Table 3-19](#) lists the NetLsnr agent rules included in the VCS Management Pack.

Table 3-19 NetLsnr Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
19	Agents	Cannot Open Service handle for %s (Windows Error Code = %d)	Error	Y	N
1	Agents	Cannot Start Service (Windows Error Code = %d)	Error	Y	N
23	Agents	Cannot Start Service (Windows Error Code = %d)	Error	Y	N
2	Agents	Cannot Stop Service	Error	Y	N
11	Agents	Cannot Close Service Handle (Windows Error Code = %d)	Error	Y	N

NIC agent event processing rules

[Table 3-20](#) lists the NIC agent rules included in the VCS Management Pack.

Table 3-20 NIC Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
3504	Agents	Invalid MacAddress (MAC_Address) specified	Warning	Y	N
3505	Agents	Internal error	Warning	Y	N

Table 3-20 NIC Agent Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
3515	Agents	TCP/IP is not enabled for adapter (Adapter_Name)	Warning	Y	N
3506	Agents	Error percentage exceeded for (Adapter_Name)	Error	Y	N
3507	Agents	Adapter (Adapter_Name) Connection status cannot be found.	Error	Y	N
3513	Agents	Adapter (Adapter_Name) is not connected	Error	Y	N
3508	Agents	PingHostList not specified.	Warning	Y	N
3509	Agents	UDP echo attempt failed.	Error	Y	N
3510	Agents	UDP check failed due to network error.	Error	Y	N
1234	Agents	Failed to create Mutex.	Error	Y	N
3514	Agents	Failed to get IFEntry for adapter %s	Error	Y	N
3512	Agents	Adapter (Adapter_Name) not found	Error	Y	N
3516	Agents	Error percentage exceeded limit	Error	Y	N

NotifierMngr agent event processing rules

[Table 3-21](#) lists the NotifierMngr agent rules included in the VCS Management Pack.

Table 3-21 NotifierMngr Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
5011	Agents	Failed to get Notifier command line.	Error	Y	N

Table 3-21 NotifierMngr Agent Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
5002	Agents	Failed to Start Notifier Process %s. (Windows Error Code = %d)	Error	Y	N
5004	Agents	Failed to Offline Notifier Process. PID = %u (Windows Error Code = %d)	Error	Y	N
5005	Agents	Failed to Clean Notifier Process. PID = %u (Windows Error Code = %d)	Error	Y	N
5003	Agents	Failed to Open Notifier Process. PID = %u (Windows Error Code = %d)	Error	Y	N
5012	Agents	PID mismatch in cache. PID = %u (Cached Object PID = %u)	Error	Y	N
5013	Agents	NotifierMngr:Unable to connect to (SMTP Server)	Error	Y	N
5014	Agents	NotifierMngr:Invalid email address format of SMTP Recipient.	Error	Y	N
5008	Agents	Expected correct SNMP and or SMTP options	Warning	Y	N
5010	Agents	Unable to find VCS_HOME. Error Code %d	Error	Y	N
6533	Agents	Failed to enumerate the processes. Error = %d.	Error	Y	N
6534	Agents	Failed to allocate memory.	Error	Y	N
6535	Agents	Failed to open the process(%d). Error = %d.	Error	Y	N

Registry Replication (RegRep) agent event processing rules

[Table 3-22](#) lists the RegRep agent rules included in the VCS Management Pack.

Table 3-22 Registry Replication (RegRep) Agent Event Processing Rules
(continued)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
5518	Agents	Failed to get replication path	Error	Y	N
5513	Agents	Could not talk to monitor process (Info=%d)	Error	Y	N
5520	Agents	Could not locate the file (file=file_name)	Warning	Y	N
5706	Agents	Initialization failed.(reason)	Warning	Y	N
5524	Agents	Failed to set %S	Warning	Y	N
5521	Agents	Delete and restore not attempted as backup file can't be created (Key=%s)	Error	Y	N
5514	Agents	Process not responding (Info=%s)	Error	Y	N
5515	Agents	Shared memory still exists even after the process exited (Info=%s)	Warning	Y	N
5517	Agents	Failed to communicate monitor registry keys to RegRepMonitor.exe	Error	Y	N
5516	Agents	"Failed to communicate replication path to RegRepMonitor.exe (Drive=%s	Error	Y	N
5533	Agents	Failed to backup Exclude Key (Key=%s)	Error	Y	N
5532	Agents	Backup of Exclude Key is not attempted as backup file can't be created (Key=%s)	Error	Y	N

Lanman agent event processing rules

[Table 3-23](#) lists the Lanman agent rules included in the VCS Management Pack.

Table 3-23 Lanman Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
3001	Agents	"Internal error (Failed to initialize COM	Error	Y	N
3002	Agents	"Internal error (Failed to initialize virtualname object	Error	Y	N
3003	Agents	"Internal error (Failed to validate virtual server name	Warning	Y	N
3004	Agents	Virtual server name specified in the configuration is invalid (%s)	Error	Y	N
3005	Agents	Virtual name already exist in the network	Error	Y	N
3008	Agents	"Failed to register Virtual server name to Netbios (error_type:%d	Error	Y	N
3010	Agents	"Internal error (Failed to detach computer account	Error	Y	N
3011	Agents	"Failed to start the 'Veritas Cluster Server Helper' service. (error_type:%d	Error	Y	N
3012	Agents	"Internal error (Failed to switch the security context	Error	Y	N
3017	Agents	IP address specified for MultiNetInfo is invalid (entry=%S)	Error	Y	N
3018	Agents	SubnetMask specified for MultiNetInfo is invalid (entry=%S)	Error	Y	N
3019	Agents	WINS address specified for MultinetInfo is invalid (entry=%S)	Error	Y	N
3020	Agents	Internal error (invalid argument list)	Error	Y	N

Table 3-23 Lanman Agent Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
3021	Agents	VirtualName attribute is not specified in the configuration	Error	Y	N
3022	Agents	IP address specified in the configuration is invalid	Error	Y	N
3023	Agents	SubnetMask specified in the configuration is invalid	Error	Y	N
3024	Agents	MultinetInfo attribute specified in the configuration is in invalid format	Error	Y	N
3025	Agents	There are no valid IP addresses specified in the configuration	Error	Y	N
3009	Agents	Invalid option specified for the DNSOptions attribute(%s)	Warning	Y	N
3026	Agents	IP address specified in the configuration is not online. (ip=%S)	Error	Y	N
3027	Agents	Mismatch in the subnet mask specified in configuration and the actual subnet mask configured for the adapter	Error	Y	N
3028	Agents	WINS address specified in the configuration is not found in the adapter's WINS address list	Warning	Y	N
3006	Agents	"Failed to update DNS entry (error_type:%d	Error	Y	N
3007	Agents	"Failed to update Computer account in Active directory (error_type:%d	Error	Y	N
3029	Agents	"Internal error (Failed initialize netbios table information	Error	Y	N

Table 3-23 Lanman Agent Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
3032	Agents	"Attempt to online the Lanman resource has failed. error_type:%d	Error	Y	N
3033	Agents	Invalid attributes exist in the configuration	Error	Y	N
3034	Agents	"Attempt to offline the Lanman resource has failed. (error_type:%d	Error	Y	N
3036	Agents	"Attempt to clean the Lanman resource has failed. (error_type:%d	Error	Y	N

VvrRvg agent event processing rules

[Table 3-24](#) lists the VvrRvg agent rules included in the VCS Management Pack.

Table 3-24 VvrRvg Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
1	VvrRvg	Failed to allocate resource instance memory	Error	Y	N
2	VvrRvg	Failed to find resource instance	Warning	Y	N
3	VvrRvg	Failed to open RVG. Error code: %S	Error	Y	N
4	VvrRvg	One or more attributes are incorrectly configured	Error	Y	Y
5	VvrRvg	RVG is in a FAIL state. Resource cannot be Onlined	Error	Y	N
6	VvrRvg	Online failed. Error code: %S	Error	Y	Y
7	VvrRvg	RVG is in an invalid state. Resource cannot be Onlined	Error	Y	Y

Table 3-24 VvrRvg Agent Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
8	VvrRvg	Monitor failed. Error code: %S	Error	Y	Y
9	VvrRvg	Offline failed. Error code: %S	Error	Y	Y
10	VvrRvg	Clean failed. Error code: %S	Error	Y	Y
11	VvrRvg	Close failed. Error code: %S	Error	Y	N
12	VvrRvg	Failed to detect the configured RVG	Warning	Y	N
13	VvrRvg	Invalid value specified for attribute: %S	Error	Y	Y
14	VvrRvg	Operation timed out	Error	Y	N
15	VvrRvg	Asynchronous operation failed. Error: %S	Error	Y	N
16	VvrRvg	Failed to get the name of the local computer. Error code: %S	Error	Y	N
17	VvrRvg	Couldn't find the IP Resource	Error	Y	N
18	VvrRvg	Failed to create the monitor process for the IP Resource. Error code: %S	Error	Y	N
19	VvrRvg	"Received an unknown state for the IP Resource	Error	Y	N
20	VvrRvg	The target host is not responding	Error	Y	N

RVGPrimary agent event processing rules

[Table 3-25](#) lists the RVGPrimary agent rules included in the VCS Management Pack.

Table 3-25 RVGPrimary Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
1	HAD	RVG attribute not assigned for resource %2\$s; please check the assignment of RvgResource name attribute for this resource or RVG attribute for %3\$s	Error	Y	Y
2	HAD	DiskGroupName attribute not assigned for resource %2\$s; please check the assignment of VMDgResource name attribute for %3\$s or DiskGroupName attribute for %4\$s	Error	Y	Y
3	HAD	No RLinks found for RVG %2\$s; please setup RLinks for RVG %3\$s	Error	Y	Y
5	HAD	Lockfile (%2\$s) was not successfully removed	Error	N	N
7	HAD	RLink %2\$s is inconsistent; please restore %3\$s from a consistent snapshot or backup and promote it to primary, clear its service group, and online group again	Error	N	Y
10	HAD	RLink %2\$s is up to date but insufficient time to complete takeover; if group does not go online clear fault and online again	Error	N	N
11	HAD	migrate of %2\$s failed with error code %3\$s and message %4\$s	Error	Y	Y
13	HAD	takeover of %2\$s failed with error code %3\$s and message %4\$s	Error	Y	Y

Table 3-25 RVGPrimary Agent Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
17	HAD	RLink %2\$s is not connected; use 'vxrvrg -g %3\$s -F makeprimary %4\$s' command to takeover	Warning	N	N
18	HAD	RVG %2\$s is acting_secondary. Please resync from primary	Error	Y	Y
20	HAD	VMDgResName attribute not assigned for resource %2\$s; please check the assignment of RvgResource name attribute for this resource or VMDgResName attribute for %3\$s	Error	Y	Y
21	HAD	Failed to add other secondaries in the RDS	Error	N	N
23	HAD	Synchronization of secondary %2\$s failed with error code %3\$s and message %4\$s	Error	Y	Y
24	HAD	Checkend operation on RVG %2\$s failed with error code %3\$s and message %4\$s	Error	N	N
25	HAD	Attaching secondary %2\$s failed with error code %3\$s and message %4\$s	Error	N	N
26	HAD	Checkstart of RVG %2\$s with checkpoint %3\$s failed with error code %4\$s and message %5\$s	Error	N	N
27	HAD	Remote execution on secondary %2\$s failed with error code %3\$s and message %4\$s	Error	N	N
30	HAD	Resynchronization can be started only from the primary	Error	N	N

Table 3-25 RVGPrimary Agent Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
31	HAD	Resynchronization from RVG %2\$s failed with error code %3\$s	Error	N	N
32	HAD	vxprint failed with error code %2\$s and message %3\$s	Error		N
33	HAD	Insufficient time to complete migrate operation for RVG %2\$s. If group does not go online clear fault and online again	Error		Y
35	HAD	Failed to determine the role of RVG %2\$s. The value of role found %3\$s	Error		N
38	HAD	The checkpoint %2\$s taken by RVGPrimary resource does not match with the current checkpoint %3\$s on RVG %4\$s	Error		N
39	HAD	Attaching secondary %2\$s with checkpoint %3\$s failed with error code %4\$s and message %5\$s	Error		N
40	HAD	RVG %2\$s is not checkstarted	Error		N
42	HAD	The Activate bunker operation failed for RVG %2\$s on bunker host %3\$s and disk group %4\$s with error code %5\$s and message %6\$s	Error	N	N
43	HAD	The startrep operation failed for RVG %2\$s with error code %3\$s and message %4\$s	Error	N	N
45	HAD	The attach operation failed for rlink %2\$s	Error	N	N
48	HAD	Bunker sync timed out	Error	N	N

Table 3-25 RVGPrimary Agent Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
49	HAD	During rollback, the %2\$s command failed with error code %3\$s and message %4\$s	Error	N	N
61	HAD	Diskgroup %2\$s could not be imported on primary host. Operation failed with error %3\$s and message %4\$s	Error		N
64	HAD	Diskgroup %2\$s could not be imported on bunker host %3\$s. Operation failed with error %4\$s and message %5\$s	Error		N

Enterprise application agents

MSDTC event processing rules

[Table 3-26](#) lists the MSDTC agent rules included in the VCS Management Pack.

Table 3-26 MSDTC Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
1	Agents	Failed to convert the argument list. Error = %d.	Error	Y	N
2	Agents	Lanman attribute has not been configured.	Error	Y	N
3	Agents	MountResName attribute has not been configured.	Error	Y	N
4	Agents	LogPath attribute has not been configured.	Error	Y	N
5	Agents	LogPath attribute has invalid characters.	Error	Y	N

Table 3-26 MSDTC Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
36	Agents	“Not the owner of MSDTC service. MSDTC is currently owned by VCS resource, %s”	Error	Y	N
37	Agents	“MSDTC service is not owned by the resource, %s”	Error	Y	N
14	Agents	Failed to open the registry key ‘%s’. Error = %d.	Error	Y	N
15	Agents	Failed to set the key ‘%s’. Error = %d.	Error	Y	N
11	Agents	Failed to open the SCM handle. Error = %d.	Error	Y	N
12	Agents	Failed to open the MsDtc service. Error = %d.	Error	Y	N
29	Agents	Failed to enable the network access for MSDTC. Error = %d.	Error	Y	N
13	Agents	Failed to set the environment key of MSDTC service. Error = %d.	Error	Y	N
16	Agents	Could not reset the msdtc log. Error = %d.	Error	Y	N
18	Agents	The log file does not exist. Log file = ‘%s’.	Warning	Y	N
19	Agents	Failed to start the MSDTC service. Error = %d.	Error	Y	N
20	Agents	Failed to wait for the MSDTC service to start. Error = %d.	Error	Y	N
21	Agents	Failed to get the status of the MSDTC service. Error = %d.	Error	Y	N
23	Agents	Failed to set the logpath key ‘%s’. Error = %d.	Error	Y	N

Table 3-26 MSDTC Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
24	Agents	The MSDTC log path is '%s'. Configured one is '%s'.	Warning	Y	N
25	Agents	Failed to kill the MSDTC service. Error = %d.	Error	Y	N
26	Agents	Failed to query the MSDTC service status. Error = %d.	Error	Y	N
27	Agents	The MSDTC service is not in running state. Offline might be unsuccessful.	Warning	Y	N
28	Agents	Failed to stop the MSDTC service. Error = %d.	Error	Y	N
30	Agents	Failed to wait for the MSDTC service to stop. Error = %d.	Error	Y	N
40	Agents	Failed to open the MSDTC CID key. Error = %d.	Error	Y	N
41	Agents	Failed to enumerate keys. Error = %d.	Warning	Y	N
42	Agents	Failed to open the subkey '%s'. Error = %d.	Warning	Y	N
43	Agents	Failed to query the value the subkey '%s'. Error = %d.	Warning	Y	N

MSSearch event processing rules

[Table 3-27](#) lists the MSSearch agent rules included in the VCS Management Pack.

Table 3-27 MSSearch Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
1	Agents	Failed to get the attributes. Error = %d.	Error	Y	N

Table 3-27 MSSearch Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
2	Agents	The AppName attribute has not been configured.	Error	Y	N
3	Agents	The AppPath attribute has not been configured.	Error	Y	N
23	Agents	Failed to get the Microsoft Search service instance for '%s'. Error = %8X.	Error	Y	N
11	Agents	Failed to instantiate the Microsoft Search COM object. Error = %8X.	Error	Y	N
12	Agents	Failed to open the Microsoft Search service. Error = %d.	Error	Y	N
13	Agents	Failed to determine the state of Microsoft Search service. Error = %d.	Warning	Y	N
24	Agents	The AppName attribute has not been configured correctly.	Error	Y	N
14	Agents	Failed to open the registry key '%s'. Error = %d.	Error	Y	N
15	Agents	Failed to set the registry for application = '%s'. Error = %d.	Error	Y	N
20	Agents	Failed to create the CoMsssBridge object. Error = %8X.	Error	Y	N
16	Agents	Failed to open the Microsoft Search instance for '%s'. Error = %8X.	Error	Y	N
17	Agents	Failed to online the Microsoft Search instance for '%s'. Error = %8X.	Error	Y	N
18	Agents	Failed to offline the Microsoft Search instance for '%s'. Error = %8X.	Error	Y	N

Table 3-27 MSSearch Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
19	Agents	Failed to close the Microsoft Search instance for '%s'. Error = %8X.	Error	Y	N
21	Agents	Failed to terminate the Microsoft Search service. Error = %d.	Error	Y	N
22	Agents	Failed to enable the debug privilege. Error = %d.	Error	Y	N

SQL Server 2012 Agent event processing rules

[Table 3-28](#) lists the SQL Server 2012 Agent rules included in the VCS Management Pack.

Table 3-28 SQL Server 2012 Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
11	Agents	"%s:The '%s' service is in STARTED state but is not running under the context of Virtual Server '%s'"	Error	Y	Y
23	Agents	"%s:Sql script has failed with error %s"	Error	Y	Y
3	Agents	"%s:Failed to initialize the SQLServer2012 agent."	Error	Y	N
7	Agents	"%s:Failed to set the virtual computer name in the environment of the service '%s'. Error = %s."	Error	Y	N
16	Agents	"%s:Failed to stop the dependent services of the service '%s'. Error = %s."	Error	Y	N
20	Agents	"%s:Failed to start the Sql script. (User = %s, Domain = %s) Error : %s"	Error	Y	N
34	Agents	"%s:Failed to open the MSDTC service. Error = %s."	Error	Y	N

SQL Server 2008 Agent event processing rules

Table 3-29 lists the SQL Server 2008 Agent rules included in the VCS Management Pack.

Table 3-29 SQL Server 2008 Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
11	Agents	"%s:The '%s' service is in STARTED state but is not running under the context of Virtual Server '%s'"	Error	Y	Y
23	Agents	"%s:Sql script has failed with error %s"	Error	Y	Y
3	Agents	"%s:Failed to initialize the SQLServer2008 agent."	Error	Y	N
7	Agents	"%s:Failed to set the virtual computer name in the environment of the service '%s'. Error = %s."	Error	Y	N
16	Agents	"%s:Failed to stop the dependent services of the service '%s'. Error = %s."	Error	Y	N
20	Agents	"%s:Failed to start the Sql script. (User = %s, Domain = %s) Error : %s"	Error	Y	N
34	Agents	"%s:Failed to open the MSDTC service. Error = %s."	Error	Y	N

SQL Server 2005 Agent Service event processing rules

Table 3-30 lists the SQL Server Agent Service agent rules included in the VCS Management Pack.

Table 3-30 SQL Server 2005 Agent Service Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
1	Agents	Failed to convert the argument list. Error = %d.	Error	Y	N

Table 3-30 SQL Server 2005 Agent Service Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
99	Agents	Invalid Arglist entry at position %d for <attribute name>.	Error	Y	N
8	Agents	The service '%s' is not in stopped state.	Warning	Y	N
11	Agents	Failed to set the virtual computer name in the environment of the service '%s'. Error = %d.	Error	Y	N
9	Agents	Failed to start the service '%s'. Error = %d.	Error	Y	N
12	Agents	The service '%s' did not start within the specified time limit.	Error	Y	N
13	Agents	Failed to wait for the service '%s' to start. Error = %d.	Error	Y	N
14	Agents	The '%s' service is not in stopped or running state. State=%d.	Warning	Y	N
16	Agents	The '%s' service is in STARTED state but is not running under the context of Virtual Server '%s'	Warning	Y	N
38	Agents	Failed to remove the virtual name environment for the service '%s' Error : (%d:%d)	Warning	Y	N
20	Agents	Failed to open the service '%s'. Error %d.	Error	Y	N
21	Agents	Failed to query the status of the service '%s'. Error = %d.	Error	Y	N
22	Agents	The service '%s' is not in running state. Attempt to stop it might be unsuccessful.	Warning	Y	N
23	Agents	The service '%s' did not stop. Error = %d.	Error	Y	N

Table 3-30 SQL Server 2005 Agent Service Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
24	Agents	The service '%s' did not stop within the specified timeout. Error = %d.	Warning	Y	N
-	-	SQL Server 2005 Service Availability in VCS	-	Yes	No
-	-	SQL Server 2005 Block Analysis in VCS	-	Yes	No
-	-	SQL Server 2005 Database Health in VCS	-	Yes	No
-	-	SQL Server 2005 Long Running Agent Jobs in VCS	-	Yes	No
-	-	SQL Server 2005 Replication Monitoring in VCS	-	Yes	No
-	-	SQL Server 2005 Service Discovery in VCS	-	Yes	No
-	-	SQL Server 2005 Space Analysis in VCS	-	Yes	No

SQL Server 2005 OLAP Service event processing rules

[Table 3-31](#) lists the SQL Server OLAP Service agent rules included in the VCS Management Pack.

Table 3-31 SQL Server 2005 OLAP Service Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
1	Agents	Failed to convert the argument list. Error = %d.	Error	Y	N
99	Agents	Invalid Arglist entry at position %d for <attribute name>.	Error	Y	N
8	Agents	The service '%s' is not in stopped state.	Warning	Y	N

Table 3-31 SQL Server 2005 OLAP Service Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
11	Agents	Failed to set the virtual computer name in the environment of the service '%s'. Error = %d.	Error	Y	N
9	Agents	Failed to start the service '%s'. Error = %d.	Error	Y	N
12	Agents	The service '%s' did not start within the specified time limit.	Error	Y	N
13	Agents	Failed to wait for the service '%s' to start. Error = %d.	Error	Y	N
14	Agents	The '%s' service is not in stopped or running state. State=%d.	Warning	Y	N
16	Agents	The '%s' service is in STARTED state but is not running under the context of Virtual Server '%s'	Warning	Y	N
38	Agents	Failed to remove the virtual name environment for the service '%s' Error : (%d:%d)	Warning	Y	N
20	Agents	Failed to open the service '%s'. Error %d.	Error	Y	N
21	Agents	Failed to query the status of the service '%s'. Error = %d.	Error	Y	N
22	Agents	The service '%s' is not in running state. Attempt to stop it might be unsuccessful.	Warning	Y	N
23	Agents	The service '%s' did not stop. Error = %d.	Error	Y	N
24	Agents	The service '%s' did not stop within the specified timeout. Error = %d.	Warning	Y	N

SQL Server 2005 event processing rules

[Table 3-32](#) lists the SQL Server 2005 agent rules included in the VCS Management Pack.

Table 3-32 SQL Server 2005 Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
8	Agents	The service '%s' is not in stopped state.	Warning	Y	N
11	Agents	Failed to set the virtual computer name in the environment of the service '%s'. Error = %d.	Error	Y	N
9	Agents	Failed to start the service '%s'. Error = %d	Error	Y	N
12	Agents	The service '%s' did not start within the specified time limit.	Error	Y	N
13	Agents	Failed to wait for the service '%s' to start. Error = %d.	Error	Y	N
14	Agents	The '%s' service is not in stopped or running state. State=%d.	Warning	Y	N
16	Agents	The '%s' service is in STARTED state but is not running under the context of Virtual Server '%s'	Warning	Y	N
38	Agents	Failed to remove the virtual name environment for the service '%s' Error : (%d:%d)	Warning	Y	N
20	Agents	Failed to open the service '%s'. Error %d.	Error	Y	N
21	Agents	Failed to query the status of the service '%s'. Error = %d.	Error	Y	N
22	Agents	The service '%s' is not in running state. Attempt to stop it might be unsuccessful.	Warning	Y	N

Table 3-32 SQL Server 2005 Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
23	Agents	The service '%s' did not stop. Error = %d.	Error	Y	N
24	Agents	The service '%s' did not stop within the specified timeout. Error = %d.	Warning	Y	N
34	Agents	Failed to get the temporary file path. Error : %d	Error	Y	N
31	Agents	"Failed to start the Sql script. (User = %s, Domain = %s) Error : %d"	Error	Y	N
35	Agents	Failed to create the temporary file. error %d	Error	Y	N
32	Agents	Unable to convert the buffer to UNICODE. Error Code %d	Error	Y	N
25	Agents	Sql script has failed with error %d	Error	Y	N
33	Agents	Sql script failed. Script output :	Error	Y	N
36	Agents	%s	Error	Y	N
37	Agents	Failed read the temporary file. Error : %d	Error	Y	N
26	Agents	Error occurred while getting the process exit code. error : %d	Error	Y	N
27	Agents	WaitForSingleObject failed with error %d	Error	Y	N
1	Agents	Failed to convert the argument list. Error = %d.	Error	Y	N
30	Agents	The password attribute has not been configured.	Error	Y	N

Table 3-32 SQL Server 2005 Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
17	Agents	Failed to convert the password attribute. Error = %d.	Error	Y	N

Service Monitor event processing rules

[Table 3-33](#) lists the Service Monitor agent rules included in the VCS Management Pack.

Table 3-33 Service Monitor Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
7501	ServiceMonitor	Failed to convert the argument list. Error = %d.	Error	Y	N
7502	ServiceMonitor	The ServiceOrScriptName attribute has not been configured.	Error	Y	N
7503	ServiceMonitor	Failed to lookup the account name '%s'. Error = %d.	Error	Y	N
7504	ServiceMonitor	The password attribute has not been configured.	Error	Y	N
7506	ServiceMonitor	Failed to open the service '%s'. Error = %d.	Error	Y	N
7507	ServiceMonitor	Failed to query the status of the service '%s'. Error = %d.	Error	Y	N
7508	ServiceMonitor	The service '%s' is not in running state.	Warning	Y	N
7509	ServiceMonitor	Failed to get the user context of the running service '%s'. Error = %d.	Error	Y	N
7510	ServiceMonitor	Failed to get the SID for user '%s\\%s'.	Error	Y	N

Table 3-33 Service Monitor Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
7511	ServiceMonitor	The service '%s' is not running under the context of user '%s\\%s'.	Warning	Y	N
7513	ServiceMonitor	Failed to get the password.	Error	Y	N
7514	ServiceMonitor	Failed to launch the monitor script '%s'. Error = %d.	Error	Y	N
7515	ServiceMonitor	Monitor script has not responded within the specified timeout of %d seconds. Error = %d.	Warning	Y	N
7516	ServiceMonitor	Failed to terminate the monitor program. Error = %d.	Warning	Y	N
7517	ServiceMonitor	Failed to get exit code of the monitor program. Error = %d.	Warning	Y	N

Oracle Agent event processing rules

[Table 3-34](#) lists the Oracle Agent agent rules included in the VCS Management Pack.

Table 3-34 Oracle Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
19	Agents	Cannot Open Service handle for %s (Windows Error Code = %d)	Error	Y	N
26	Agents	Cannot Stop Parent Service %s	Error	Y	N
2	Agents	“Failed to decrypt password , error code:%d”	Error	Y	N
20	Agents	Wait for mutex failed. (Windows Error Code = %d)	Error	Y	N

Table 3-34 Oracle Agent Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
21	Agents	Wait for mutex abandoned (Windows Error Code = %d)	Error	Y	N
22	Agents	Cannot wait for mutex object (Windows Error Code = %d)	Error	Y	N
6	Agents	An Oracle error occurred. Error :%n %s	Error	Y	N
7	Agents	SQL*Plus process exited with error %d	Error	Y	N
8	Agents	Invalid filename in argument list :%s (Windows Error Code = %d)	Error	Y	N
23	Agents	Cannot Start Service (Windows Error Code = %d)	Error	Y	N
11	Agents	Cannot Stop Service	Error	Y	N
34	Agents	Cannot wait for Stop Service	Error	Y	N
33	Agents	“Failed to stop the parent service(s) with error code, %s”	Error	Y	N
32	Agents	Failed to Get VCS_HOME	Error	Y	N

NetAppFiler agent event processing rules

[Table 3-35](#) lists the NetAppFiler agent rules included in the VCS Management Pack. This is in case of VCS for NetApp SnapMirror only.

Table 3-35 NetAppFiler Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
40	Agents	Unable to get the arguments	Error	Y	N

Table 3-35 NetAppFiler Agent Event Processing Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
73	Agents	FilerName attribute is not specified	Error	Y	N
43	Agents	StorageIP attribute is not specified	Error	Y	N
101	Agents	"Failed to start the 'Veritas Cluster Server Helper' service. (error_type:%d	Error	Y	N
102	Agents	"Internal error (Failed to switch the security context	Error	Y	N
59	Agents	Failed to open connection to filer %s	Error	Y	N
97	Agents	Failed to convert string %s to IP address	Error	Y	N
98	Agents	"Internal error (Ping failed	Error	Y	N

NetAppSnapDrive agent event processing rules

[Table 3-36](#) lists the NetAppSnapDrive agent rules included in the VCS Management Pack. This is in case of VCS for NetApp SnapMirror only.

Table 3-36 NetAppSnapDrive Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
105	Agents	Invalid attributes exist in the configuration	Error	Y	N
101	Agents	"Failed to start the 'Veritas Cluster Server Helper' service. (error_type:%d	Error	Y	N
102	Agents	"Internal error (Failed to switch the security context	Error	Y	N

NetAppSnapMirror agent event processing rules

Table 3-37 lists the NetAppSnapMirror agent rules included in the VCS Management Pack. This is in case of VCS for NetApp SnapMirror only.

Table 3-37 NetAppSnapMirror Agent Event Processing Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
105	Agents	Invalid attributes exist in the configuration	Error	N	
101	Agents	"Failed to start the 'Veritas Cluster Server Helper' service. (error_type:%d	Error	N	N
102	Agents	"Internal error (Failed to switch the security context	Error	N	

Agent Framework monitoring rules

Table 3-38 lists the Agent Framework rules included in the VCS Management Pack.

Table 3-38 Agent Framework Monitoring Rules

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13001	Agent Framework	Resource(%s): Output of the completed operation (%s) \n%s	Error	N	N
13002	Agent Framework	Output of the completed operation (%s) \n%s	Error	N	N
13003	Agent Framework	Resource(%s): Output of the timed out operation (%s) \n%s	Error	N	N
13004	Agent Framework	Output of the timed out operation (%s) \n%s	Error	N	N
13005	Agent Framework	Agent(%s) is exiting due to internal error.	Error	N	N

Table 3-38 Agent Framework Monitoring Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13006	Agent Framework	Resource(%s): clean procedure did not complete within the expected time.	Error	N	N
13007	Agent Framework	Resource(%s): close procedure did not complete within the expected time.	Error	N	N
13008	Agent Framework	Agent rejected the offline command for resource(%s) because the resource is not Enabled.	Error	N	N
13009	Agent Framework	Agent rejected the online command for resource(%s) because the resource is not Enabled.	Error	N	N
13010	Agent Framework	Agent rejected the probe command for resource(%s) because the resource is not Enabled.	Error	N	N
13011	Agent Framework	Resource(%s): offline procedure did not complete within the expected time.	Error	N	N
13012	Agent Framework	Resource(%s): online procedure did not complete within the expected time.	Error	N	N
13014	Agent Framework	Resource(%s): open procedure did not complete within the expected time.	Error	N	N
13015	Agent Framework	Resource(%s) faulted and the attempt to automatically restart it was not effective. Administrative intervention may be required.	Error	N	N
13019	Agent Framework	Agent(%s) is exiting because the required arguments were not specified.	Error	N	N

Table 3-38 Agent Framework Monitoring Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13020	Agent Framework	Agent(%s) is exiting because it was given too many arguments	Error	N	N
13021	Agent Framework	Agent(%s) is exiting because it was given unexpected option(%s)	Error	N	N
13022	Agent Framework	Agent(%s) is exiting because of invalid usage.	Error	N	N
13026	Agent Framework	Resource(%s) - monitor procedure finished successfully after failing to complete within the expected time for (%s) consecutive times.	Error	N	N
13027	Agent Framework	Resource(%s) - monitor procedure did not complete within the expected time.	Error	N	N
13028	Agent Framework	Resource(%s) - the last (%s) invocations of the monitor procedure did not complete within the expected time.	Error	N	N
13030	Agent Framework	Attr_changed entry point of resource(%s) requested that the timeout be extended by (%s) seconds	Error	N	N
13031	Agent Framework	Clean entry point of resource(%s) requested that the timeout be extended by (%s) seconds	Error	N	N
13032	Agent Framework	Close entry point of resource(%s) requested that the timeout be extended by (%s) seconds	Error	N	N

Table 3-38 Agent Framework Monitoring Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13033	Agent Framework	Monitor entry point of resource(%s) requested that the timeout be extended by (%s) seconds	Error	N	N
13034	Agent Framework	Offline entry point of resource(%s) requested that the timeout be extended by (%s) seconds	Error	N	N
13035	Agent Framework	Online entry point of resource(%s) requested that the timeout be extended by (%s) seconds	Error	N	N
13036	Agent Framework	Open entry point of resource(%s) requested that the timeout be extended by (%s) seconds	Error	N	N
13037	Agent Framework	Agent(%s): Monitor script file (%s) not found.	Error	N	N
13038	Agent Framework	Resource(%s): Error executing the program(%s).	Error	N	N
13039	Agent Framework	Resource(%s): Program(%s) was abnormally terminated with the exit code(%s).	Error	N	N
13042	Agent Framework	Agent(%s) is exiting because it encountered error(%s) when opening the lock file(%s)	Error	N	N
13043	Agent Framework	Agent(%s) is exiting because it encountered error(%s) when locking file(%s)	Error	N	N
13044	Agent Framework	Agent(%s) is exiting because it encountered error(%s) when seeking to the beginning of the lock file(%s)	Error	N	N

Table 3-38 Agent Framework Monitoring Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13045	Agent Framework	Agent(%)s is exiting because it encountered error(%)s when writing to the lock file(%)s.	Error	N	N
13046	Agent Framework	Agent(%)s is exiting because of incomplete write (%%s) of (%%s) to the lock file(%%s).	Error	N	N
13047	Agent Framework	Agent(%)s is exiting because it encountered error(%)s when releasing lock on file(%)s.	Error	N	N
13050	Agent Framework	Agent(%)s is exiting because it could not lock the file(%%s)	Error	N	N
13051	Agent Framework	Agent(%)s is exiting because another agent with process-id(%%s) is already running for this type	Error	N	N
13061	Agent Framework	Agent(%)s is exiting because it could not load the agent library(%%s).	Error	N	N
13062	Agent Framework	Agent(%)s is exiting because it could not find VCSAgStartup() in the agent library (%%s).	Error	N	N
13063	Agent Framework	Agent is calling clean for resource(%%s) because offline did not complete within the expected time.	Error	N	N
13064	Agent Framework	Agent is calling clean for resource(%%s) because the resource is up even after offline completed.	Error	N	N

Table 3-38 Agent Framework Monitoring Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13065	Agent Framework	Agent is calling clean for resource(%s) because online did not complete within the expected time.	Error	N	N
13066	Agent Framework	Agent is calling clean for resource(%s) because the resource is not up even after online completed.	Error	N	N
13067	Agent Framework	"Agent is calling clean for resource(%s) because the resource became OFFLINE unexpectedly	Error	N	N
13068	Agent Framework	Resource(%s) - clean completed successfully.	Error	N	N
13069	Agent Framework	Resource(%s) - clean failed.	Error	N	N
13070	Agent Framework	Resource(%s) - clean not implemented.	Error	N	N
13071	Agent Framework	Resource(%s): reached OnlineRetryLimit(%s).	Error	N	N
13072	Agent Framework	Resource(%s): Agent is retrying online (attempt number %s of %s).	Error	N	N
13073	Agent Framework	Resource(%s) became OFFLINE unexpectedly on its own. Agent is restarting (attempt number %s of %s) the resource.	Error	N	N

Table 3-38 Agent Framework Monitoring Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13074	Agent Framework	The monitoring program for resource(%s) has consistently failed to determine the resource status within the expected time. Agent is restarting (attempt number %s of %s) the resource.	Error	N	N
13075	Agent Framework	"Resource(%s) has reported unexpected OFFLINE %s times	Error	N	N
13076	Agent Framework	Agent has successfully restarted resource(%s).	Error	N	N
13077	Agent Framework	Agent is unable to offline resource(%s). Administrative intervention may be required.	Error	N	N
13078	Agent Framework	Resource(%s) - clean completed successfully after %s failed attempts.	Error	N	N
13079	Agent Framework	Resource(%s): The last %d invocations of the clean procedure have failed.	Error	N	N
13080	Agent Framework	Agent is calling clean for resource(%s) because monitor did not complete within the expected time.	Error	N	N
13081	Agent Framework	Agent(%s) is exiting because it encountered error(%s) when truncating the lock file(%s).	Error	N	N
13082	Agent Framework	"Resource(%s) recovered from fault	Error	N	N

Table 3-38 Agent Framework Monitoring Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13085	Agent Framework	Terminating the old agent for the type(%s) with process-id(%s)	Error	N	N
13086	Agent Framework	Agent(%s) detected that a previously started agent with process-id(%s) for this type is shutting down. Will terminate the old agent in (%s) seconds.	Error	N	N
13087	Agent Framework	Agent(%s) is exiting because it encountered error(%s) when reading from the lock file(%s).	Error	N	N
13088	Agent Framework	"Agent could not redirect the stdin of (%s) to /dev/null	Error	N	N
13089	Agent Framework	"Agent could not redirect the stdout of (%s) to log file	Error	N	N
13090	Agent Framework	"Agent could not redirect the stderr of (%s) to log file	Error	N	N
13091	Agent Framework	"Agent(%s) could not open file(%s) for locking	Error	N	N
13092	Agent Framework	"Agent(%s) could not obtain read lock on file (%s)	Error	N	N
13093	Agent Framework	"Agent(%s) could not obtain write lock on file (%s)	Error	N	N
13094	Agent Framework	Agent(%s) attempted to unlock file(%s) that is not locked	Error	N	N
13095	Agent Framework	Resource(%s) - Event(monitor) unexpected in Detached state	Error	N	N
13096	Agent Framework	Resource(%s) received an attr_changed command with bad args	Error	N	N

Table 3-38 Agent Framework Monitoring Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13097	Agent Framework	Entry point attr_changed timed out for resource(%)s)	Error	N	N
13098	Agent Framework	Resource(%)s: Op(%)s) timeout unexpected in (%)s state	Error	N	N
13099	Agent Framework	Resource(%)s: Op(%)s) done_waiting unexpected in (%)s state.	Error	N	N
13100	Agent Framework	Resource(%)s: Attribute(%)s) depends on this resource itself.	Error	N	N
13101	Agent Framework	Resource(%)s) received a modify command with bad arguments	Error	N	N
13102	Agent Framework	Resource (%)s) received unexpected event %s in state %s	Error	N	N
13103	Agent Framework	Unknown/Invalid minor code (%)s)	Error	N	N
13104	Agent Framework	Agent(%)s) received attribute command (%)s) without type name	Error	N	N
13105	Agent Framework	Agent(%)s) received attribute command(%)s) for type(%)s) without attr name	Error	N	N
13106	Agent Framework	Cannot add static attribute (%)s) to unknown type name (%)s)	Error	N	N
13107	Agent Framework	Cannot delete static attr(%)s) from unknown type name (%)s)	Error	N	N
13108	Agent Framework	Engine reported error(%)s)	Error	N	N

Table 3-38 Agent Framework Monitoring Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13109	Agent Framework	Engine reported error; error info is (%s)	Error	N	N
13110	Agent Framework	Resource name missing for command with minor code %s	Error	N	N
13111	Agent Framework	Type name missing in Add resource (%s) command	Error	N	N
13112	Agent Framework	Unknown resource name %s	Error	N	N
13113	Agent Framework	Unknown/Invalid major code %s	Error	N	N
13114	Agent Framework	Type name missing for command with minor code %s	Error	N	N
13115	Agent Framework	Cannot modify attribute (%s) for unknown type name (%s)	Error	N	N
13116	Agent Framework	Attribute name missing in command to modify type (%s)	Error	N	N
13117	Agent Framework	VCSAgMain() is already active. Agent developer should not call VCSAgMain().	Error	N	N
13118	Agent Framework	Agent(%s) could not open IPM connection to %s on host %s	Error	N	N
13119	Agent Framework	Agent(%s) could not open IPM connection to %s on %s	Error	N	N
13120	Agent Framework	Error receiving from the engine. Agent(%s) is exiting.	Error	N	N
13121	Agent Framework	Agent(%s) exiting - could not open log file %s	Error	N	N

Table 3-38 Agent Framework Monitoring Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13123	Agent Framework	Error sending to the engine. Agent(%s) is exiting.	Error	N	N
13124	Agent Framework	Unknown/Invalid entry point	Error	N	N
13125	Agent Framework	"When computing the entrypoint arguments for resource (%s)	Error	N	N
13126	Agent Framework	Resource(%s): Attribute (%s) does not belong to this resource	Error	N	N
13127	Agent Framework	Unexpected data type (%s) encountered when copying a data list	Error	N	N
13128	Agent Framework	Resource(%s) - unknown attribute (%s)	Error	N	N
13129	Agent Framework	Resource(%s): Unexpected data type (%s) for State	Error	N	N
13130	Agent Framework	Resource(%s): Could not find State attribute	Error	N	N
13131	Agent Framework	Resource(%s): Unexpected data type (%s) for attribute (%s)	Error	N	N
13132	Agent Framework	Resource %s not found	Error	N	N
13139	Agent Framework	Canceling thread (%s)	Error	N	N
13140	Agent Framework	Could not find timer entry with id %s	Error	N	N
13141	Agent Framework	Resource name is NULL	Error	N	N

Table 3-38 Agent Framework Monitoring Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13142	Agent Framework	Bad format(%) in the endpoint timeout extension file(%)	Error	N	N
13143	Agent Framework	Error(%) when reading endpoint timeout extension file (%)	Error	N	N
13144	Agent Framework	Unexpected data type (%) for ArgList	Error	N	N
13145	Agent Framework	Could not find the ArgList attribute	Error	N	N
13146	Agent Framework	Unexpected data type (%) for RegList	Error	N	N
13147	Agent Framework	Attribute name is NULL	Error	N	N
13148	Agent Framework	Type/Resource update: NULL request	Error	N	N
13149	Agent Framework	Type/Resource update: Message header is NULL	Error	N	N
13150	Agent Framework	Type/Resource update: empty type/resource name	Error	N	N
13151	Agent Framework	Type/Resource update: type/resource name is not string	Error	N	N
13152	Agent Framework	Type/Resource update: attribute name is NULL	Error	N	N
13153	Agent Framework	Type/Resource update: attribute name is not STR	Error	N	N
13154	Agent Framework	Type/Resource update: System name was specified	Error	N	N
13155	Agent Framework	Unexpected minor code(%) for attribute(%) of type/resource(%)	Error	N	N

Table 3-38 Agent Framework Monitoring Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13156	Agent Framework	Update operation failed for attribute(%s) of type/resource(%s)	Error	N	N
13157	Agent Framework	Assertion failed in %s line %s	Error	N	N
13158	Agent Framework	kill of process (%s) reported error(%s)	Error	N	N
13159	Agent Framework	waitpid for process(%s) reported error(%s)	Error	N	N
13160	Agent Framework	Could not find thread(%s) for canceling	Error	N	N
13161	Agent Framework	Attempt to cancel thread(%s) failed. Error code(%s)	Error	N	N
13162	Agent Framework	Could not create thread	Error	N	N
13170	Agent Framework	Invalid thread cancel type requested	Error	N	N
13171	Agent Framework	Could not set thread-specific data	Error	N	N
13172	Agent Framework	CreatePipe() failed when executing (%s). Error %s	Error	N	N
13173	Agent Framework	DuplicateHandle() failed on first duplication. Error %s	Error	N	N
13174	Agent Framework	DuplicateHandle() failed on second duplication. Error %s	Error	N	N
13175	Agent Framework	ReadFile() failed with error(%s)	Error	N	N
13176	Agent Framework	"WaitForSingleObject() returned (%s) for (%s)	Error	N	N
13177	Agent Framework	"TerminateProcess() failed for (%s)	Error	N	N

Table 3-38 Agent Framework Monitoring Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13178	Agent Framework	"GetExitCodeProcess() failed for (%s)	Error	N	N
13179	Agent Framework	"CreateProcess() failed for (%s)	Error	N	N
13180	Agent Framework	"Agent(%s): WaitForMultipleObjects() failed with %s	Error	N	N
13181	Agent Framework	_beginthreadex() failed	Error	N	N
13182	Agent Framework	CloseHandle() failed	Error	N	N
13183	Agent Framework	Agent(%s): WaitForMultipleObjects() failed with error code %s	Error	N	N
13184	Agent Framework	Agent(%s): WaitForSingleObject() failed with error code %s	Error	N	N
13189	Agent Framework	Agent(%s) got error(%s) when deleting file(%s)	Error	N	N
13190	Agent Framework	Agent(%s): file(%s) fd(%s) has bad refcount(%s)	Error	N	N
13191	Agent Framework	"Agent(%s) could not unlock file(%s)	Error	N	N
13193	Agent Framework	Waitpid failed for script (%s) pid (%s) & errno (%s)	Error	N	N
13194	Agent Framework	File (%s) does not exist OR is not executable	Error	N	N
13195	Agent Framework	script (%s) stopped due to signal (%s)	Error	N	N
13196	Agent Framework	script (%s) terminated due to signal (%s)	Error	N	N

Table 3-38 Agent Framework Monitoring Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13197	Agent Framework	waitpid() returned unexpected status(%)s for script (%%s)	Error	N	N
13198	Agent Framework	Agent is clearing ADMIN_WAIT flag for resource(%%s)	Error	N	N
13199	Agent Framework	Agent has set ADMIN_WAIT flag for resource(%%s). Administrative intervention is required.	Error	N	N
13200	Agent Framework	Resource(%%s) - unknown arg(%%s) for ManageFaults	Error	N	N
13201	Agent Framework	Resource(%%s) - unknown option (%%s) for clearadminwait	Error	N	N
13210	Agent Framework	Agent is calling clean for resource(%%s) because %%s successive invocations of the monitor procedure did not complete within the expected time.	Error	N	N
13300	Agent Framework	UCS-2 conversions are not supported	Error	N	N
13301	Agent Framework	Unknown encoding type(%%s)	Error	N	N
13303	Agent Framework	Agent(%%s) encountered error(%%s) when opening the file(%%s)	Error	N	N
13304	Agent Framework	Agent unable to create fire drill online indicator file (%%s) for resource(%%s).	Error	N	N
13305	Agent Framework	Error: %%sAgent is stopping. Cannot run the Info EP for the resource(%%s)	Error	N	N

Table 3-38 Agent Framework Monitoring Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13306	Agent Framework	Resource(%s): Failed to convert the new value(%s) in UTF8 for attribute(%s) to OS encoding	Error	N	N
13307	Agent Framework	Attribute(%s) not found in the type definition	Error	N	N
13308	Agent Framework	Unknown attr(%s) vtype	Error	N	N
13309	Agent Framework	Failed to undo_override for attr(%s) for res(%s)	Error	N	N
13310	Agent Framework	Attribute(%s) is not a static overridden attribute for res(%s). Cannot undo_override for this attribute	Error	N	N
13311	Agent Framework	Attribute(%s) doesn't exist for res(%s)	Error	N	N
13312	Agent Framework	Attribute(%s) not found for resource(%s)	Error	N	N
13313	Agent Framework	Attribute(%s) value cannot be NULL	Error	N	N
13314	Agent Framework	Missing key(%s) in attribute %s in the resource(%s). Reverting to the value of this key in the resource type(%s).	Error	N	N
13315	Agent Framework	Agent(%s) could not send connection information to the engine on %s	Error	N	N
13316	Agent Framework	Error receiving connection information confirmation for Agent(%s) from the engine on %s	Error	N	N

Table 3-38 Agent Framework Monitoring Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13317	Agent Framework	Agent(%)s failed to send connection information. Server refused connection	Error	N	N
13318	Agent Framework	Agent(%)s received an unexpected message %s	Error	N	N
13319	Agent Framework	Resource(%)s - info entry point failed with exit code(%)s\n	Error	N	N
13320	Agent Framework	Agent(%)s - No implementation provided for info entry point	Error	N	N
13321	Agent Framework	Error executing info entry point for resource(%)s	Error	N	N
13322	Agent Framework	Agent(%)s - info entry point not supported for this version of the agent	Error	N	N
13336	Agent Framework	Unexpected data type (%)s for MonitorStatsParam	Error	N	N
13337	Agent Framework	Missing key(%)s in attribute %s. Cannot compute monitor time statistics for resources of this type(%)s.	Error	N	N
13338	Agent Framework	Entry point info timed out for resource(%)s	Error	N	N
13339	Agent Framework	Info entry point failed for resource(%)s	Error	N	N
13340	Agent Framework	Unknown log severity(%)s specified	Error	N	N
13343	Agent Framework	Action endpoint action timed out for resource(%)s	Error	N	N
13344	Agent Framework	Resource(%)s received an override command with bad arguments	Error	N	N

Table 3-38 Agent Framework Monitoring Rules (*continued*)

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13345	Agent Framework	Resource(%) received an undo_override command with bad arguments	Error	N	N
13346	Agent Framework	Resource(%): Failed to convert arglist attribute(%) from UTF8 to OS encoding	Error	N	N
13347	Agent Framework	Action entry point of resource(%) requested that the timeout be extended by (%) seconds	Error	N	N
13348	Agent Framework	Info entry point of resource(%) requested that the timeout be extended by (%) seconds	Error	N	N
13415	Agent Framework	Error in converting the input string into UCS-2 encoding. Output may be truncated	Error	N	N
13416	Agent Framework	Error in converting the input string into UTF-8 encoding. Output may be truncated	Error	N	N
13422	Agent Framework	Update of ResourceInfo attribute failed for resource(%). Key(%) being updated does not exist	Error	N	N
13423	Agent Framework	Update of ResourceInfo attribute failed for resource(%). No value specified for key(%) to be added	Error	N	N
13455	Agent Framework	Update of ResourceInfo attribute failed for resource(%). Key(%) to be added already exists	Error	N	N

Table 3-38 Agent Framework Monitoring Rules *(continued)*

Event ID	Module	Rule Name	Severity	Event Enabled	Alert Enabled
13468	Agent Framework	This encoding type(%) is not supported for the ArgList attribute	Error	N	N
13469	Agent Framework	Agent (%) exiting - failed to create process due to low system resources (errno %s)	Error	N	N