



Veritas InfoScale™ 7.1 for Windows

Software Compatibility List

Sept 19, 2016



Contents

- General Notes 1
- Support Legend 2
- Operating Systems 3
- Virtualization Platforms 5
- Upgrade..... 7
- General Solutions..... 9
- Manageability and Monitoring 12
- Backup Management 13
- Security and Miscellaneous Software 15



General Notes

All the software configurations listed in this document have been qualified with the following products: Veritas InfoScale™ Enterprise 7.1 for Windows®, Veritas InfoScale™ Storage 7.1 for Windows®, Veritas InfoScale™ Availability 7.1 for Windows®, Veritas InfoScale™ Foundation 7.1 for Windows®. The following features are also supported: Volume Replicator, Dynamic Multi-Pathing, FlashSnap, and Cluster for Microsoft® Failover Clustering.

Since the number of combinations is quite large, it is not possible to test them all for compatibility. If a particular service pack or version of an application is not listed as specifically tested by Veritas, it may work fine, but has not been explicitly tested with the Veritas InfoScale for Windows products. Software applications that are not on the Veritas InfoScale for Windows Software Compatibility List (SCL) are provided "commercially reasonable effort" support only. Commercially reasonable effort support allows for escalations based on unqualified software, but if a problem is determined to be software-specific, the problem is not guaranteed to be resolved.

The information in this document will be updated as necessary, so subscribe to it to get automatic notifications of any changes. In addition, if a particular platform or application is not currently listed as being supported, a request for additions to this list can be made through submitting a suggestion or idea for Veritas products: https://www.veritas.com/support/en_US/article.000095704.

For a listing of the supported third-party multi-path software, see the Veritas InfoScale for Windows Hardware Compatibility List (HCL).



Support Legend

The following support legends are used in this document.

| | |
|---|------------|
| Tested and supported | S |
| Supported with limitations | L |
| Compatible and supported, but not tested by Veritas | C |
| Not supported | X |
| Not applicable | N/A |



Operating Systems

The following Microsoft operating systems are supported.

| Vendor | Product | Version | Veritas InfoScale™ | | | |
|-----------|--|---------|--------------------|---------|--------------|------------|
| | | | Enterprise | Storage | Availability | Foundation |
| Microsoft | Windows Server 2012 R2 Datacenter ^[1] | GA | S | S | S | S |
| Microsoft | Windows Server 2012 R2 Standard ^[1] | GA | S | S | S | S |
| Microsoft | Windows Server 2012 R2 Essentials | GA | C | C | C | C |
| Microsoft | Windows Server 2012 R2 Foundation | GA | C | C | C | C |
| Microsoft | Windows Storage Server 2012 R2 | GA | S | S | S | S |
| Microsoft | Windows Server 2012 Datacenter ^[1] | GA | S | S | S | S |
| Microsoft | Windows Server 2012 Standard ^[1] | GA | S | S | S | S |
| Microsoft | Windows Server 2012 Essentials | GA | C | C | C | C |
| Microsoft | Windows Server 2012 Foundation | GA | C | C | C | C |
| Microsoft | Windows Storage Server 2012 | GA | S | S | S | S |
| Microsoft | Windows Server 2008 R2 Datacenter ^[1] | SP1 | S | S | S | S |
| Microsoft | Windows Server 2008 R2 Enterprise ^[1] | SP1 | S | S | S | S |
| Microsoft | Windows Server 2008 R2 Standard ^[1] | SP1 | S | S | S | S |
| Microsoft | Windows Server 2008 R2 Web ^{[1][2]} | SP1 | C | C | C | C |
| Microsoft | Windows Storage Server 2008 R2 | SP1 | C | C | C | C |



| | | | | | | |
|-----------|------------------------------|--------------|---|---|---|---|
| Microsoft | Windows 8.1 ^[3] | GA | S | S | S | S |
| Microsoft | Windows 8 ^[3] | GA | S | S | S | S |
| Microsoft | Windows 7 ^[3] | GA, SP1 | S | S | S | S |
| Microsoft | Windows Vista ^[3] | GA, SP1, SP2 | S | S | S | S |

1. The support for Windows 2008 R2, 2012, and 2012 R2 includes Server Core versions. Note that client components cannot be installed on Server Core systems.
2. The DMP option is not supported on Windows Server 2008 R2 Web, because Microsoft does not have the MPIO component on this edition.
3. You can install only the Veritas InfoScale client components, not the server components, on Windows client operating systems.



Virtualization Platforms

The following virtualization platforms are supported.

| Vendor | Product | Version | Veritas InfoScale™ | | | |
|-----------|--|--------------------------------|--------------------|---------|--------------|------------|
| | | | Enterprise | Storage | Availability | Foundation |
| Microsoft | Windows Server 2012 R2 Hyper-V | GA | S | S | S | S |
| Microsoft | Windows Server 2012 Hyper-V | GA | S | S | S | S |
| Microsoft | Windows Server 2008 R2 Hyper-V | SP1 | S | S | S | S |
| Microsoft | Microsoft System Center Virtual Machine Manager 2012 R2 ^[1] | GA | S | S | S | S |
| Microsoft | Microsoft System Center Virtual Machine Manager 2012 ^{[1][2]} | GA, SP1 | S | S | S | S |
| Microsoft | Microsoft System Center Virtual Machine Manager 2008 R2 | GA, SP1 | S | S | S | S |
| VMware | VMware ESXi ^[4] | 6.0, 6.0 U1 | S | S | S | S |
| VMware | VMware ESXi ^[3] | 5.5, 5.5 U1, 5.5 U2, 5.5 U3 | S | S | S | S |
| VMware | VMware ESXi ^[3] | 5.1, 5.1 U1, 5.1 U2, 5.1 U3 | S | S | S | S |
| VMware | VMware ESXi ^[3] | 5.0, 5.0 U1, 5.0 U2, 5.0 U3 | C | C | C | C |
| VMware | VMware vCenter Server | 6.0, 6.0 U1 | S | S | S | S |
| VMware | VMware vCenter Server | 5.5, 5.5 U1, 5.5 U2, 5.5 U3 | S | S | S | S |
| VMware | VMware vCenter Server | 5.1, 5.1 U1, 5.1 U2, 5.1 U3 | S | S | S | S |

| | | | | | | |
|--------|-----------------------|--------------------------------|---|---|---|---|
| VMware | VMware vCenter Server | 5.0, 5.0 U1, 5.0 U2, 5.0 U3 | C | C | C | C |
|--------|-----------------------|--------------------------------|---|---|---|---|

1. A virtual machine created using Failover Cluster Manager cannot be monitored and managed using System Center Virtual Machine Manager 2012 and 2012 R2 on Windows Server 2012 and 2012 R2.
2. While adding Hyper-V cluster hosts with a Veritas InfoScale Storage for Windows disk resource type to System Center Virtual Machine Manager 2012, the host cluster is not fully refreshed. Refer to the technote at: <http://www.veritas.com/docs/000086647>.
3. VMware vMotion is supported only if the guest storage configuration involves non-shared SCSI bus disks.
4. VMware vMotion is supported only for a cluster of virtual machines across physical hosts with pass-through RDMs.



Upgrade

The following products upgrade matrices are supported.

| Vendor | Product | Version | Veritas InfoScale™ | | | |
|----------|---|-----------------|--------------------|---------|--------------|------------|
| | | | Enterprise | Storage | Availability | Foundation |
| Veritas | Veritas InfoScale™ Enterprise ^[1] | 7.1 | N/A | N/A | N/A | N/A |
| Veritas | Veritas InfoScale™ Storage | 7.1 | S | N/A | N/A | N/A |
| Veritas | Veritas InfoScale™ Availability ^[1] | 7.1 | S | N/A | N/A | N/A |
| Veritas | Veritas InfoScale™ Foundation | 7.1 | S | N/A | N/A | N/A |
| Veritas | Veritas InfoScale™ Enterprise ^[1] | 7.0 | S | N/A | N/A | N/A |
| Veritas | Veritas InfoScale™ Storage | 7.0 | S | S | N/A | N/A |
| Veritas | Veritas InfoScale™ Availability ^[1] | 7.0 | S | N/A | S | N/A |
| Veritas | Veritas InfoScale™ Foundation | 7.0 | S | N/A | N/A | S |
| Symantec | Symantec Storage Foundation HA for Windows (SFW HA) | 6.1 | S | N/A | N/A | N/A |
| Symantec | Veritas Storage Foundation HA for Windows (SFW HA) | 6.0,6.0.1,6.0.2 | S | N/A | N/A | N/A |
| Symantec | Symantec Storage Foundation for Windows (SFW) | 6.1 | N/A | S | N/A | N/A |
| Symantec | Veritas Storage Foundation for Windows (SFW) | 6.0,6.0.1,6.0.2 | N/A | S | N/A | N/A |
| Symantec | Symantec Cluster Server for Windows (VCSW) ^[2] | 6.1 | N/A | N/A | S | N/A |
| Symantec | Veritas Cluster Server for Windows (VCSW) ^[2] | 6.0,6.0.1,6.0.2 | N/A | N/A | S | N/A |
| Symantec | Symantec Dynamic Multi-Pathing | 6.1 | C | C | N/A | S |



| | | | | | | |
|----------|-------------------------------|-------------------|---|---|-----|---|
| Symantec | Veritas Dynamic Multi-Pathing | 6.0, 6.0.1, 6.0.2 | C | C | N/A | S |
|----------|-------------------------------|-------------------|---|---|-----|---|

1. Veritas InfoScale Availability for Windows, which is a part of Veritas InfoScale Enterprise for Windows, requires that the nodes are part of a Microsoft Active Directory domain. However, there are some scenarios that are supported without Active Directory and more information is found in the technote at: <http://www.veritas.com/docs/000086691>.

2. Veritas InfoScale Storage for Windows and Veritas InfoScale Enterprise for Windows can be used with Network Appliance storage arrays. However, support for Network Appliance storage software products such as SnapDrive™, SnapMirror, and SnapManager for Exchange is available only with Veritas InfoScale Availability for Windows. There is no support for these applications for use with Veritas InfoScale Storage for Windows or Veritas InfoScale Enterprise for Windows due to the lack of dynamic disk support with these Network Appliance applications at this time.



General Solutions

The following solutions and applications are supported.

| Vendor | Product | Version | Veritas InfoScale™ | | | |
|-----------|--|------------------------------------|--------------------|---------|--------------|------------|
| | | | Enterprise | Storage | Availability | Foundation |
| Microsoft | Microsoft SQL Server 2014 | GA,SP1 | S | S | S | S |
| Microsoft | Microsoft SQL Server 2012 | GA, SP1, SP2, SP3 | S | S | S | S |
| Microsoft | Microsoft SQL Server 2008 R2 | GA, SP1, SP2, SP3 | S | S | S | S |
| Microsoft | Microsoft SQL Server 2008 | GA, SP1, SP2, SP3, SP4 | S | S | S | S |
| Microsoft | Microsoft Exchange Server 2013 ^[10] | GA, SP1 | X | L | X | L |
| Microsoft | Microsoft Exchange Server 2010 | GA, SP1, SP2, SP3 | S | S | S | S |
| Microsoft | Microsoft Exchange Server 2007 | GA, SP1, SP2, SP3 | S | S | S | S |
| Microsoft | Microsoft SharePoint Server 2013 ^[1] | GA, SP1 | L | L | S | L |
| Microsoft | Microsoft SharePoint Server 2010 ^[1] | GA, SP1, SP2 | L | L | S | L |
| Veritas | Veritas Enterprise Vault ^{[2][4][5][6]} | 12 | L | S | L | L |
| Veritas | Veritas Enterprise Vault ^{[2][3][4][6]} | 11, 11.0.1 | L | S | L | L |
| Veritas | Veritas Enterprise Vault ^{[2][3][4][6]} | 10, 10.0.1, 10.0.2, 10.0.3, 10.0.4 | L | S | L | L |



| | | | | | | |
|--------|--|---------------------------------------|-----|-----|---|-----|
| Oracle | Oracle Database ^{[7][8]} | 12c | L | S | L | L |
| Oracle | Oracle Database ^{[7][8]} | 11gR2 | L | S | L | L |
| Oracle | Oracle Database ^{[7][8]} | 10gR2 | L | S | L | L |
| NetApp | Data ONTAP Operating System | 7.1.2, 7.2.x, 7.3, 7.3.x | N/A | N/A | S | N/A |
| NetApp | Data ONTAP Operating System ^[9] | 8.0.x, 8.1.x, 8.2.x | N/A | N/A | S | N/A |
| NetApp | SnapDrive for Windows | 4.1, 4.2 | N/A | N/A | S | N/A |
| NetApp | SnapDrive for Windows | 5.0 | N/A | N/A | S | N/A |
| NetApp | SnapDrive for Windows | 6.0.6.0.2, 6.1, 6.2, 6.3, 6.4, 6.5 | N/A | N/A | S | N/A |
| NetApp | SnapDrive for Windows | 7.1.3 | N/A | N/A | S | N/A |
| NetApp | SnapMirror Data Replication | 8.0.x | N/A | N/A | C | N/A |
| NetApp | SnapMirror Data Replication | 7.1.2, 7.2, 7.2.5.1, 7.3.3 | N/A | N/A | S | N/A |
| NetApp | SnapManager for Microsoft Exchange Server | 5.0, 6.0 | N/A | N/A | S | N/A |
| NetApp | SnapManager for Microsoft SQL Server | 5.0 R1 | N/A | N/A | S | N/A |

1. FlashSnap is not supported for SharePoint Server 2010 and 2013.

2. The Veritas Enterprise Vault Configuration Wizard crashes when selecting a VCS service group to configure Enterprise Vault. For more information and a hotfix, refer to the technote at: <http://www.veritas.com/docs/000108395>.



3. The Veritas Enterprise Vault for File System Archiving (FSA) Cluster configuration Wizard fails when attempting to authenticate to a VCS cluster. For more information and a hotfix, refer to the technote at: <http://www.veritas.com/docs/000018864>.
4. IPv6 is not supported when clustering Enterprise Vault 9.x and higher with Veritas InfoScale Enterprise for Windows.
5. For information about the support for System Center Operations Manager (SCOM) 2012 and 2012 R2, refer to the technote at: <https://sort.veritas.com/scom>.
6. A clustered MSMQ instance may fail to come online after initial configuration or a node reboot. For more information and a workaround, refer to the technote at: <http://www.veritas.com/docs/000022629>.
7. Oracle Enterprise Manager (OEM) 10gR2, 11gR2, and 12c can be used to manage an Oracle database under VCS control through the Grid Control Management interface. Clustering of Oracle Enterprise Manager Grid Control database is not supported.
8. All the minor releases of Oracle 10gR2, Oracle 11gR2, and Oracle 12c are supported. None of the 32-bit versions of Oracle are supported.
9. Data ONTAP Operating System only supports 7-mode.
10. FlashSnap is not supported for Exchange Server 2013.



Manageability and Monitoring

The following applications can monitor physical servers or virtual servers.

| Vendor | Product | Version | Veritas InfoScale™ | | | |
|-----------|---|---------|--------------------|---------|--------------|------------|
| | | | Enterprise | Storage | Availability | Foundation |
| Veritas | Veritas InfoScale Operations Manager ^[1] | 7.1 | S | S | S | S |
| Microsoft | Microsoft System Center Operations Manager 2012 R2 | GA | S | S | S | S |
| Microsoft | Microsoft System Center Operations Manager 2012 | GA, SP1 | S | S | S | S |
| Microsoft | Microsoft System Center Operations Manager 2007 R2 | GA | S | S | S | S |

1. VCS application failover can be used to cluster a Veritas InfoScale Operations Manager CMS.



Backup Management

The following backup applications are supported.

| Vendor | Product | Version | Veritas InfoScale™ | | | |
|---------|---|------------------------------|--------------------|---------|--------------|------------|
| | | | Enterprise | Storage | Availability | Foundation |
| Veritas | Veritas NetBackup ^{[1][2][3][4][5][6]} | 7.7, 7.7.1, 7.7.2 | L | L | L | L |
| Veritas | Veritas NetBackup ^{[1][2][3][4][5][6]} | 7.6.1, 7.6.1.1, 7.6.1.2 | L | L | L | L |
| Veritas | Veritas NetBackup ^{[1][2][3][4][5][6]} | 7.6.0.1, 7.6.0.2, 7.6.0.4 | L | L | L | L |
| Veritas | Veritas NetBackup ^{[1][2][3][4][5][6]} | 7.5.0.7 | L | L | L | L |
| Veritas | Veritas OpsCenter Analytics | 7.x | C | C | C | C |
| Veritas | Veritas System Recovery 2013 R2 ^[7] | GA | X | X | C | X |
| Veritas | Veritas System Recovery 2013 ^[7] | GA, SP1, SP2 | X | X | C | X |
| Veritas | Veritas System Recovery 2011 ^[7] | GA, SP1, SP2, SP3 | X | X | C | X |

1. Veritas NetBackup (NBU) snapshots and backups are not supported for Hyper-V virtual machines residing on Veritas InfoScale managed disk groups in a Microsoft Failover Clustering environment.

2. NBU 7.x wrongly creates an IP resource using the IPv4 type definition when configuring a NetBackup IPv6 master server cluster. For more information, refer to the technote at: <http://www.veritas.com/docs/000014830>. If the resource "NetBackup_server-NBU" is not created after a NetBackup IPv6 master cluster installation is completed, please contact NBU technical support.



3. The NBU 7.x Software Compatibility Lists (SCL): (<http://www.veritas.com/docs/000006087>) supersedes this SCL for supportability.
4. NBU does not yet support Bare Metal Restore (BMR) on hosts running SFW\SFWHA 6.x and higher.
5. NBU does not support file recovery from a VMware VM backup image if the volume of VM is managed by InfoScale Storage.
6. If NBU backs up the VMware VM on which Veritas InfoScale Storage is installed, the backup job fails as it fails to quiesce the virtual machine. This issue occurs if you install a third-party backup agent on the VM. Refer to the solution from VMware at: https://kb.vmware.com/selfservice/microsites/search.do?language=en_US&cmd=displayKC&externalId=1018194.
7. Veritas System Recovery 2011 and 2013/2013 R2 cannot discover the volumes created by InfoScale Storage 7.1.



Security and Miscellaneous Software

The following security software and other applications are supported.

| Vendor | Product | Version | Veritas InfoScale™ | | | |
|----------|---|----------|--------------------|---------|--------------|------------|
| | | | Enterprise | Storage | Availability | Foundation |
| Symantec | Symantec Endpoint Protection ^[1] | 12.1RU6 | S | S | S | S |
| Symantec | Symantec Endpoint Protection | 11.0 RU7 | S | S | S | S |
| Symantec | Symantec Mail Security for Microsoft Exchange ^{[2][5]} | 7.5.1 | S | X | C | C |
| Symantec | Symantec Mail Security for Microsoft Exchange ^[2] | 7.0.2 | C | C | C | C |
| Symantec | Symantec Mail Security for Microsoft Exchange ^[2] | 6.5.8 | C | C | C | C |
| McAfee | McAfee VirusScan Enterprise ^[3] | 8.8 | S | S | S | S |
| McAfee | McAfee VirusScan Enterprise ^[3] | 8.7 | C | C | C | C |
| McAfee | McAfee Security for Microsoft Exchange ^[4] | 8.0 | L | S | L | C |
| McAfee | McAfee Security for Microsoft Exchange ^[4] | 7.6 | L | S | L | C |
| McAfee | McAfee Host Intrusion Prevention for Server | 8.0 | S | S | C | C |
| SAP | SAP Web Application Server | 7.4 | S | S | S | S |
| SAP | SAP Web Application Server | 7.3 | S | S | S | S |
| SAP | SAP Web Application Server | 7.1 | S | S | S | S |



1. For additional configuration steps required for co-existence with Symantec EndPoint Protection (SEP) 12.1 and higher, refer to the product release notes on SORT: <https://sort.veritas.com/documents>. Select the product, release version, and the platform from the available filters.
2. VCS cluster resource for SMSMSE 6.5.x/7.1.x/7.5.x for Exchange 2010 support is not required, because Exchange 2010 is installed in Standalone mode.
3. McAfee VirusScan Enterprise can co-exist with the InfoScale products but it cannot be made highly available.
4. McAfee Security for Exchange 7.6 and 8.0 are unsupported Exchange 2007 Virtual Server with SFWHA\VCSW 6.1 and higher.
5. SMSMSE installation operation failed when InfoScale Storage manage disks in a Microsoft Failover Clustering environment.