

Veritas InfoScale™ Support Matrix for Oracle®

Veritas InfoScale™ Support Matrix for Oracle

The software described in this book is furnished under a license agreement and may be used only in accordance with the terms of the agreement.

Product version: 1.0

Document version: 1.0

Legal Notice

Copyright © 2016 Veritas Technologies LLC. All rights reserved.

Veritas, the Veritas Logo, and NetBackup are trademarks or registered trademarks of Veritas Technologies LLC or its affiliates in the U.S. and other countries. Other names may be trademarks of their respective owners.

The product described in this document is distributed under licenses restricting its use, copying, distribution, and decompilation/reverse engineering. No part of this document may be reproduced in any form by any means without prior written authorization of Veritas Technologies LLC and its licensors, if any.

THE DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID. VERITAS TECHNOLOGIES CORPORATION SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH THE FURNISHING, PERFORMANCE, OR USE OF THIS DOCUMENTATION. THE INFORMATION CONTAINED IN THIS DOCUMENTATION IS SUBJECT TO CHANGE WITHOUT NOTICE.

The Licensed Software and Documentation are deemed to be commercial computer software as defined in FAR 12.212 and subject to restricted rights as defined in FAR Section 52.227-19 "Commercial Computer Software - Restricted Rights" and DFARS 227.7202, et seq. "Commercial Computer Software and Commercial Computer Software Documentation," as applicable, and any successor regulations, whether delivered by Veritas as on premises or hosted services. Any use, modification, reproduction release, performance, display or disclosure of the Licensed Software and Documentation by the U.S. Government shall be solely in accordance with the terms of this Agreement.

Veritas Technologies LLC
500 E Middlefield Road
Mountain View, CA 94043

<http://www.veritas.com>

Technical Support

Technical Support maintains support centers globally. Technical Support's primary role is to respond to specific queries about product features and functionality. The Technical Support group also creates content for our online Knowledge Base. The Technical Support group works collaboratively with the other functional areas within the company to answer your questions in a timely fashion.

Our support offerings include the following:

- A range of support options that give you the flexibility to select the right amount of service for any size organization
- Telephone and/or Web-based support that provides rapid response and up-to-the-minute information
- Upgrade assurance that delivers software upgrades
- Global support purchased on a regional business hours or 24 hours a day, 7 days a week basis
- Premium service offerings that include Account Management Services

For information about our support offerings, you can visit our website at the following URL:

www.veritas.com/support

All support services will be delivered in accordance with your support agreement and the then-current enterprise technical support policy.

Contacting Technical Support

Customers with a current support agreement may access Technical Support information at the following URL:

www.veritas.com/support

Before contacting Technical Support, make sure you have satisfied the system requirements that are listed in your product documentation. Also, you should be at the computer on which the problem occurred, in case it is necessary to replicate the problem.

When you contact Technical Support, please have the following information available:

- Product release level
- Hardware information
- Available memory, disk space, and NIC information

- Operating system
- Version and patch level
- Network topology
- Router, gateway, and IP address information
- Problem description:
 - Error messages and log files
 - Troubleshooting that was performed before contacting Technical Support
 - Recent software configuration changes and network changes

Licensing and registration

If your product requires registration or a license key, access our technical support Web page at the following URL:

www.veritas.com/support

Customer service

Customer service information is available at the following URL:

www.veritas.com/support

Customer Service is available to assist with non-technical questions, such as the following types of issues:

- Questions regarding product licensing or serialization
- Product registration updates, such as address or name changes
- General product information (features, language availability, local dealers)
- Latest information about product updates and upgrades
- Information about upgrade assurance and support contracts
- Advice about technical support options
- Nontechnical presales questions
- Issues that are related to CD-ROMs, DVDs, or manuals

Support agreement resources

If you want to contact us regarding an existing support agreement, please contact the support agreement administration team for your region as follows:

Worldwide (except Japan)

CustomerCare@veritas.com

Japan

CustomerCare_Japan@veritas.com

Contents

Technical Support	4	
Chapter 1	Oracle RAC support matrix	8
	About the Oracle RAC support matrix	8
	Oracle Clusterware and Oracle database interoperability matrix	9
	AIX support matrix for Veritas InfoScale Enterprise (Storage Foundation for Oracle RAC)	9
	Linux support matrix for Veritas InfoScale Enterprise (Storage Foundation for Oracle RAC)	10
	Solaris SPARC support matrix for Veritas InfoScale Enterprise (Storage Foundation for Oracle RAC)	11
Chapter 2	Oracle single instance support matrix	13
	About Oracle single instance support matrix	13
	AIX - Oracle single instance support matrix for Veritas InfoScale	13
	Linux - Oracle single instance support matrix for Veritas InfoScale	14
	Solaris SPARC - Oracle single instance support matrix for Veritas InfoScale	16

Oracle RAC support matrix

This chapter includes the following topics:

- [About the Oracle RAC support matrix](#)
- [Oracle Clusterware and Oracle database interoperability matrix](#)
- [AIX support matrix for Veritas InfoScale Enterprise \(Storage Foundation for Oracle RAC\)](#)
- [Linux support matrix for Veritas InfoScale Enterprise \(Storage Foundation for Oracle RAC\)](#)
- [Solaris SPARC support matrix for Veritas InfoScale Enterprise \(Storage Foundation for Oracle RAC\)](#)

About the Oracle RAC support matrix

Review the following notes before you proceed:

- The Oracle RAC versions listed in the tables represent the database versions. Hyphens in the tables designate a range of Oracle patch sets.
- All configurations listed in the tables below are certified and supported by Oracle and Veritas. Configurations that are not shown in the tables are not supported.
- If you need assistance, consult your Veritas sales team for details.

The following matrices list support for Veritas InfoScale Enterprise (Storage Foundation for Oracle RAC) for:

- AIX
See [“AIX support matrix for Veritas InfoScale Enterprise \(Storage Foundation for Oracle RAC\)”](#) on page 9.
- Linux

See [“Linux support matrix for Veritas InfoScale Enterprise \(Storage Foundation for Oracle RAC\)”](#) on page 10.

- Solaris SPARC
 See [“Solaris SPARC support matrix for Veritas InfoScale Enterprise \(Storage Foundation for Oracle RAC\)”](#) on page 11.

Oracle Clusterware and Oracle database interoperability matrix

[Table 1-1](#) lists interoperability information for Oracle Clusterware and Oracle database.

Table 1-1 Oracle Clusterware and Oracle database interoperability matrix

Oracle RAC	11gR2 Database	12cR1 Database
11gR2 Clusterware	Yes	No
12cR1 Grid	Yes	Yes

AIX support matrix for Veritas InfoScale Enterprise (Storage Foundation for Oracle RAC)

[Table 1-2](#) describes the AIX support matrix for Veritas InfoScale Enterprise (Storage Foundation for Oracle RAC).

Table 1-2 AIX support matrix for Veritas InfoScale Enterprise (Storage Foundation for Oracle RAC)

Veritas InfoScale Enterprise (Storage Foundation for Oracle RAC)	AIX	11gR2	12cR1
7.0	7.1	11.2.0.4 \$, \$\$	12.1.0.2 \$.†. ††
7.0	6.1	11.2.0.4 \$, \$\$	12.1.0.2 \$.†. ††

† If a private network interface (on which the private IP address for Oracle Grid Infrastructure is configured) is brought down on a running 11.2.0.2 and later versions cluster node, the HAIP resource fails to fail over the private IP address. This causes the Oracle instance to fail on the node from which the private interface is brought

down. This is because AIX does not notify the status change in the network interface. Oracle and IBM are working together to resolve this issue (Oracle bug ID: 10373244).

Workaround: Append the following lines at the end of the file `/etc/rc.net`:

```
# /usr/sbin/ifconfig interface_name monitor >>$LOGFILE 2>&1
```

where *interface_name* is the name of the network interface, one interface per line.

†† Requires linking with Veritas Extension for Oracle Disk Manager (ODM) with Oracle database 12.1.0.2. For details, see the following TechNote:

https://www.veritas.com/support/en_US/article.TECH225500

\$ See the following Technote:

https://www.veritas.com/support/en_US/article.TECH145261

\$\$ Requires Oracle patch, Patch 17501491: ODM API version is not correct for ODM_MKDIR call in 11.2.0.4.0.

Linux support matrix for Veritas InfoScale Enterprise (Storage Foundation for Oracle RAC)

Table 1-3 describes the Linux support matrix for Veritas InfoScale Enterprise (Storage Foundation for Oracle RAC).

Table 1-3 Linux support matrix for Veritas InfoScale Enterprise (Storage Foundation for Oracle RAC)

Veritas InfoScale Enterprise (Storage Foundation for Oracle RAC)	RHEL/OEL/SLES	11gR2	12c
7.0.1	RHEL 7 OEL 7	11.2.0.4 \$ and *	12.1.0.2 \$ and **
7.0.1	RHEL 6 OEL 6	11.2.0.4 \$ and *	12.1.0.2 \$ and **
7.0.1	SLES12	11.2.0.4 \$ and *	12.1.0.2 \$ and **
7.0.1	SLES11	11.2.0.4 \$ and *	12.1.0.2 \$ and **
7.0	RHEL 7 OEL 7	11.2.0.4 \$ and *	12.1.0.2 \$ and **

Solaris SPARC support matrix for Veritas InfoScale Enterprise (Storage Foundation for Oracle RAC)

Table 1-3 Linux support matrix for Veritas InfoScale Enterprise (Storage Foundation for Oracle RAC) (*continued*)

Veritas InfoScale Enterprise (Storage Foundation for Oracle RAC)	RHEL/OEL/SLES	11gR2	12c
7.0	RHEL 6 OEL 6	11.2.0.4 \$ and *	12.1.0.2 \$ and **
7.0	SLES12	11.2.0.4 \$ and *	12.1.0.2 \$ and **
7.0	SLES11	11.2.0.4 \$ and *	12.1.0.2 \$ and **

* Requires Oracle patch, Patch 17501491: ODM API version is not correct for ODM_MKDIR CALL in 11.2.0.4.0.

** Requires linking with Veritas Extension for Oracle Disk Manager (ODM) with Oracle database 12.1.0.2. For details, see the following TechNote:
https://www.veritas.com/support/en_US/article.TECH225500

\$ See the following Technote:
https://www.veritas.com/support/en_US/article.TECH145261

Solaris SPARC support matrix for Veritas InfoScale Enterprise (Storage Foundation for Oracle RAC)

[Table 1-4](#) describes the Solaris support matrix for Veritas InfoScale Enterprise (Storage Foundation for Oracle RAC).

Table 1-4 Solaris SPARC support matrix for Veritas InfoScale Enterprise (Storage Foundation for Oracle RAC)

Veritas InfoScale Enterprise (Storage Foundation for Oracle RAC)	Solaris SPARC	11gR2	12c
7.0	11	11.2.0.4 \$, \$\$	12.1.0.2 \$ and #
7.0	10	11.2.0.4 \$, \$\$	Not supported

\$ See the following Technote:

https://www.veritas.com/support/en_US/article.TECH145261

\$\$ Requires Oracle patch, Patch 17501491: ODM API version is not correct for ODM_MKDIR call in 11.2.0.4.0.

Additionally, to resolve OUI issues during the Oracle Grid Infrastructure 11.2.0.4 installation with SF Oracle RAC, see the technote:

https://www.veritas.com/support/en_US/article.TECH213369

Requires linking with Veritas Extension for Oracle Disk Manager (ODM) with Oracle database 12.1.0.2. For details, see the following TechNote:

https://www.veritas.com/support/en_US/article.TECH225500

Oracle single instance support matrix

This chapter includes the following topics:

- [About Oracle single instance support matrix](#)
- [AIX - Oracle single instance support matrix for Veritas InfoScale](#)
- [Linux - Oracle single instance support matrix for Veritas InfoScale](#)
- [Solaris SPARC - Oracle single instance support matrix for Veritas InfoScale](#)

About Oracle single instance support matrix

This section lists the Oracle single instance versions supported with Veritas InfoScale and Storage Foundation for Databases (SFDB) tools. The following matrices also apply to Oracle single instance with Storage Foundation Cluster File System HA.

AIX - Oracle single instance support matrix for Veritas InfoScale

[Table 2-1](#) lists the Oracle single instance version and AIX combinations supported with Veritas InfoScale and SFDB tools. Unless otherwise specified, you can use the SFDB tools with the following Oracle versions. You can also run Oracle with ODM, VxFS and VxVM without invoking the SFDB tools.

Table 2-1 Oracle single instance support on AIX

Veritas InfoScale	AIX	10gR2 10.2(64-bit)	11gR1 11.1 (64-bit)	11gR2 11.2 (64-bit)	12c (64-bit)
7.2	7.2	Not supported	Not supported	Supported [7] [8]	Supported [9] [10]
7.2	7.1	Not supported	Not supported	Supported [7] [8]	Supported [9] [10]
7.1	7.2	Not supported	Not supported	Supported [7] [8]	Supported [9] [10]
7.1	7.1	Not supported	Not supported	Supported [7] [8]	Supported [9] [10]
7.1	6.1	Not supported	Not supported	Supported [7] [8]	Supported [9] [10]
7.0	7.1	Not supported	Not supported	Supported [7] [8]	Supported [9] [10] [11]
7.0	6.1	Not supported	Not supported	Supported [7] [8]	Supported [9] [10] [11]

[2] Oracle 11g R2 11.2.0.3, 11.2.0.2 and 11.2.0.1 are supported.

[3] SFDB tools are only supported with Oracle 10g R2 10.2.0.5.

[4] SFDB tools are only supported with Oracle 11g R2 11.2.0.1.

[5] SFDB tools are only supported with Oracle 11g R2 11.2.0.2 and 11.2.0.1.

[6] Oracle 11g R2 11.2.0.2 and 11.2.0.1 are supported.

[7] Oracle 11g R2 11.2.0.4, 11.2.0.3, 11.2.0.2 and 11.2.0.1 are supported.

[8] Requires Oracle patch "Patch 17501491: ODM API version is not correct for ODM_MKDIR call in 11.2.0.4.0", when SF ODM is used with oracle version 11.2.0.4.

[9] Oracle 12c version 12.1.0.1 is supported.

[10] Oracle 12c version 12.1.0.2 is supported.

[11] Requires linking with Veritas Extension for Oracle Disk Manager (ODM) with Oracle database 12.1.0.2. For details, see the following TechNote:

https://www.veritas.com/support/en_US/article.TECH225500

Linux - Oracle single instance support matrix for Veritas InfoScale

Table 2-2 lists the Oracle single instance version and Linux combinations supported with Veritas InfoScale and SFDB tools. Unless otherwise specified, you can use

the SFDB tools with the following Oracle versions. You can also run Oracle with ODM, VxFS and VxVM without invoking the SFDB tools.

Table 2-2 Oracle single instance support on Linux

Veritas InfoScale	Linux (AMD Opteron 64 bit/Intel Xeon EM64T)	10gR2 10.2(64-bit)	11gR1 11.1 (64-bit)	11gR2 11.2 (64-bit)	12c (64-bit)
7.2	RHEL7 OEL7	Not Supported	Not Supported	Supported [10] [15] [21]	Supported [18] [19]
7.2	RHEL6 OEL6	Not Supported	Not Supported	Supported [10] [14] [15]	Supported [17] [18]
7.2	SLES11	Not Supported	Not Supported	Supported [10] [14] [15]	Supported [17] [18]
7.2	SLES12	Not Supported	Not Supported	Supported [10] [14] [15]	Supported [17] [18]
7.1	RHEL7 OEL7	Not Supported	Not Supported	Supported [10] [15] [21]	Supported [18] [19]
7.1	RHEL6 OEL6	Not Supported	Not Supported	Supported [10] [14] [15]	Supported [17] [18] [19]
7.1	SLES11	Not Supported	Not Supported	Supported [10] [14] [15]	Supported [17] [18] [19]
7.1	SLES12	Not Supported	Not Supported	Supported [10] [14] [15]	Supported [17] [18] [19]
7.0	RHEL7 OEL7	Not Supported	Not Supported	Supported [10] [15] [21]	Supported [18] [19]
7.0	RHEL6 OEL6	Not Supported	Not Supported	Supported [10] [14] [15]	Supported [17] [18] [19]
7.0	SLES11	Not Supported	Not Supported	Supported [10] [14] [15]	Supported [17] [18] [19]

[1] This configuration is also supported on the RHEL5 PowerPC platform.

[2] This configuration is also supported on the SLES10 PowerPC platform.

[4] Oracle 11g R2 11.2.0.3, 11.2.0.2 and 11.2.0.1 are supported.

- [5] SFDB tools are only supported with Oracle 10g R2 10.2.0.5.
- [6] SFDB tools are only supported with Oracle 11g R2 11.2.0.1.
- [7] SFDB tools are only supported with Oracle 11g R2 11.2.0.2 and 11.2.0.1.
- [8] Oracle 11g R2 11.2.0.2 and 11.2.0.1 are supported.
- [9] Oracle 11g R2 version 11.2.0.3 is supported.
- [10] This configuration supports Veritas InfoScale wizard configuration for Oracle.
- [11] SFDB tools are supported with Oracle 11gR2 11.2.0.2 and 11.2.0.3.
- [12] SFDB tools are not supported with Oracle 11gR2 11.2.0.2 and 11.2.0.3.
- [13] Patches are required for ODM, and SFDB tools. For details, please refer to the following tech note: https://www.veritas.com/support/en_US/article.TECH210620
- [14] Oracle 11gR2 version 11.2.0.3 and 11.2.0.4 are supported.
- [15] Requires Oracle patch "Patch 17501491: ODM API version is not correct for ODM_MKDIR call in 11.2.0.4", when SF ODM is used with oracle version 11.2.0.4.
- [16] SFDB tools are not supported for 11gR1 11.1.
- [17] Oracle 12c version 12.1.0.1 is supported.
- [18] Oracle 12c version 12.1.0.2 is supported.
- [19] Requires linking with Veritas Extension for Oracle Disk Manager (ODM) with Oracle database 12.1.0.2. For details, see the following TechNote:https://www.veritas.com/support/en_US/article.TECH225500
- [20] Requires VRTSvxfs patch. For details, see Tech Alert:
<https://sort.veritas.com/patch/detail/9011>
<https://sort.veritas.com/patch/detail/9010>
- [21] Oracle 11gr2 version 11.2.0.4 is Supported.

Solaris SPARC - Oracle single instance support matrix for Veritas InfoScale

Table 2-3 lists the Oracle single instance version and Solaris SPARC combinations supported with Veritas InfoScale and SFDB tools. Unless otherwise specified, you can use the SFDB tools with the following Oracle versions. You can also run Oracle with ODM, VxFS and VxVM without invoking the SFDB tools.

Table 2-3 Oracle single instance support on Solaris SPARC

Veritas InfoScale	Solaris SPARC	9iR2 9.2 (32-bit)	9iR2 9.2 (64-bit)	10gR1 10.1 (64-bit)	10gR2 10.2 (64-bit)	11gR1 11.1(64-bit)	11gR2 11.2 (64-bit)	12c (64-bit)
7.2	11 (64-bit)	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Supported [11] [14]	Supported [15] [16] [17]
7.1	11 (64-bit)	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Supported [11] [14]	Supported [15] [16] [17]
7.1	10 (64-bit)	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Supported [13] [14]	Supported [15] [16] [17]
7.0	11 (64-bit)	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Supported [11] [14]	Supported [15] [16] [17]
7.0	10 (64-bit)	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Supported [13] [14]	Supported [15] [16] [17]

[1] ODM is not supported on Oracle 9i.

[3] SFDB tools are not supported; you can run Oracle with VxFS and VxVM. ODM is not supported on Oracle 9i.

[4] This configuration is only supported on Solaris 10 (64-bit).

[5] Oracle 11g R2 11.2.0.3, 11.2.0.2 and 11.2.0.1 are supported.

[6] SFDB tools are only supported with Oracle 10g R2 10.2.0.5.

[7] SFDB tools are only supported with Oracle 11g R2 11.2.0.1.

[8] SFDB tools are only supported with Oracle 11g R2 11.2.0.2 and 11.2.0.1.

[9] Oracle 11g R2 11.2.0.2 and 11.2.0.1 are supported.

[10] Patches are required for ODM, and SFDB tools. For details, please refer to the following tech note: https://www.veritas.com/support/en_US/article.TECH210620

[11] Oracle 11.2.0.3 and 11.2.0.4 are supported.

[12] SFDB tools are not supported.

[13] Oracle 11g R2 11.2.0.4, 11.2.0.3, 11.2.0.2 and 11.2.0.1 are supported.

[14] Requires Oracle patch "Patch 17501491: ODM API version is not correct for ODM_MKDIR call in 11.2.0.4.0", when SF ODM is used with oracle version 11.2.0.4.

[15] Oracle 12c version 12.1.0.1 is supported.

[16] Oracle 12c version 12.1.0.2 is supported.

[17] Requires linking with Veritas Extension for Oracle Disk Manager (ODM) with Oracle database 12.1.0.2. For details, see the following TechNote:https://www.veritas.com/support/en_US/article.TECH225500