

Veritas Storage Foundation ™ and High Availability Solutions DB2® Support Matrix

The software described in this book is furnished under a license agreement and may be used only in accordance with the terms of the agreement.

Legal Notice

Copyright © 2015 Veritas Technologies LLC. All rights reserved.

Veritas and the Veritas Logo, and NetBackup are trademarks or registered trademarks of Veritas Technologies LLC or its affiliates in the U.S. and other countries. Other names may be trademarks of their respective owners.

The product described in this document is distributed under licenses restricting its use, copying, distribution, and decompilation/reverse engineering. No part of this document may be reproduced in any form by any means without prior written authorization of Veritas Technologies LLC and its licensors, if any.

THE DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID. VERITAS TECHNOLOGIES CORPORATION SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH THE FURNISHING, PERFORMANCE, OR USE OF THIS DOCUMENTATION. THE INFORMATION CONTAINED IN THIS DOCUMENTATION IS SUBJECT TO CHANGE WITHOUT NOTICE.

The Licensed Software and Documentation are deemed to be commercial computer software as defined in FAR 12.212 and subject to restricted rights as defined in FAR Section 52.227-19 "Commercial Computer Software - Restricted Rights" and DFARS 227.7202, et seq. "Commercial Computer Software and Commercial Computer Software Documentation," as applicable, and any successor regulations, whether delivered by Veritas as on premises or hosted services. Any use, modification, reproduction release, performance, display or disclosure of the Licensed Software and Documentation by the U.S. Government shall be solely in accordance with the terms of this Agreement.

Veritas Technologies LLC
500 E Middlefield Road
Mountain View, CA 94043

<http://www.veritas.com>

Technical Support

Technical Support maintains support centers globally. Technical Support's primary role is to respond to specific queries about product features and functionality. The Technical Support group also creates content for our online Knowledge Base. The Technical Support group works collaboratively with the other functional areas within the company to answer your questions in a timely fashion.

Our support offerings include the following:

- A range of support options that give you the flexibility to select the right amount of service for any size organization
- Telephone and/or Web-based support that provides rapid response and up-to-the-minute information
- Upgrade assurance that delivers software upgrades
- Global support purchased on a regional business hours or 24 hours a day, 7 days a week basis
- Premium service offerings that include Account Management Services

For information about our support offerings, you can visit our website at the following URL:

www.veritas.com/support

All support services will be delivered in accordance with your support agreement and the then-current enterprise technical support policy.

Contacting Technical Support

Customers with a current support agreement may access Technical Support information at the following URL:

www.veritas.com/support

Before contacting Technical Support, make sure you have satisfied the system requirements that are listed in your product documentation. Also, you should be at the computer on which the problem occurred, in case it is necessary to replicate the problem.

When you contact Technical Support, please have the following information available:

- Product release level
- Hardware information
- Available memory, disk space, and NIC information

- Operating system
- Version and patch level
- Network topology
- Router, gateway, and IP address information
- Problem description:
 - Error messages and log files
 - Troubleshooting that was performed before contacting Technical Support
 - Recent software configuration changes and network changes

Licensing and registration

If your product requires registration or a license key, access our technical support Web page at the following URL:

www.veritas.com/support

Customer service

Customer service information is available at the following URL:

www.veritas.com/support

Customer Service is available to assist with non-technical questions, such as the following types of issues:

- Questions regarding product licensing or serialization
- Product registration updates, such as address or name changes
- General product information (features, language availability, local dealers)
- Latest information about product updates and upgrades
- Information about upgrade assurance and support contracts
- Advice about technical support options
- Nontechnical presales questions
- Issues that are related to CD-ROMs, DVDs, or manuals

Support agreement resources

If you want to contact us regarding an existing support agreement, please contact the support agreement administration team for your region as follows:

Worldwide (except Japan)

CustomerCare@veritas.com

Japan

CustomerCare_Japan@veritas.com

DB2 support matrix

This document includes the following topics:

- [About DB2 support matrix](#)
- [AIX - DB2 support matrix for Veritas Storage Foundation High Availability](#)
- [HP-UX - DB2 support matrix for Veritas Storage Foundation High Availability](#)
- [Linux - DB2 support matrix for Veritas Storage Foundation High Availability](#)
- [Solaris SPARC - DB2 support matrix for Veritas Storage Foundation High Availability](#)
- [Solaris x64 - DB2 support matrix for Veritas Storage Foundation High Availability](#)

About DB2 support matrix

This section lists the DB2 versions supported with Veritas InfoScale.

Note: Veritas InfoScale for Databases (SFDB) tools are not supported with DB2 on HP and Solaris platforms.

AIX - DB2 support matrix for Veritas Storage Foundation High Availability

[Table 1-1](#) lists the DB2 ESE version and AIX combinations supported with Veritas Storage Foundation High Availability.

Table 1-1 DB2 ESE support on AIX

SFHA	AIX	8.1	8.2	9.1	9.5	9.7	10.1	10.5
6.2	7.1 6.1	Not Supported	Not Supported	Not Supported	Supported [1]	Supported	Supported	Supported
6.1.1	7.1 6.1	Not Supported	Not Supported	Not Supported	Supported [1]	Supported	Supported	Supported
6.0.5	7.1 6.1	Not Supported	Not Supported	Supported [2]	Supported [1]	Supported	Supported	Supported
6.1	7.1 6.1	Not Supported	Not Supported	Not Supported	Supported [1]	Supported	Supported	Supported [2]
6.0.3	7.1 6.1	Not Supported	Not Supported	Supported [2]	Supported [1]	Supported	Supported	Supported [2]
6.0.1	7.1 6.1	Not Supported	Not Supported	Supported [2]	Supported [1]	Supported	Not Supported	Not Supported
6.0	7.1 6.1	Not supported	Not supported	Supported [2]	Supported [2]	Supported [2]	Not Supported	Not Supported
5.1 SP1PR1 5.1 SP1RP2	7.1	Not supported	Not supported	Supported [2]	Supported [2]	Supported [2]	Not Supported	Not Supported
5.1 SP1RP2	6.1	Not supported	Not supported	Supported [2]	Supported [2]	Supported [2]	Not Supported	Not Supported
5.1 SP1RP2	5.3	Supported [2]	Supported [2]	Supported [2]	Supported [2]	Supported [2]	Not Supported	Not Supported
5.1 SP1 5.1 SP1RP1	6.1	Not supported	Not supported	Supported [2]	Supported [2]	Supported [2]	Not Supported	Not Supported
5.1 SP1 5.1 SP1RP1	5.3	Supported [2]	Supported [2]	Supported [2]	Supported [2]	Supported [2]	Not Supported	Not Supported

Table 1-1 DB2 ESE support on AIX (*continued*)

SFHA	AIX	8.1	8.2	9.1	9.5	9.7	10.1	10.5
5.1 5.1 RP2	6.1	Not supported	Not supported	Supported [2]	Supported [2]	Supported [2]	Not Supported	Not Supported
5.1 5.1 RP2	5.3	Supported [2]	Supported [2]	Supported [2]	Supported [2]	Supported [2]	Not Supported	Not Supported
5.1 RP1	6.1	Not supported	Not supported	Supported [2]	Supported [2]	Supported [2]	Not Supported	Not Supported
5.1 RP1	5.3	Supported [2]	Supported [2]	Supported [2]	Supported [2]	Supported [2]	Not Supported	Not Supported
5.0 MP3	5.3 6.1	Supported	Supported	Supported	Supported	Not supported	Not Supported	Not Supported

[1] SFDB tools supported from FixPack 2 onwards.

[2] SFDB tools are not supported.

HP-UX - DB2 support matrix for Veritas Storage Foundation High Availability

[Table 1-2](#) lists the DB2 ESE version and HP-UX combinations supported with Veritas Storage Foundation High Availability.

Table 1-2 DB2 ESE support on HP-UX

SFHA	HP-UX	9.1	9.5	9.7	10.1	10.5
6.0.5	11i v3	Supported	Supported	Supported	Supported	Supported
6.0.3	11i v3	Supported	Supported	Supported	Supported	Supported
6.0.1	11i v3	Supported	Supported	Supported	Not Supported	Not Supported
6.0	11i v3	Supported	Supported	Supported	Not Supported	Not Supported

Linux - DB2 support matrix for Veritas Storage Foundation High Availability

Table 1-3 lists the DB2 ESE version and Linux combinations supported with Veritas Storage Foundation and High Availability support matrix for DB2 .

Table 1-3 DB2 ESE support on Linux

SFHA	Linux (AMD Opteron 64-bit/Intel Xeon EM64T)	8.2	9.1	9.5	9.7	10.1	10.5
6.2.1	SLES12	Not supported	Not supported	Not supported	Not supported	Not supported	Not supported
6.2.1	RHEL7	Not supported	Not supported	Not supported	Not supported	Not supported	Supported
6.2.1	SLES11	Not supported	Not supported	Supported [4]	Supported	Supported	Supported
6.2.1	RHEL6	Not supported	Not supported	Not supported	Supported	Supported	Supported
6.2	RHEL7	Not supported	Not supported	Not supported	Not supported	Not supported	Supported
6.2	SLES11	Not supported	Not supported	Supported [4]	Supported	Supported	Supported
6.2	RHEL6	Not supported	Not supported	Not supported	Supported	Supported	Supported
6.1.1	RHEL5 SLES11	Not supported	Not supported	Supported [4]	Supported	Supported	Supported
6.1.1	RHEL6	Not supported	Not supported	Not supported	Supported	Supported	Supported
6.0.5	SLES11 SLES10	Not supported	Supported [5]	Supported [4]	Supported	Not supported	Not supported
6.0.5	RHEL6	Not supported	Not supported	Not supported	Supported	Not supported	Not supported

Table 1-3 DB2 ESE support on Linux *(continued)*

SFHA	Linux (AMD Opteron 64-bit/Intel Xeon EM64T)	8.2	9.1	9.5	9.7	10.1	10.5
6.0.5	RHEL5 OEL5	Not supported	Supported [5]	Supported [4]	Supported	Not supported	Not supported
6.1	RHEL5 SLES11	Not Supported	Not Supported	Supported [4]	Supported	Supported	Supported [5]
6.1	RHEL6	Not Supported	Not Supported	Not Supported	Supported	Supported	Supported [5]
6.0.3	SLES11 SLES10	Not Supported	Supported [5]	Supported [4]	Supported	Supported	Supported [5]
6.0.3	RHEL6 OEL6	Not Supported	Not Supported	Supported [4]	Supported	Supported	Supported [5]
6.0.3	RHEL5 OEL5	Not Supported	Supported [5]	Supported [4]	Supported	Supported	Supported [5]
6.0.1	SLES11 SLES10	Not Supported	Supported [5]	Supported [4]	Supported	Not Supported	Not Supported
6.0.1	RHEL6 OEL6	Not Supported	Not Supported	Not Supported	Supported	Not Supported	Not Supported
6.0.1	RHEL5 OEL5	Not Supported	Supported [5]	Supported [4]	Supported	Not Supported	Not Supported
6.0	SLES11 SLES10	Not supported	Supported [5]	Supported [5]	Supported [5]	Not Supported	Not Supported
6.0	RHEL6	Not supported	Not supported	Not supported	Supported [5]	Not Supported	Not Supported
6.0	RHEL5 OEL5	Not supported	Supported [5]	Supported [5]	Supported [5]	Not Supported	Not Supported

Table 1-3 DB2 ESE support on Linux *(continued)*

SFHA	Linux (AMD Opteron 64-bit/Intel Xeon EM64T)	8.2	9.1	9.5	9.7	10.1	10.5
5.1 SP1PR4	RHEL5 OEL5	Supported [5]	Supported [5]	Supported [5]	Supported [5]	Not Supported	Not Supported
5.1 SP1PR4	RHEL6 [3]	Not supported	Not supported	Not supported	Supported [5]	Not Supported	Not Supported
5.1 SP1PR4	SLES10	Supported [5]	Supported [5]	Supported [5]	Supported [5]	Not Supported	Not Supported
5.1 SP1PR4	SLES11 [3]	Not supported	Supported [5]	Supported [5]	Supported [5]	Not Supported	Not Supported
5.1 SP1RP2	RHEL6	Not supported	Not supported	Not supported	Supported [5]	Not Supported	Not Supported
5.1 SP1PR2	RHEL5 OEL5	Supported [5]	Supported [5]	Supported [5]	Supported [5]	Not Supported	Not Supported
5.1 SP1PR2	RHEL6	Not supported	Not supported	Not supported	Supported [5]	Not Supported	Not Supported
5.1 SP1PR2	SLES10	Supported [5]	Supported [5]	Supported [5]	Supported [5]	Not Supported	Not Supported
5.1 SP1PR2	SLES11	Not Supported	Not Supported	Supported [5]	Supported [5]	Not Supported	Not Supported
5.1 SP1 5.1 SP1RP1 5.1 SP1RP2	SLES11	Not supported	Supported [5]	Supported [5]	Supported [5]	Not Supported	Not Supported
5.1 SP1 5.1 SP1RP1 5.1 SP1RP2	RHEL5 OEL5 SLES10	Supported [5]	Supported [5]	Supported [5]	Supported [5]	Not Supported	Not Supported

Table 1-3 DB2 ESE support on Linux (*continued*)

SFHA	Linux (AMD Opteron 64-bit/Intel Xeon EM64T)	8.2	9.1	9.5	9.7	10.1	10.5
5.1	RHEL5	Supported	Supported	Supported	Supported	Not Supported	Not Supported
5.1 RP2	OEL5	[5]	[5]	[5]	[5]		
	SLES10						
5.0 MP4	RHEL4	Supported	Supported	Supported	Supported	Not Supported	Not Supported
	OEL4						
	RHEL5 [1]						
	OEL5						
	SLES9						
	SLES10 [2]						
	SLES11 [2]						

[1] This configuration is also supported on the RHEL5 PowerPC platform.

[2] This configuration is also supported on SLES10 and SLES11 PowerPC platforms.

[3] This configuration is also supported on RHEL6 and SLES11 PowerPC platforms.

[4] SFDB tools are supported from FixPack 2 onwards.

[5] SFDB tools are not supported.

Solaris SPARC - DB2 support matrix for Veritas Storage Foundation High Availability

Table 1-4 lists the DB2 ESE version and Solaris SPARC combinations supported with Veritas Storage Foundation High Availability.

Table 1-4 DB2 ESE support on Solaris SPARC

SFHA	Solaris SPARC	8.1 (FP6 or lower) 8.2 (8.1 FP7 or higher)	8.2.2 (8.1 FP9)	9.1	9.5	9.7	10.1	10.5
6.2	11 (64-bit)	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Supported	Supported
6.2	10 (64-bit)	Not Supported	Not Supported	Supported	Supported	Supported	Supported	Supported
6.1.1	11 (64-bit)	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Supported	Supported
6.1.1	10 (64-bit)	Not Supported	Not Supported	Supported	Supported	Supported	Supported	Supported
6.0.5	11 (64-bit)	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Supported	Supported
6.0.5	10 (64-bit)	Not Supported	Not Supported	Supported	Supported	Supported	Supported	Supported
6.1	11 (64-bit)	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Supported	Supported
6.1	10 (64-bit)	Not Supported	Not Supported	Supported	Supported	Supported	Supported	Supported
6.0.3	10 (64-bit)	Not Supported	Not Supported	Supported	Supported	Supported	Supported	Supported
6.0.1	10 (64-bit)	Not Supported	Not Supported	Supported	Supported	Supported	Not Supported	Not Supported
6.0	10 (64-bit)	Not supported	Not supported	Supported	Supported	Supported	Not Supported	Not Supported
5.1 SP1RP2	10 (64-bit) 9 (64-bit)	Supported	Supported	Supported	Supported	Supported	Not Supported	Not Supported
5.1 SP1 5.1 SP1RP1	10 (64-bit)	Not supported	Supported	Supported	Supported	Supported	Not Supported	Not Supported

Table 1-4 DB2 ESE support on Solaris SPARC (*continued*)

SFHA	Solaris SPARC	8.1 (FP6 or lower) 8.2 (8.1 FP7 or higher)	8.2.2 (8.1 FP9)	9.1	9.5	9.7	10.1	10.5
5.1 SP1 5.1 SP1RP1	9 (64-bit)	Supported	Supported	Supported	Supported	Supported	Not Supported	Not Supported
5.1 5.1 RP2	10 (64-bit)	Not supported	Supported	Supported	Supported	Supported	Not Supported	Not Supported
5.1 5.1 RP2	9 (64-bit)	Supported	Supported	Supported	Supported	Supported	Not Supported	Not Supported
5.1 5.1 RP2	9 (32-bit)	Supported	Supported	Not supported	Not supported	Not supported	Not Supported	Not Supported
5.0 MP3	9 (32-bit) 10 (64-bit)	Supported	Supported	Supported	Supported	Not supported	Not Supported	Not Supported
5.0 MP3	8 (32-bit) 8 (64-bit) 9 (64-bit)	Supported	Supported	Not supported	Not supported	Not supported	Not Supported	Not Supported

Solaris x64 - DB2 support matrix for Veritas Storage Foundation High Availability

Table 1-5 lists the DB2 ESE version and Solaris x64 combinations supported with Veritas Storage Foundation High Availability.

Table 1-5 DB2 ESE support on Solaris x64

SFHA	Solaris x64	8.1 (FP6 or lower) 8.2 (8.1 FP7 or higher)	8.2.2 (8.1 FP9)	9.1	9.5	9.7	10.1	10.5
6.0.5	10 (64-bit)	Not Supported	Not Supported	Supported	Supported	Supported	Supported	Supported

Table 1-5 DB2 ESE support on Solaris x64 *(continued)*

SFHA	Solaris x64	8.1 (FP6 or lower) 8.2 (8.1 FP7 or higher)	8.2.2 (8.1 FP9)	9.1	9.5	9.7	10.1	10.5
6.0.3	10 (64-bit)	Not Supported	Not Supported	Supported	Supported	Supported	Supported	Supported
6.0.1	10 (64-bit)	Not Supported	Not Supported	Supported	Supported	Supported	Not Supported	Not Supported
6.0	10 (64-bit)	Not supported	Not supported	Supported	Supported	Supported	Not Supported	Not Supported
5.1 SP1RP2 5.1 SP1RP1 5.1 SP1 5.1 RP2	10 (64-bit)	Supported	Supported	Supported	Supported	Supported	Not Supported	Not Supported
5.1	10 (64-bit)	Not supported	Not supported	Supported	Supported	Supported	Not Supported	Not Supported