

Veritas™ Cluster Server Agent Developer's Guide

AIX

5.0 Maintenance Pack 3



Veritas Cluster Server Agent Developer's Guide

The software described in this book is furnished under a license agreement and may be used only in accordance with the terms of the agreement.

Product version: 5.0 MP3

Document version: 5.0MP3.0

Legal Notice

Copyright © 2008 Symantec Corporation. All rights reserved.

Symantec, the Symantec Logo, Veritas and Veritas Storage Foundation are trademarks or registered trademarks of Symantec Corporation or its affiliates in the U.S. and other countries. Other names may be trademarks of their respective owners.

The product described in this document is distributed under licenses restricting its use, copying, distribution, and decompilation/reverse engineering. No part of this document may be reproduced in any form by any means without prior written authorization of Symantec Corporation and its licensors, if any.

THE DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID. SYMANTEC CORPORATION SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH THE FURNISHING, PERFORMANCE, OR USE OF THIS DOCUMENTATION. THE INFORMATION CONTAINED IN THIS DOCUMENTATION IS SUBJECT TO CHANGE WITHOUT NOTICE.

The Licensed Software and Documentation are deemed to be commercial computer software as defined in FAR 12.212 and subject to restricted rights as defined in FAR Section 52.227-19 "Commercial Computer Software - Restricted Rights" and DFARS 227.7202, "Rights in Commercial Computer Software or Commercial Computer Software Documentation", as applicable, and any successor regulations. Any use, modification, reproduction release, performance, display or disclosure of the Licensed Software and Documentation by the U.S. Government shall be solely in accordance with the terms of this Agreement.

Symantec Corporation
20330 Stevens Creek Blvd.
Cupertino, CA 95014
<http://www.symantec.com>

Technical Support

Symantec Technical Support maintains support centers globally. Technical Support's primary role is to respond to specific queries about product features and functionality. The Technical Support group also creates content for our online Knowledge Base. The Technical Support group works collaboratively with the other functional areas within Symantec to answer your questions in a timely fashion. For example, the Technical Support group works with Product Engineering and Symantec Security Response to provide alerting services and virus definition updates.

Symantec's maintenance offerings include the following:

- A range of support options that give you the flexibility to select the right amount of service for any size organization
- Telephone and Web-based support that provides rapid response and up-to-the-minute information
- Upgrade assurance that delivers automatic software upgrade protection
- Global support that is available 24 hours a day, 7 days a week
- Advanced features, including Account Management Services

For information about Symantec's Maintenance Programs, you can visit our Web site at the following URL:

www.symantec.com/techsupp

Contacting Technical Support

Customers with a current maintenance agreement may access Technical Support information at the following URL:

http://www.symantec.com/business/support/assistance_care.jsp

Before contacting Technical Support, make sure you have satisfied the system requirements that are listed in your product documentation. Also, you should be at the computer on which the problem occurred, in case it is necessary to replicate the problem.

When you contact Technical Support, please have the following information available:

- Product release level
- Hardware information
- Available memory, disk space, and NIC information
- Operating system
- Version and patch level
- Network topology
- Router, gateway, and IP address information
- Problem description:

- Error messages and log files
- Troubleshooting that was performed before contacting Symantec
- Recent software configuration changes and network changes

Licensing and registration

If your Symantec product requires registration or a license key, access our technical support Web page at the following URL:

www.symantec.com/techsupp

Customer service

Customer service information is available at the following URL:

www.symantec.com/techsupp

Customer Service is available to assist with the following types of issues:

- Questions regarding product licensing or serialization
- Product registration updates, such as address or name changes
- General product information (features, language availability, local dealers)
- Latest information about product updates and upgrades
- Information about upgrade assurance and maintenance contracts
- Information about the Symantec Buying Programs
- Advice about Symantec's technical support options
- Nontechnical presales questions
- Issues that are related to CD-ROMs or manuals

Documentation feedback

Your feedback on product documentation is important to us. Send suggestions for improvements and reports on errors or omissions to clustering_docs@symantec.com.

Include the title and document version (located on the second page), and chapter and section titles of the text on which you are reporting.

Maintenance agreement resources

If you want to contact Symantec regarding an existing maintenance agreement, please contact the maintenance agreement administration team for your region as follows:

Asia-Pacific and Japan	contractsadmin@symantec.com
Europe, Middle-East, and Africa	semea@symantec.com
North America and Latin America	supportsolutions@symantec.com

Additional enterprise services

Symantec offers a comprehensive set of services that allow you to maximize your investment in Symantec products and to develop your knowledge, expertise, and global insight, which enable you to manage your business risks proactively.

Enterprise services that are available include the following:

Symantec Early Warning Solutions	These solutions provide early warning of cyber attacks, comprehensive threat analysis, and countermeasures to prevent attacks before they occur.
Managed Security Services	These services remove the burden of managing and monitoring security devices and events, ensuring rapid response to real threats.
Consulting Services	Symantec Consulting Services provide on-site technical expertise from Symantec and its trusted partners. Symantec Consulting Services offer a variety of prepackaged and customizable options that include assessment, design, implementation, monitoring, and management capabilities. Each is focused on establishing and maintaining the integrity and availability of your IT resources.
Educational Services	Educational Services provide a full array of technical training, security education, security certification, and awareness communication programs.

To access more information about Enterprise services, please visit our Web site at the following URL:

www.symantec.com

Select your country or language from the site index.

| Running H/F 1
| Running H/F 2

Contents

Chapter 1	Introduction	
	About VCS agents	16
	How agents work	17
	About intentional offline of applications	17
	About the agent framework	17
	Resource type definitions	18
	Agent functions (entry points)	18
	About on-off, on-only, and persistent resources	18
	About attributes	20
	About developing an agent	24
	Considerations for the application	24
	High-level overview of the agent development process	25
Chapter 2	Agent entry point overview	
	About agent entry points	28
	Supported entry points	28
	How the agent framework interacts with entry points	28
	Agent entry points described	29
	About the monitor entry point	29
	About the info entry point	30
	About the online entry point	32
	About the offline entry point	33
	About the clean entry point	34
	About the action entry point	36
	About the attr_changed entry point	37
	About the open entry point	37
	About the close entry point	38
	About the shutdown entry point	38
	Return values for entry points	39
	Considerations for using C++ or script entry points	40
	About the VCSAgStartup routine	40
	About the agent information file	42
	Example agent information file (UNIX)	42
	Implementing the agent XML information file	45
	About the ArgList and ArgListValues attributes	45

ArgListValues attribute for agents registered as V50 and later	46
ArgListValues attribute for agents registered as V40 and earlier	46

Chapter 3 Creating entry points in C++

About creating entry points in C++	50
Entry point examples in this chapter	51
Data Structures	52
Syntax for C++ entry points	53
Syntax for C++ VCSAgStartup	53
Syntax for C++ monitor	54
Syntax for C++ info	55
Syntax for C++ online	61
Syntax for C++ offline	62
Syntax for C++ clean	63
Syntax for C++ action	64
Syntax for C++ attr_changed	66
Syntax for C++ open	68
Syntax for C++ close	69
Syntax for C++ shutdown	70
Agent framework primitives	71
VCSAgRegisterEPStruct	71
VCSAgSetCookie	71
VCSAgSetCookie2	71
VCSAgRegister	73
VCSAgUnregister	74
VCSAgGetCookie	75
VCSAgStrncpy	76
VCSAgStrncat	76
VCSAgSnprintf	76
VCSAgCloseFile	76
VCSAgDelString	76
VCSAgExec	77
VCSAgExecWithTimeout	78
VCSAgGenSnmpTrap	80
VCSAgSendTrap	80
VCSAgLockFile	80
VCSAgInitEntryPointStruct	81
VCSAgSetStackSize	81
VCSAgUnlockFile	82
VCSAgDisableCancellation	82
VCSAgRestoreCancellation	82
VCSAgSetLogCategory	83
VCSAgGetProductName	83

	VCSAgIsMonitorLevelOne	83
	VCSAgIsMonitorLevelTwo	83
	Agent Framework primitives for container support	83
	VCSAgISContainerCapable	83
	VCSAgExecInContainerWithTmo	84
	VCSAgExecInContainerWithTimeout	84
	VCSAgGetUID	84
	VCSAgIsPidInContainer	84
	VCSAgIsProcInContainer	85
	VCSAgGetContainerID2	85
	VCSAgGetContainerName2	85
Chapter 4	Creating entry points in scripts	
	About creating entry points in scripts	88
	Rules for using script entry points	88
	Parameters and values for script entry points	88
	ArgList attributes	89
	Examples	89
	Syntax for script entry points	90
	Syntax for the monitor script	90
	Syntax for the online script	90
	Syntax for the offline script	90
	Syntax for the clean script	91
	Syntax for the action script	91
	Syntax for the attr_changed script	91
	Syntax for the info script	91
	Syntax for the open script	92
	Syntax for the close script	92
	Syntax for the shutdown script	92
	Example script entry points	93
Chapter 5	Logging agent messages	
	About logging agent messages	98
	Logging in C++ and script-based entry points	98
	Agent messages: format	99
	C++ agent logging APIs	100
	Agent application logging macros for C++ entry points	101
	Agent debug logging macros for C++ entry points	102
	Severity arguments for C++ macros	103
	Initializing function_name using VCSAG_LOG_INIT	104
	Log category	105
	Examples of logging APIs used in a C++ agent	106

Script entry point logging functions	109
Using the functions in scripts	110
VCSAG_SET_ENVS	110
VCSAG_LOG_MSG	113
VCSAG_LOGDBG_MSG	114
Example of logging functions used in a script agent	116

Chapter 6 Building a custom agent

Files for use in agent development	118
Creating the type definition file for a custom agent	119
Example: FileOnOffTypes.cf	119
Example: Type definition for a custom agent that supports intentional offline	119
Requirements for creating the agentTypes.cf file	119
Adding the custom type definition to the configuration	119
Building a custom agent on UNIX	120
Implementing entry points using scripts	120
Example: Using script entry points on UNIX	122
Example: Using VCSAgStartup() and script entry points on UNIX ...	124
Implementing entry points using C++	125
Example: Using C++ entry points on UNIX	125
Example: Using C++ and script entry points on UNIX	128
Installing the custom agent	131
Defining resources for the custom resource type	131
Sample resource definition	131
Deploying custom agents on virtual machines running Linux	133

Chapter 7 Testing agents

About testing agents	136
Using debug messages	136
Using the engine process to test agents	136
Test commands	136
Using the AgentServer utility to test agents	138

Chapter 8 Static type attributes

About static attributes	142
Overriding static type attributes	142
Static type attribute definitions	143
ActionTimeout	143
AgentClass	143
AgentFailedOn	143
AgentPriority	143

AgentReplyTimeout	144
AgentStartTimeout	144
ArgList	144
AttrChangedTimeout	145
CleanTimeout	145
CloseTimeout	145
ContainerType	146
ConfInterval	147
FaultOnMonitorTimeouts	148
FireDrill	148
InfoInterval	148
InfoTimeout	149
IntentionalOffline	149
LogDbg	149
LogFileSize	150
ManageFaults	151
MonitorInterval	151
MonitorStatsParam	151
MonitorTimeout	152
NumThreads	153
OfflineMonitorInterval	153
OfflineTimeout	153
OnlineRetryLimit	154
OnlineTimeout	154
OnlineWaitLimit	154
OpenTimeout	154
Operations	155
RegList	155
RestartLimit	156
ScriptClass	156
ScriptPriority	156
SupportedActions	157
ToleranceLimit	157
Scheduling class and priority configuration support	158
Priority ranges	158
Default scheduling classes and priorities	159
Initializing attributes in the configuration file	159
Setting attributes dynamically from the command line	160

Chapter 9 State transition diagrams

State transitions	162
State transitions with respect to ManageFaults attribute	171

Chapter 10	Internationalized messages	
	Creating SMC files	180
	SMC format	180
	Example SMC file	180
	Formatting SMC files	181
	Naming SMC files, BMC files	181
	Message examples	181
	Using format specifiers	182
	Converting SMC files to BMC files	183
	Storing BMC files	183
	Displaying the contents of BMC files	183
	Using BMC Map Files	184
	Location of BMC Map Files	184
	Creating BMC Map Files	184
	Example BMC Map File	184
	Updating BMC Files	185
Appendix A	Using pre-5.0 VCS agents	
	Using pre-5.0 VCS agents and registering	
	them as V50 or later	187
	Outline of steps to change V40 agents V50	187
	Name-value tuple format for agents registered as V50 or later	188
	Sourcing ag_i18n_inc modules in script entry points	190
	Guidelines for using pre-VCS 4.0 Agents	191
	Log messages in pre-VCS 4.0 agents	192
	Mapping of log tags (pre-VCS 4.0) to log severities (VCS 4.0)	192
	How Pre-VCS 4.0 Messages are Displayed by VCS 4.0 and Later	193
	Comparing Pre-VCS 4.0 APIs and VCS 4.0 Logging Macros	193
	Pre-VCS 4.0 Message APIs	194
	VCSAgLogConsoleMsg	194
	VCSAgLogI18NMsg	195
	VCSAgLogI18NMsgEx	196
	VCSAgLogI18NConsoleMsg	197
	VCSAgLogI18NConsoleMsgEx	198
Index		199

