

Symantec™ Cluster Server 6.2 Release Notes - AIX

Symantec™ Cluster Server Release Notes

The software described in this book is furnished under a license agreement and may be used only in accordance with the terms of the agreement.

Product version: 6.2

Document version: 6.2 Rev 1

Legal Notice

Copyright © 2014 Symantec Corporation. All rights reserved.

Symantec, the Symantec Logo, the Checkmark Logo, Veritas, Veritas Storage Foundation, CommandCentral, NetBackup, Enterprise Vault, and LiveUpdate are trademarks or registered trademarks of Symantec Corporation or its affiliates in the U.S. and other countries. Other names may be trademarks of their respective owners.

The product described in this document is distributed under licenses restricting its use, copying, distribution, and decompilation/reverse engineering. No part of this document may be reproduced in any form by any means without prior written authorization of Symantec Corporation and its licensors, if any.

THE DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID. SYMANTEC CORPORATION SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH THE FURNISHING, PERFORMANCE, OR USE OF THIS DOCUMENTATION. THE INFORMATION CONTAINED IN THIS DOCUMENTATION IS SUBJECT TO CHANGE WITHOUT NOTICE.

The Licensed Software and Documentation are deemed to be commercial computer software as defined in FAR 12.212 and subject to restricted rights as defined in FAR Section 52.227-19 "Commercial Computer Software - Restricted Rights" and DFARS 227.7202, "Rights in Commercial Computer Software or Commercial Computer Software Documentation", as applicable, and any successor regulations, whether delivered by Symantec as on premises or hosted services. Any use, modification, reproduction release, performance, display or disclosure of the Licensed Software and Documentation by the U.S. Government shall be solely in accordance with the terms of this Agreement.

Symantec Corporation
350 Ellis Street
Mountain View, CA 94043

<http://www.symantec.com>

Technical Support

Symantec Technical Support maintains support centers globally. Technical Support's primary role is to respond to specific queries about product features and functionality. The Technical Support group also creates content for our online Knowledge Base. The Technical Support group works collaboratively with the other functional areas within Symantec to answer your questions in a timely fashion. For example, the Technical Support group works with Product Engineering and Symantec Security Response to provide alerting services and virus definition updates.

Symantec's support offerings include the following:

- A range of support options that give you the flexibility to select the right amount of service for any size organization
- Telephone and/or Web-based support that provides rapid response and up-to-the-minute information
- Upgrade assurance that delivers software upgrades
- Global support purchased on a regional business hours or 24 hours a day, 7 days a week basis
- Premium service offerings that include Account Management Services

For information about Symantec's support offerings, you can visit our website at the following URL:

www.symantec.com/business/support/index.jsp

All support services will be delivered in accordance with your support agreement and the then-current enterprise technical support policy.

Contacting Technical Support

Customers with a current support agreement may access Technical Support information at the following URL:

www.symantec.com/business/support/contact_techsupp_static.jsp

Before contacting Technical Support, make sure you have satisfied the system requirements that are listed in your product documentation. Also, you should be at the computer on which the problem occurred, in case it is necessary to replicate the problem.

When you contact Technical Support, please have the following information available:

- Product release level
- Hardware information

- Available memory, disk space, and NIC information
- Operating system
- Version and patch level
- Network topology
- Router, gateway, and IP address information
- Problem description:
 - Error messages and log files
 - Troubleshooting that was performed before contacting Symantec
 - Recent software configuration changes and network changes

Licensing and registration

If your Symantec product requires registration or a license key, access our technical support Web page at the following URL:

www.symantec.com/business/support/

Customer service

Customer service information is available at the following URL:

www.symantec.com/business/support/

Customer Service is available to assist with non-technical questions, such as the following types of issues:

- Questions regarding product licensing or serialization
- Product registration updates, such as address or name changes
- General product information (features, language availability, local dealers)
- Latest information about product updates and upgrades
- Information about upgrade assurance and support contracts
- Information about the Symantec Buying Programs
- Advice about Symantec's technical support options
- Nontechnical presales questions
- Issues that are related to CD-ROMs or manuals

Support agreement resources

If you want to contact Symantec regarding an existing support agreement, please contact the support agreement administration team for your region as follows:

Asia-Pacific and Japan	customercare_apj@symantec.com
Europe, Middle-East, and Africa	semea@symantec.com
North America and Latin America	supportsolutions@symantec.com

Documentation

Product guides are available on the media in PDF format. Make sure that you are using the current version of the documentation. The document version appears on page 2 of each guide. The latest product documentation is available on the Symantec website.

<https://sort.symantec.com/documents>

Your feedback on product documentation is important to us. Send suggestions for improvements and reports on errors or omissions. Include the title and document version (located on the second page), and chapter and section titles of the text on which you are reporting. Send feedback to:

doc_feedback@symantec.com

For information regarding the latest HOWTO articles, documentation updates, or to ask a question regarding product documentation, visit the Storage and Clustering Documentation forum on Symantec Connect.

<https://www-secure.symantec.com/connect/storage-management/forums/storage-and-clustering-documentation>

About Symantec Connect

Symantec Connect is the peer-to-peer technical community site for Symantec's enterprise customers. Participants can connect and share information with other product users, including creating forum posts, articles, videos, downloads, blogs and suggesting ideas, as well as interact with Symantec product teams and Technical Support. Content is rated by the community, and members receive reward points for their contributions.

<http://www.symantec.com/connect/storage-management>

Symantec Cluster Server Release Notes

This document includes the following topics:

- [About this document](#)
- [Component product release notes](#)
- [About Symantec Cluster Server](#)
- [About Symantec Operations Readiness Tools](#)
- [Important release information](#)
- [Changes introduced in 6.2](#)
- [Changes introduced in Symantec Cluster Server 6.1.1](#)
- [VCS system requirements](#)
- [No longer supported](#)
- [Fixed issues](#)
- [Known issues](#)
- [Software limitations](#)
- [Documentation](#)

About this document

This document provides important information about Symantec Cluster Server (VCS) version 6.2 for AIX. Review this entire document before you install or upgrade VCS.

The information in the Release Notes supersedes the information provided in the product documents for VCS.

This is "Document version: 6.2 Rev 1" of the *Symantec Cluster Server Release Notes*. Before you start, make sure that you are using the latest version of this guide. The latest product documentation is available on the Symantec Web site at:

<https://sort.symantec.com/documents>

Component product release notes

In addition to reading this Release Notes document, review the component product release notes before installing the product.

Product guides are available at the following location on the software media in PDF formats:

/docs/product_name

Symantec recommends copying the files to the `/opt/VRTS/docs` directory on your system.

This release includes the following component product release notes:

- *Symantec Storage Foundation Release Notes (6.2)*

About Symantec Cluster Server

Symantec Cluster Server (VCS) by Symantec provides High Availability (HA) and Disaster Recovery (DR) for mission critical applications running in physical and virtual environments. VCS ensures continuous application availability despite application, infrastructure or site failures.

About VCS agents

VCS bundled agents manage a cluster's key resources. The implementation and configuration of bundled agents vary by platform.

For more information about bundled agents, refer to the *Symantec Cluster Server Bundled Agents Reference Guide*.

The Symantec High Availability Agent Pack gives you access to agents that provide high availability for various applications, databases, and third-party storage solutions. The Agent Pack is available through Symantec™ Operations Readiness Tools (SORT). For more information about SORT, see <https://sort.symantec.com/home>. For information about agents under development and agents that are available through Symantec consulting services, contact your Symantec sales representative.

VCS provides a framework that allows for the creation of custom agents. Create agents in situations where the Symantec High Availability Agent Pack, the bundled agents, or the enterprise agents do not meet your needs.

For more information about the creation of custom agents, refer to the *Symantec Cluster Server Agent developer's Guide*. You can also request a custom agent through Symantec consulting services.

About compiling custom agents

Custom agents developed in C++ must be compiled using the IBM XL C/C++ for AIX Compiler Version 8.0. Use the `-brtl` flag for runtime linking with the framework library.

About Symantec Operations Readiness Tools

Symantec Operations Readiness Tools (SORT) is a website that automates and simplifies some of the most time-consuming administrative tasks. SORT helps you manage your datacenter more efficiently and get the most out of your Symantec products.

SORT can help you do the following:

- Prepare for your next installation or upgrade
 - List product installation and upgrade requirements, including operating system versions, memory, disk space, and architecture.
 - Analyze systems to determine if they are ready to install or upgrade Symantec products and generate an Installation and Upgrade custom report.
 - List patches by product or platform, and in the order they need to be installed. Display and download the most recent patches or historical patches.
 - Display Array Support Library (ASL) details by vendor, platform, or Storage Foundation and High Availability (SFHA) version. ASLs make it easier to manage arrays that are connected to SFHA-based servers.
 - List VCS and ApplicationHA agents, documentation, and downloads based on the agent type, application, and platform.

- | | |
|--|--|
| Identify risks and get server-specific recommendations | <ul style="list-style-type: none">■ Analyze your servers for potential environmental risks. Generate a Risk Assessment custom report with specific recommendations about system availability, storage use, performance, and best practices.■ Display descriptions and solutions for thousands of Symantec error codes. |
| Improve efficiency | <ul style="list-style-type: none">■ Get automatic email notifications about changes to patches, array-specific modules (ASLs/APMs/DDIs/DDLs), documentation, product releases, Hardware Compatibility Lists (HCLs), and VCS/ApplicationHA agents.■ Quickly gather installed Symantec product and license key information from across your production environment. Generate a License/Deployment custom report that includes product names, versions, and platforms, server tiers, Symantec Performance Value Units (SPVUs), and End of Service Life dates.■ List and download Symantec product documentation including product guides, manual pages, compatibility lists, and support articles.■ Access links to important resources on a single page, including Symantec product support, SymConnect forums, customer care, Symantec training and education, Symantec FileConnect, the licensing portal, and my.symantec.com. The page also includes links to key vendor support sites.■ Use a subset of SORT features from your iOS device. Download the application at:
https://sort.symantec.com/mobile |

Note: Certain features of SORT are not available for all products. Access to SORT is available at no extra cost.

To access SORT, go to:

<https://sort.symantec.com>

Important release information

- For important updates regarding this release, review the Late-Breaking News TechNote on the Symantec Technical Support website:
<http://www.symantec.com/docs/TECH225259>
- For the latest patches available for this release, go to:
<https://sort.symantec.com/>

- The hardware compatibility list contains information about supported hardware and is updated regularly. For the latest information on supported hardware, visit the following URL:
<http://www.symantec.com/docs/TECH211575>
- The software compatibility list summarizes each Storage Foundation and High Availability (SFHA) Solutions product stack and the product features, operating system versions, and third-party products it supports. For the latest information on supported software, visit the following URL:
<http://www.symantec.com/docs/TECH225258>

Note: Before you install or upgrade SFHA Solutions products, review the current compatibility lists to confirm the compatibility of your hardware and software.

Changes introduced in 6.2

This section lists the changes in Symantec Cluster Server 6.2.

Release level terminology changes

With the 6.2 release, terms that are used to describe patch-based releases have changed as follows:

Table 1-1 Release level terminology changes

Pre 6.0.1	6.0.x, 6.1, 6.1.x	6.2 and forward	Status	Available from
P-Patch	Public hot fix	Patch	Official	SORT
Hot fix	Private hot fix	Hot fix	Unofficial	Customer support

Official patch releases are available from SORT. This release was previously referred to as a P-Patch or a Public hot fix and is now referred to as a Patch. Unofficial patch releases are available from customer support. Hot fix is the only unofficial patch release.

Cluster Manager Java GUI support consideration

The Cluster Manager Java GUI is End of Life but continues to be supported by Symantec to ensure that it works with the core clustering solutions of VCS and ApplicationHA in Linux and Windows environments. The Java GUI remains available for download with support for all VCS features available in pre-6.0 releases.

Customers can manage service groups, generate new configurations, and perform other traditional cluster management operations. The Java GUI will be supported only on the Linux and Windows platforms.

Additional feature capabilities and platform support added in VCS 6.0 and later releases are available exclusively through Veritas Operations Manager (VOM). Symantec recommends the use of VOM to manage clusters and for all advanced capabilities.

Attributes introduced in VCS 6.2

The following section describes the attributes introduced in VCS 6.2.

Cluster level attributes

DefaultGuestAccess	Enables guest access for any authenticated user to the secure cluster.
GuestGroups	Contains a list of user groups that have guest access.

LPAR agent attributes

DROpts	Stores the primary and disaster recovery network configuration for the LPAR.
--------	--

SFCache agent attributes

CacheArea	Specifies the name of the cache area.
CacheMode	Specifies the caching mode.
CacheFaultPolicy	Specifies the action to be performed in case of a cache fault.
CacheObjectName	Specifies the cache object name; it can be a mount point or disk group/volume.
FaultOnMonitorTimeouts	Defines whether VCS interprets the Monitor timeout as a resource fault. By default, the FaultOnMonitorTimeouts attribute is set to 4, but the SFCache agent overrides this value and sets it to 0.

NumThreads

Number of threads that are used within the agent process for managing resources. This number does not include the number of threads that are used for other internal purposes.

Oracle agent attributes:

PDBName

This attribute must be configured for pluggable database (PDB) and the value should be set for a PDB database name. Do not set this attribute for traditional and container (CDB) database.

Mount agent attributes:

CacheRestoreAccess

Determines whether to perform restore access operation or not.

This attribute is applicable only if:

- File system type is VxFS.
- Writeback caching is enabled for the SmartIO feature.

Changes related to installation and upgrades

The product installer includes the following changes in 6.2.

Connecting to the SORT website through a proxy server

The product installer connects to the Symantec Operations Readiness Tools (SORT) website for several purposes, such as downloading latest installer patches, and uploading installer logs; Deployment Server can connect to SORT to automatically download Maintenance or Patch release images. In this release, before running the product installer or Deployment Server, you can use the following proxy settings to connect to SORT through proxy servers:

```
# https_proxy=http://proxy_server:port
# export https_proxy
# ftp_proxy=http://proxy_server:port
# export ftp_proxy
```

Symantec Cluster Server gets installed in secure mode by default

Symantec Cluster Server gets installed in secure mode by default. You are advised to install VCS in secure mode to be able to control guest user access to secure clusters and encrypt communication between VCS components. You can choose the non-secure mode during installation; however, the product installer warns you during the installation with the following message:

```
Symantec recommends that you install the cluster
in secure mode. This ensures that communication between
cluster components is encrypted and cluster information
is visible to specified users only.
```

The upgrade from non-secure mode continues to happen in non-secure mode. The upgrade from secure mode advises you to control user access to secure clusters.

Upgrade Symantec Cluster Server online keeping your applications online

You can perform an online upgrade of Symantec Cluster Server using the installer keeping your applications online. Your applications can run seamlessly when the upgrade is in progress. The upgrade behavior otherwise remains same as the one in the previous release. Note that the application monitoring does not happen as long as the upgrade is in progress.

Support for setting up ssh and rsh connection using the pwduutil.pl utility

The password utility, `pwduutil.pl`, is bundled in the 6.2 release under the `scripts` directory. The users can run the `pwduutil.pl` utility to set up the ssh and rsh connection automatically.

Support for centralized installations using the Deployment Server

The Deployment Server is a script that makes it easier to install or upgrade SFHA releases. The Deployment Server lets you store multiple release images in one central location and deploy them to systems of any supported UNIX or Linux platform (6.1 or later). Prior to 6.1, releases still require the same platform, architecture, distribution, and version of the operating system. You can use the Deployment Server if you want to install or upgrade multiple releases and or multiple platforms.

The Deployment Server lets you do the following as described in [Table 1-2](#).

Table 1-2 Deployment Server functionality

Feature	Description
Install or Upgrade systems with Install Bundle and Install Template	<ul style="list-style-type: none"> ■ Install or upgrade systems with an Install Bundle. ■ Install packages on systems based on the information stored in Install Template.
Define or modify Install Bundles	Define or modify Install Bundles and save them using the Deployment Server.
Create Install Templates	Discover installed components on a running system that you want to replicate on to new systems.
Connecting the Deployment Server to SORT using a proxy server	Use a proxy server, a server that acts as an intermediary for requests from clients, for connecting the Deployment Server to the Symantec Operations Readiness Tools (SORT) website.
Platform Filtering	In Set Preference menu, choose Selected Platforms to filter the platforms that are currently being used in the deployment environment.

Note: The Deployment Server is available only for the script-based installer, not the web-based installer.

See the *Installation Guide* for more information.

Changes related to virtualization support in VCS

Disaster recovery support for LPARs using VCS

You can now configure disaster recovery (DR) for LPARs. You can replicate the `rootvg` of the LPAR to a DR site using a replication technology, such as Hitachi TrueCopy, EMC SRDF, and so on. VCS replication agents manage the replication configuration and the VCS LPAR agent supports network reconfiguration when hypervisors are separated by geographical distances.

Changes to VCS bundled agents

This section describes changes to the bundled agents for VCS.

See the *Administrator's Guide* and *Bundled Agents Reference Guide* for more information.

SFCache agent

SFCache agent is a new agent introduced in this release. The SFCache agent enables, disables, and monitors cache. In case of a cache fault, the application still runs without any issues on the very same system, but with degraded I/O performance. Considering this, the SFCache agent provides an attribute to control the agent behavior. You can either choose to receive “IGNORE” or initiate “FAILOVER” in case of cache fault.

For more information, see *Bundled Agents Reference Guide*.

Coordpoint agent

The Coordpoint agent is always in the online state when the I/O fencing is configured in the majority or the disabled mode. For both these modes the I/O fencing does not have any coordination points to monitor. Thereby, the Coordpoint agent is always in the online state.

Changes to the VCS engine

New environment variables

In this release, the following VCS environment variables have been introduced:

- VCS_CONN_INIT_QUOTA
- VCS_CONN_HANDSHAKE_TIMEOUT

For more information, refer to the *Administrator's Guide*.

Atleast resource dependency

A new type of resource dependency has been introduced in this release wherein a parent resource can depend on a set of child resources. The parent resource is brought online or remains online only if a minimum number of child resources in this resource set are online. The system creates a set of child IP resources and the application resource depends on this set.

For example, if an application depends on five IPs and if this application has to be brought online or has to remain online, at least two IPs must be online. If two or more IP resources come online, the application attempts to come online. If the number of online resources falls below the minimum requirement, resource fault is propagated up the resource dependency tree.

For more information, refer to the *Administrator's Guide*.

Changes to VCS agent framework

The following changes are introduced to the VCS agent framework.

Enhanced failure data capturing process to better troubleshoot unexpected resource behavior

The first failure data capture (FFDC) of unexpected events is extended to resource level to record VCS events. The event logs generated during such events will be logged in their respective agent log files for easier viewing of the logs.

The examples of such events are:

- When resource faults and times out of its entry point.
- When resource moves to UNKNOWN state.
- When any resource operation, such as ONLINE or OFFLINE, fails.
- When resource is detected as ONLINE or OFFLINE for the first time.

Log unification of VCS agent entry points

The logs of VCS agent entry points implemented using script and C/C++ language will be logged under the respective agent log file. Prior to VCS 6.2, these logs were shared between the engine and the agent log files. For example, logs of script based agents used to go into engine logs and logs of C/C++ based agent into agent log file. This change will reduce the load on VCS engine process and remove the clutter from the engine log.

To restore the pre-VCS 6.2 logging behavior, you can change the LogViaHalog attribute value to 1 (default 0).

Note: Log messages of one or more script entry points which are executed inside the container will continue to be logged in the engine log file.

FireDrill attribute can be overridden

The FireDrill attribute is modified such that it can be overridden in VCS 6.2 or later releases.

Changes to LLT, GAB, and I/O fencing

This section covers new features or enhancements made to LLT, GAB, and I/O fencing.

Changes to I/O fencing

Symantec Cluster Server (VCS) includes the following changes to I/O fencing in 6.2:

I/O fencing supports majority-based fencing mechanism, a new fencing mechanism that does not need coordination points

I/O fencing supports a new fencing mode called majority-based I/O fencing. Majority-based I/O fencing mode does not need coordination points to provide protection against data corruption and data consistency in a clustered environment. Use majority-based I/O fencing when there are no additional servers and or shared SCSI-3 disks to be used as coordination points. It provides a reliable arbitration method and does not require any additional hardware setup, such as CP Servers or shared SCSI3 disks.

In the event of a network failure, the majority sub-cluster wins the fencing race and survives the race. Note that even if the majority sub-cluster is hung or unresponsive, the minority sub-cluster loses the fencing race and the cluster panics. The cluster remains unavailable till the issue is resolved.

For more information, refer to the *Installation Guide* and *Administrator's Guide*.

Clear coordination point server registrations using the vxfcntlpre utility

The vxfcntlpre utility is enhanced to clear registrations from coordination point servers for the current cluster in addition to the existing functionality to remove SCSI3 registrations and reservation keys from the set of coordinator disks and shared data disks. The local node from where you run the utility must have the UUID of the current cluster at `/etc/vx/.uuids` directory in the `clusuuid` file.

Note that you may experience delays while clearing registrations on the coordination point servers because the utility tries to establish a network connection with IP addresses used by the coordination point servers. The delay may occur because of a network issue or if the IP address is not reachable or is incorrect.

For more information, refer to the *Administrator's Guide*.

Raw disk I/O fencing policy is not supported

Symantec does not support raw disk policy for I/O fencing. Use DMP as the I/O fencing policy for coordinator disks that have either a single hardware path or multiple hardware paths to nodes.

For more information, refer to the *Installation Guide* and *Administrator's Guide*.

Changes to wizard support

New VCS configuration wizards introduced on Linux and UNIX

VCS Cluster Configuration Wizard and Symantec High Availability Configuration Wizard are introduced on all supported Linux and UNIX distributions in this release.

The two new wizards replace the Symantec High Availability Configuration Wizard that earlier provided a combined workflow for cluster configuration and application (high availability) configuration, and was supported only on Linux.

You can launch the wizards from the Symantec High Availability view. You can continue to access the view as required from Veritas Operations Manager, VMware vSphere Client, or a browser.

For more information, see the *Symantec Cluster Server Installation Guide* and *Symantec Cluster Server Administrator's Guide*. For steps to use the Symantec High Availability wizard, see the application-specific VCS agent installation and configuration guides. For VMware specific information on this feature, see the *Symantec High Availability Solutions Guide for VMware*.

Changes to database agents

Changes to the Oracle agent

This section mentions the changes made to the Symantec Cluster Server agent for Oracle.

VCS agent for Oracle supports management of container and pluggable databases

VCS supports the multitenant architecture introduced in Oracle 12c Release 1 (12.1). The multitenant architecture enables Oracle database to function as a multitenant container database (CDB) and one or many customized pluggable databases (PDBs).

Note: IMF monitoring is not supported in a PDB resource.

For more information, refer to the *Agent for Oracle Installation and Configuration Guide*.

Changes introduced in Symantec Cluster Server 6.1.1

The following changes were introduced in VCS 6.1.1.

VCS supports Oracle 12c

VCS supports Oracle 12c for single instance of Oracle database.

VCS system requirements

This section describes system requirements for VCS.

The following information applies to VCS clusters. The information does not apply to SF Oracle RAC installations.

VCS supports an environment where a few nodes in the cluster are hosted on LPARs with storage and network connectivity presented to the OS using VIOS. The remaining nodes in the cluster are hosted on physical systems with storage and network connectivity presented to the OS directly. However SCSI3 I/O fencing will be supported in this environment only if storage is available through NPIV in the LPARs. If NPIV is not available in LPARs, non-SCSI3 fencing is supported.

VCS requires that all nodes in the cluster use the same processor architecture and all nodes in the cluster must run the same VCS version. Each node in the cluster may run a different version of the operating system, as long as the operating system is supported by the VCS version in the cluster.

See “[Hardware compatibility list](#)” on page 20.

See “[Supported AIX operating systems](#) ” on page 20.

Hardware compatibility list

The compatibility list contains information about supported hardware and is updated regularly. For the latest information on supported hardware go to the following URL:

<http://www.symantec.com/docs/TECH211575>

Before installing or upgrading Symantec Cluster Server, review the current compatibility list to confirm the compatibility of your hardware and software.

Supported AIX operating systems

This section lists the supported operating systems for this release of Symantec products. For current updates, visit the Symantec Operations Readiness Tools Installation and Upgrade page: https://sort.symantec.com/land/install_and_upgrade.

[Table 1-3](#) shows the supported operating systems for this release.

Table 1-3 Supported operating systems

Operating systems	Levels	Chipsets
AIX 7.1	TL2, TL3	Power 5, Power 6, or Power 7
AIX 6.1	TL8, TL9	Power 5, Power 6, or Power 7

Supported software for VCS

VCS supports the following volume managers and file systems:

- Logical Volume Manager (LVM)
- Journaled File System (JFS) and Enhanced Journaled File System (JFS2) on LVM

VCS supports the following versions of Symantec Storage Foundation:

Symantec Storage Foundation: Veritas Volume Manager (VxVM) with Veritas File System (VxFS)

- Storage Foundation 6.2
 - VxVM 6.2 with VxFS 6.2
- Storage Foundation 6.1
 - VxVM 6.1 with VxFS 6.1

Note: VCS supports the previous and the next versions of Storage Foundation to facilitate product upgrades.

For supported database versions of enterprise agents, refer the support matrix at <http://www.symantec.com/business/support/index?page=content&id=DOC4039>.

Supported enterprise agents

Refer to the following links for the supported enterprise agent support matrix for each agent:

Oracle	Support matrix for Oracle
DB2	Support matrix for DB2
Sybase	Support matrix for Sybase

See the Symantec Cluster Server agent guides for Oracle, DB2 and Sybase for more details.

For a list of the VCS application agents and the software that the agents support, see the [Symantec Cluster Server Agents Support Matrix](#) at Symantec website.

No longer supported

The following features are not supported in this release of VCS products:

No longer supported agents and components

VCS no longer supports the following:

- Raw disk I/O fencing policy is no longer supported.

Cluster Manager Java GUI support consideration

The Cluster Manager Java GUI is End of Life but continues to be supported by Symantec. The Java GUI remains available for download and use within clusters with support for all VCS features available in pre-6.0 releases. Customers can manage service groups, generate new configurations, and perform other traditional cluster management operations. Symantec supports the Java GUI only on the Linux and Windows platforms.

Additional feature capabilities and platform support added in VCS 6.0 and later releases are available exclusively through Veritas Operations Manager (VOM). Symantec recommends the use of VOM to manage clusters and for all advanced capabilities.

Deprecated attributes

The following table lists the attributes deprecated in this release.

Table 1-4 Attributes deprecated in this release

Attribute name	Agent type
SecondLevelMonitor	Apache Note: The SecondLevelMonitor attribute is deprecated in VCS 6.2. Instead, LevelTwoMonitorFreq attribute at the Apache resource type level may be used

Table 1-4 Attributes deprecated in this release (*continued*)

Attribute name	Agent type
ResLogLevel	Apache Note: Use type level attribute LogDbg to enable debug logs. Set LogDbg attribute to DBG_5 to enable debug logs for Apache agent. By default setting the LogDbg attribute to DBG_5, enables the debug logs for all Apache resources in the cluster. If specific Apache resource needs to be enabled for debug logs override LogDbg attribute.
DetailMonitor	Oracle, Sybase Note: If you manually upgrade VCS to 6.2 with detail monitoring enabled in the previous version, set the value of LevelTwoMonitorFreq attribute to that of DetailMonitor.
AgentDebug	DB2udb

Fixed issues

This section covers the incidents that are fixed in this release.

LLT, GAB, and I/O fencing fixed issues

[Table 1-5](#) lists the fixed issues for LLT, GAB, and I/O fencing.

Table 1-5 LLT, GAB, and I/O fencing fixed issues

Incident	Description
3333290	The node may panic after you stop the LLT service and LLT unload is in progress.
3335137	Fencing configuration fails if SysDownPolicy is set to AutoDisableNoOffline in online service groups.
3473104	When virtual NICs are configured under LLT without specifying the MTU size 1500 in lltab, cluster does not function properly. For example, VCS engine commands may hang and print below message in the engine logs: VCS CRITICAL V-16-1-51135 GlobalCounter not updated

Table 1-5 LLT, GAB, and I/O fencing fixed issues (*continued*)

Incident	Description
3031216	The dash (-) in a disk group name causes vxfsentsthdw(1M) and Vxfenswap(1M) utilities to fail.
3471571	Cluster nodes may panic if you stop the HAD process by force on a node and reboot that node.
3532859	The Coordpoint agent monitor fails if the cluster has a large number of coordination points.

VCS engine fixed issues

[Table 1-6](#) lists the fixed issues for VCS engine.

Table 1-6 VCS engine fixed issues

Incident	Description
3381042	The checkboot utility core dump or time difference between a system and Network Time Protocol (NTP) time leads to unexpected deletion of the temporary files. The deletion causes the VCS agents to report an incorrect state.
3448510	The <code>hastatus</code> command fails and dumps core when it is run from a local zone.
3468891	Inconsistencies in <code>/etc/VRTSvcs/conf/attributes/cluster_attrs.xml</code> file and hide resource-level ContainerInfo attribute from <code>hares -display</code> command.
3211834	CurrentLimits attribute value is not updated correctly when a service group faults.
3385820	Sometimes the high availability daemon (HAD) crashes if it runs for a long duration.
3436617	When invoking triggers if some arguments are left unassigned, the <code>hatrigger</code> command fails due to compilation errors.
3471819	The service group fails to go online if the CurrentCount attribute value is incorrect.
3464981	The file size of Engine_A.log file could not be increased beyond 32 MB.

Table 1-6 VCS engine fixed issues (*continued*)

Incident	Description
3580940	VCS configuration becomes unclean when incorrect filename is provided with the <code>ha</code> command for SourceFile attribute.
3603275	HAD and other nodes abort while shutting down two nodes simultaneously.
3472259	ProcessOnOnly agent dumps core because of segmentation fault.

Bundled agents fixed issues

[Table 1-7](#) lists the fixed issues for bundled agents.

Table 1-7 Bundled agents fixed issues

Incident	Description
2490296	Application agent cannot handle a case with user as root, envfile set and shell as <code>csH</code> .
2618482	Some agents may fail to come online after full upgrade to VCS 6.0 if they were online before the upgrade.
3343222	WPAR-aware agent fails to log messages in a secure cluster.
3559578	The Mount agent cannot offline or clean Mount resource monitoring a JFS2 type file system when fuser command hangs.
3472259	A NULL terminating character is missed from a character string. This results in segmentation fault and ProcessOnOnly agent dumps core.
3505202	VCS does not support non-default value for VCS_LOG environment variable.

Fixed issues related to AMF

Table 1-8 AMF fixed issues

Incident	Description
2848007	The libvxamf library encounters an error condition while doing a process table scan.

Table 1-8 AMF fixed issues (*continued*)

Incident	Description
3333913	AMF may panic the system if it receives a request to unregister an already unregistered resource.
3407338	If one of the events of a group is in triggered state, then the group fails to unregister because of the triggered event.
3456400	AMF fails to decrement the reference on a mount point causing the mount point to appear as busy. Hence, normal unmounts fail resulting in forced unmounts of the mount point.
3574612	After Asynchronous Monitoring Framework (AMF) is unconfigured and unloaded, the system panics during a file operation (for example: remove, rename or directory remove) on a Network File System (NFS).
3338946	Sometimes when a process offline registration is requested and the system is under heavy load, AMF library fails to verify whether the resource is actually offline. As a result, registration fails.

Known issues

This section covers the known issues in this release.

Issues related to installing and upgrading VCS

`installer -requirements` does not list RHEL 6 Update 6 and Oracle Linux 7 as supported platforms (3657260)

The `installer -requirements` command does not list RHEL 6 Update 6 and Oracle Linux 7 as supported platforms though they are qualified with version 6.2.

Workaround: The correct supported list is mentioned in the latest version of the product Release Notes. See the latest Release Notes on the Symantec website for the updated list.

<https://sort.symantec.com/documents>

Stopping the installer during an upgrade and then resuming the upgrade might freeze the service groups (2574731)

The service groups freeze due to upgrading using the product installer if you stopped the installer after the installer already stopped some of the processes and then resumed the upgrade.

Workaround: You must unfreeze the service groups manually after the upgrade completes.

To unfreeze the service groups manually

- 1 List all the frozen service groups

```
# hagrps -list Frozen=1
```

- 2 Unfreeze all the frozen service groups:

```
# haconf -makerw  
# hagrps -unfreeze service_group -persistent  
# haconf -dump -makero
```

Erroneous resstatechange trigger warning

You may encounter the following warning when you restart resources:

```
CPI WARNING V-9-40-4317 The installer has detected that resstatechange  
trigger is configured by setting TriggerResStateChange attributes.
```

Workaround: In future releases, the resstatechange trigger will not be invoked when a resource is restarted. Instead, the resrestart trigger will be invoked if you set the TriggerResRestart attribute. The resrestart trigger is available in the current release. Refer to the VCS documentation for details.

The VRTSsfcp62 fileset is retained after you upgrade to 6.2 on an alternate disk (2811749)

On AIX, if you run the command `alt_disk_scenario` to perform a disk clone and upgrade from 6.0 or later to 6.2, the older version of the VRTSsfcp62 fileset is retained.

Workaround: Optionally uninstall the older VRTSsfcp60 fileset after upgrading. Retaining the older version will not cause any harm.

VRTSvcsea package cannot be uninstalled from alternate disk in manual live upgrade

Description: In manual live upgrade procedure from 5.1x to 5.1SP1, all packages are copied to an alternate root disk. However, VRTSvcsea package cannot be uninstalled from alternate disk to upgrade it to 5.1SP1.

Workaround: Instead of removing the VRTSvcsea package, you must apply a patch to upgrade this package to 5.1SP1 version.

Web installer does not ask for authentication after the first session if the browser is still open (2509330)

If you install or configure VCS and then close the Web installer, if you have other browser windows open, the Web installer does not ask for authentication in the subsequent sessions. Since there is no option to log out of the Web installer, the session remains open as long as the browser is open on the system.

Workaround: Make sure that all browser windows are closed to end the browser session and subsequently log in again.

Perl messages seen in engine log during rolling upgrade [2627360]

While performing a rolling upgrade from VCS 5.1SP1 to 6.0 with MultiNICA resource configured, if VRTSperl fileset is upgraded but VRTSvcscag fileset is not yet upgraded on the system, Perl code related messages may be seen. The messages seen are similar to the following:

```
Using a hash as a reference is deprecated at MultiNICA.pm line 108.
```

Workaround: Complete the rolling upgrade to VCS 6.0.

Stopping the Web installer causes Device Busy error messages (2633924)

If you start the Web installer, and then perform an operation (such as prechecking, configuring, or uninstalling), you may get an error message saying the device is busy.

Workaround: Do one of the following:

- Kill the start.pl process.
- Start the webinstaller again. On the first Web page you see that the session is still active. Either take over this session and finish it or terminate it directly.

If you have a non-shared (detached) WPAR configured, when you install, upgrade, or install any Symantec product, the filesets in the WPAR cannot be installed, upgraded, or uninstalled correspondingly (3313690)

On AIX, if you have a non-shared (detached) workload partition (WPAR) configured, when you perform an install, upgrade, or uninstall task on any Symantec product by the Symantec product installer, the filesets cannot be installed, upgraded, or uninstalled inside the WPAR correspondingly.

Workaround: There is no workaround for this issue.

If you have a shared (system) WPAR configured, when you install, upgrade, or uninstall any Symantec product, the filesets in the WPAR are not synchronized correspondingly (3313690)

On AIX, if you have a shared (system) workload partition (WPAR) configured, when you perform an install, upgrade, or uninstall task on any Symantec product by the Symantec product installer, the filesets may not be installed, upgraded, or uninstalled correspondingly.

Workaround: After an install, upgrade, or uninstall task, execute the following command to synchronize your WPAR with global systems:

```
# /usr/sbin/syncwpar -A
```

Rolling upgrade of VCS from pre-6.0 versions fails with CP server in secure mode [3262900]

If the CP server is configured in secure mode, rolling upgrade of VCS from versions lower than 6.0 to 6.1 is not supported. Since the `vxcperv` process is not compatible with shared authentication, CP server service group fails to come online after performing phase 1 of the rolling upgrade.

Workaround: Use full upgrade or phased upgrade instead of rolling upgrade.

Operational issues for VCS

Connecting to the database outside VCS control using sqlplus takes too long to respond

Connecting to start the database outside VCS control, using sqlplus takes more than 10 minutes to respond after pulling the public network cable. [704069]

Some VCS components do not work on the systems where a firewall is configured to block TCP traffic

The following issues may occur if you install and configure VCS on systems where a firewall is installed:

- If you set up Disaster Recovery using the Global Cluster Option (GCO), the status of the remote cluster (cluster at the secondary site) shows as "initing".
- If you configure fencing to use CP server, fencing client fails to register with the CP server.

- Setting up trust relationships between servers fails.

Workaround:

- Ensure that the required ports and services are not blocked by the firewall. Refer to the *Symantec Cluster Server Installation Guide* for the list of ports and services used by VCS.
- Configure the firewall policy such that the TCP ports required by VCS are not blocked. Refer to your respective firewall or OS vendor documents for the required configuration.

NFS cluster I/O fails when storage is disabled [2555662]

The I/O from the NFS clusters are saved on a shared disk or a shared storage. When the shared disks or shared storage connected to the NFS clusters are disabled, the I/O from the NFS Client fails and an I/O error occurs.

Workaround: If the application exits (fails/stops), restart the application.

Recovery and rollback to original configuration may not succeed if the system reboots while the online migration setup is in partial state (2611423)

During online migration from LVM to VxVM volumes, if there is a system reboot when the migration setup is in partial state, that is, the start operation has not completed successfully, then the recover and abort operations might not be able to recover and rollback the configuration.

Workaround: This needs manual intervention for cleanup, depending on the state, to restore the original configuration.

CP server does not allow adding and removing HTTPS virtual IP or ports when it is running [3322154]

CP server does not support adding and removing HTTPS virtual IPs or ports while the CP server is running. However, You can add or remove the IPM virtual IPs or ports.

Workaround: No workaround. If you want to add a new virtual IP for HTTPS, you must follow the entire manual procedure for generating HTTPS certificate for the CP server (server.crt), as documented in the *Symantec Cluster Server Installation Guide*.

CP server does not support IPv6 communication with HTTPS protocol [3209475]

CP server does not support IPv6 communication when using the HTTPS protocol. This implies that in VCS 6.1, CP servers listening on HTTPS can only use IPv4. As a result, VCS 6.1 fencing clients can also use only IPv4.

Workaround: No workaround.

Some VCS components do not work on the systems where a firewall is configured to block TCP traffic [3545338]

The following issues may occur if you install and configure VCS on systems where a firewall is installed:

- If you set up Disaster Recovery using the Global Cluster Option (GCO), the status of the remote cluster (cluster at the secondary site) shows as "initing".
- If you configure fencing to use CP server, fencing client fails to register with the CP server.
- Setting up trust relationships between servers fails.

Workaround:

- Ensure that the required ports and services are not blocked by the firewall. Refer to the *Symantec Cluster Server Installation Guide* for the list of ports and services used by VCS.
- Configure the firewall policy such that the TCP ports required by VCS are not blocked. Refer to your respective firewall or OS vendor documents for the required configuration.

Issues related to the VCS engine

Extremely high CPU utilization may cause HAD to fail to heartbeat to GAB [1744854]

When CPU utilization is very close to 100%, HAD may fail to heartbeat to GAB.

The `hacf -cmdtofcf` command generates a broken `main.cf` file [1919951]

The `hacf -cmdtofcf` command used with the `-dest` option removes the include statements from the types files.

Workaround: Add include statements in the `main.cf` files that are generated using the `hacf -cmdtofcf` command.

VCS fails to validate processor ID while performing CPU Binding [2441022]

If you specify an invalid processor number when you try to bind HAD to a processor on a remote system, HAD does not bind to any CPU. However, the command displays no error to indicate that the specified CPU does not exist. The error is logged on the node where the binding has failed and the values are reverted to default.

Workaround: Symantec recommends that you modify CPUBinding from the local system.

Trigger does not get executed when there is more than one leading or trailing slash in the triggerpath [2368061]

The path specified in TriggerPath attribute must not contain more than one leading or trailing '/' character.

Workaround: Remove the extra leading or trailing '/' characters from the path.

Service group is not auto started on the node having incorrect value of EngineRestarted [2653688]

When HAD is restarted by `hashadow` process, the value of EngineRestarted attribute is temporarily set to 1 till all service groups are probed. Once all service groups are probed, the value is reset. If HAD on another node is started at roughly the same time, then it is possible that it does not reset the value of EngineRestarted attribute. Therefore, service group is not auto started on the new node due to mismatch in the value of EngineRestarted attribute.

Workaround: Restart VCS on the node where EngineRestarted is set to 1.

Group is not brought online if top level resource is disabled [2486476]

If the top level resource which does not have any parent dependency is disabled then the other resources do not come online and the following message is displayed:

```
VCS NOTICE V-16-1-50036 There are no enabled
resources in the group cvm to online
```

Workaround: Online the child resources of the topmost resource which is disabled.

NFS resource goes offline unexpectedly and reports errors when restarted [2490331]

VCS does not perform resource operations, such that if an agent process is restarted multiple times by HAD, only one of the agent process is valid and the remaining processes get aborted, without exiting or being stopped externally. Even though the agent process is running, HAD does not recognize it and hence does not perform any resource operations.

Workaround: Terminate the agent process.

Parent group does not come online on a node where child group is online [2489053]

This happens if the AutostartList of parent group does not contain the node entry where the child group is online.

Workaround: Bring the parent group online by specifying the name of the system then use the `hargp -online [parent group] -any` command to bring the parent group online.

Cannot modify temp attribute when VCS is in LEAVING state [2407850]

An `ha` command to modify a temp attribute is rejected if the local node is in a LEAVING state.

Workaround: Execute the command from another node or make the configuration read-write enabled.

Oracle group fails to come online if Fire Drill group is online on secondary cluster [2653695]

If a parallel global service group faults on the local cluster and does not find a failover target in the local cluster, it tries to failover the service group to the remote cluster. However, if the firedrill for the service group is online on a remote cluster, offline local dependency is violated and the global service group is not able to failover to the remote cluster.

Workaround: Offline the Firedrill service group and online the service group on a remote cluster.

Service group may fail to come online after a flush and a force flush operation [2616779]

A service group may fail to come online after flush and force flush operations are executed on a service group where offline operation was not successful.

Workaround: If the offline operation is not successful then use the force flush commands instead of the normal flush operation. If a normal flush operation is already executed then to start the service group use `-any` option.

Elevated TargetCount prevents the online of a service group with `hagrp -online -sys` command [2871892]

When you initiate an offline of a service group and before the offline is complete, if you initiate a forced flush, the offline of the service group which was initiated earlier is treated as a fault. As start bits of the resources are already cleared, service group goes to OFFLINE|FAULTED state but TargetCount remains elevated.

Workaround: No workaround.

System sometimes displays error message with `vcscrypt` or `vcsdecrypt` [2850899]

If random number generator is not configured on your system and you run `vcscrypt` or `vcsdecrypt`, the system sometimes displays the following error message:

```
VCS ERROR V-16-1-10351 Could not set FIPS mode
```

Workaround: Ensure that the random number generator is defined on your system for encryption to work correctly. Typically, the files required for random number generator are `/dev/random` and `/dev/urandom`.

Auto failover does not happen in case of two successive primary and secondary cluster failures [2858187]

In case of three clusters (`clus1`, `clus2`, `clus3`) in a GCO with steward not configured, if `clus1` loses connection with `clus2`, it sends the inquiry to `clus3` to check the state of `clus2` one of the following condition persists:

1. If it is able to confirm that `clus2` is down, it will mark `clus2` as FAULTED.
2. If it is not able to send the inquiry to `clus3`, it will assume that a network disconnect might have happened and mark `clus2` as UNKNOWN

In second case, automatic failover does not take place even if the `ClusterFailoverPolicy` is set to Auto. You need to manually failover the global service groups.

Workaround: Configure steward at a geographically distinct location from the clusters to which the above stated condition is applicable.

GCO clusters remain in INIT state [2848006]

GCO clusters remain in INIT state after configuring GCO due to :

- Trust between two clusters is not properly set if clusters are secure.
- Firewall is not correctly configured to allow WAC port (14155).

Workaround: Make sure that above two conditions are rectified. Refer to *Symantec Cluster Server Administrator's Guide* for information on setting up Trust relationships between two clusters.

The `ha` commands may fail for non-root user if cluster is secure [2847998]

The `ha` commands fail to work for one of the following reasons:

- If you first use a non-root user without a home directory and then create a home directory for the same user.
- If you configure security on a cluster and then un-configure and reconfigure it.

Workaround

- 1 Delete `/var/VRTSat/profile/<user_name>`,
- 2 Delete `/home/user_name/.VRTSat`.
- 3 Delete `/var/VRTSat_lhc/<cred_file>` file which same non-root user owns.
- 4 Run `ha` command with same non-root user (this will pass).

Every `ha` command takes longer time to execute on secure FIPS mode clusters [2847997]

In secure FIPS mode cluster, `ha` commands take 2-3 seconds more time than in secure cluster without FIPS mode for non-root users. This additional time is required to perform the FIPS self-tests before the encryption module can be used in FIPS mode.

Workaround: No workaround.

Running `-delete -keys` for any scalar attribute causes core dump [3065357]

Running `-delete -keys` for any scalar attribute is not a valid operation and must not be used. However, any accidental or deliberate use of this command may cause engine to core dump.

Workaround: No workaround.

VCS enters into `admin_wait` state when Cluster Statistics is enabled with load and capacity defined [3199210]

VCS enters into `admin_wait` state when started locally if:

1. Statistics attribute value is set to Enabled, which is its default value.
2. Group Load and System Capacity values are defined in units in `main.cf`.

Workaround:

1. Stop VCS on all nodes in the cluster.
2. Perform any one of the following steps:
 - Edit the `main.cf` on one of the nodes in the cluster and set the Statistics attribute to Disabled or MeterHostOnly.
 - Remove the Group Load and System Capacity values from the `main.cf`.
3. Run `hacf -verify` on the node to verify that the configuration is valid.
4. Start VCS on the node and then on the rest of the nodes in the cluster.

Agent reports incorrect state if VCS is not set to start automatically and `utmp` file is empty before VCS is started [3326504]

If you have not configured VCS to start automatically after a reboot and have `tmptd` the `utmp` file before starting VCS manually with the `hastart` command, some agents might report an incorrect state.

The `utmp` file (file name may differ on different operating systems) is used to maintain a record of the restarts done for a particular machine. The `checkboot` utility used by `hastart` command uses the functions provided by the OS which in turn use the `utmp` file to find if a system has been restarted so that the temporary files for various agents can be deleted before agent startup. If OS functions do not return correct value, High Availability Daemon (HAD) starts without deleting the stale agent files. This might result in some agents reporting incorrect state.

Workaround: If a user wishes to delete the `utmp` file this should be done only when VCS is already running or the customer should delete the temporary files in `/var/VRTSvcs/lock/volatile/` manually before starting VCS.

Site preference fencing policy value fails to set on restart of a site-aware cluster [3380586]

If you restart VCS on a site-aware cluster, the `PreferredFencingPolicy` fails to reset to the value 'Site' assigned to it before the restart.

Workaround: Reassign the fencing policy value manually to the cluster.

VCS crashes if feature tracking file is corrupt [3603291]

VCS keeps a track of some specific features used in the VCS cluster. For example, if a Global service group is brought online then the feature is logged in a specific feature tracking file. If the file however is corrupt, then VCS may dump core when attempting to write data to the file.

Workaround: Delete the corrupt feature tracking file (`/var/vx/vftrk/vcs`) and restart VCS.

RemoteGroup agent on versions lower than 6.2 reports service group status as UNKNOWN [3638347]

When the RemoteGroup agent running on a VCS version lower than 6.2 tries to monitor a service group on a 6.2 cluster, it reports the service group status as UNKNOWN.

Workaround: No workaround.

RemoteGroup agent and non-root users may fail to authenticate after a secure upgrade [3649457]

On upgrading a secure cluster to 6.2, the following issues may occur with unable to open a secure connection error:

- The RemoteGroup agent may fail to authenticate with remote cluster.
- WPAR users and non-root users may fail to authenticate.

Workaround

- 1 Set `LC_ALL=C` on all nodes before upgrade or perform the following steps after the upgrade on all nodes of the cluster:
 - Stop HAD.
 - Set `LC_ALL=C`.

- Start HAD using `hastart`.
- 2 Reset LC_ALL attribute to the previous value once the WPAR and non-root users are validated.

Issues related to the bundled agents

VCS resources may time out if NFS server is down [2129617]

The VCS resources may time out if the server NFS mounted file system and the NFS server is down or inaccessible. This behavior is exclusive to AIX platform.

Workaround: You must unmount the NFS mounted file system to restore the cluster to sane condition.

MultiNICB resource may show unexpected behavior with IPv6 protocol [2535952]

When using IPv6 protocol, set the LinkTestRatio attribute to 0. If you set the attribute to another value, the MultiNICB resource may show unexpected behavior.

Workaround: Set the LinkTestRatio attribute to 0.

Bringing the LPAR resource offline may fail [2418615]

Bringing the LPAR resource offline may fail with the following message in the engine_A.log file.

```
<Date Time> VCS WARNING V-16-10011-22003 <system_name>  
LPAR:<system_name>:offline:Command failed to run on MC  
<hmc_name> with error HSCL0DB4 An Operating System  
Shutdown can not be performed because the operating system image  
running does not support remote execution of this task from the HMC.  
This may be due to problem in communication with  
MC <hmc_name>
```

This is due to RMC failure between HMC and management LPAR. Since the LPAR could not be shutdown gracefully in offline, the LPAR is shutdown forcefully in the clean call, hence it shows as Faulted.

Workaround: In order to recycle the RSCT daemon for LPAR and HMC, refer the *Symantec Storage Foundation™ and High Availability Solutions Virtualization Guide*.

LPAR agent may not show the correct state of LPARs [2425990]

When the Virtual I/O server (VIOS) gets restarted, LPAR agent may not get the correct state of the resource. In this case, the LPAR agent may not show the correct state of the LPAR.

Workaround: Restart the management LPAR and all the managed LPARs that depend on the VIOS.

RemoteGroup agent does not failover in case of network cable pull [2588807]

A RemoteGroup resource with ControlMode set to OnOff may not fail over to another node in the cluster in case of network cable pull. The state of the RemoteGroup resource becomes UNKNOWN if it is unable to connect to a remote cluster.

Workaround:

- Connect to the remote cluster and try taking offline the RemoteGroup resource.
- If connection to the remote cluster is not possible and you want to bring down the local service group, change the ControlMode option of the RemoteGroup resource to MonitorOnly. Then try taking offline the RemoteGroup resource. Once the resource is offline, change the ControlMode option of the resource to OnOff.

CoordPoint agent remains in faulted state [2852872]

The CoordPoint agent remains in faulted state because it detects `rfsm` to be in replaying state.

Workaround: After HAD has stopped, reconfigure fencing.

Prevention of Concurrency Violation (PCV) is not supported for applications running in a container [2536037]

For an application running in a container, VCS uses a similar functionality as if that resource is not registered to IMF. Hence, there is no IMF control to take a resource offline. When the same resource goes online on multiple nodes, agent detects and reports to engine. Engine uses the offline monitor to take the resource offline. Hence, even though there is a time lag before the detection of the same resource coming online on multiple nodes at the same time, VCS takes the resource offline.

PCV does not function for an application running inside a WPAR on AIX.

Workaround: No workaround.

VCS does not monitor applications inside an already existing WPAR [2494532]

If a WPAR is already present on the system at the time of VCS installation, and this WPAR or an application running inside this WPAR needs to be monitored using VCS, then VCS does not monitor the application running in that WPAR. This is because the VCS packages/files are not visible inside that WPAR.

Workaround: Run `syncwpar` command for that WPAR. This makes the VCS packages/files visible inside the WPAR and VCS can then monitor the applications running inside the WPAR.

Error messages for wrong HMC user and HMC name do not communicate the correct problem

The wrong HMC user and wrong HMC name errors are not reflective of the correct problem. If you see the following errors in `engine_A.log` for LPAR resource, it means wrong HMC user:

```
Permission denied, please try again  
Permission denied, please try again
```

If you see the following errors in `engine_A.log` for LPAR resource, it means wrong HMC name:

```
ssh: abc: Hostname and service name  
not provided or found.
```

You must see the `applicationha_utils.log` file to confirm the same.

LPAR agent may dump core when all configured VIOS are down [2850898]

When using Virtual Input Output Servers (VIOS), the LPARs need a restart after VIOS restart/reboot/crash. If management LPAR is not restarted after VIOS is rebooted, then LPAR agent may dump core.

Workaround: Restart the management LPAR which was depended on the rebooted VIOS.

NFS client reports I/O error because of network split brain [3257399]

When network split brain occurs, the failing node may take some time to panic. As a result, the service group on the failover node may fail to come online as some of the resources (such as IP resource) are still online on the failing node. The disk

group on the failing node may also get disabled but IP resource on the same node continues to be online.

Workaround: Configure the preonline trigger for the service groups containing DiskGroup resource with reservation on each system in the service group:

1 Copy the preonline_ipc trigger from

```
/opt/VRTSvcs/bin/sample_triggers/VRTSvcs to  
/opt/VRTSvcs/bin/triggers/preonline/ as T0preonline_ipc:  
  
# cp /opt/VRTSvcs/bin/sample_triggers/VRTSvcs/preonline_ipc  
/opt/VRTSvcs/bin/triggers/preonline/T0preonline_ipc
```

2 Enable the preonline trigger for the service group.

```
# hagrps -modify <group_name> TriggersEnabled  
PREONLINE -sys <node_name>
```

WPAR-aware agents cannot run in a non-shared WPAR [3313698]

Non-shared WPAR has writable `/usr` file system and `/opt` file system local to WPAR. The common product installer installs VCS packages in `/opt/VRTSvcs` and libraries in `/usr/lib` in a global environment. As VCS packages cannot be synchronized with a local copy of `/usr` and `/opt` on a non-shared WPAR, they are not available to the non-shared WPAR. Therefore in absence of the VCS packages, agents which are configured to monitor applications inside non-shared WPAR cannot run.

Workaround: No workaround.

The CoordPoint agent faults after you detach or reattach one or more coordination disks from a storage array (3317123)

After you detach or reattach a coordination disk from a storage array, the CoordPoint agent may fault because it reads an older value stored in the I/O fencing kernel module.

Workaround: Run the `vxfsnwap` utility to refresh the registration keys on the coordination points for both server-based I/O fencing and disk-based I/O fencing. But, even if the registrations keys are not lost, you must run the `vxfsnwap` utility to refresh the coordination point information stored in the I/O fencing kernel module.

For more information on refreshing registration keys on the coordination points for server-based and disk-based I/O fencing, refer to the *Symantec Cluster Server Administrator's Guide*.

Mount resource does not support spaces in the MountPoint and BlockDevice attribute values [3335304]

Mount resource does not handle intermediate spaces in the configured MountPoint or BlockDevice attribute values.

Workaround: No workaround.

Mount agent fails to online Mount resource due to OS issue [3508584]

Mount resource is configured with jfs2 file system. While bringing the Mount resource online, the resource may fault with the following log message due to the IBM issue IZ773575.

```
mount: <Device_Path> on <Mount_Path>: Device busy
The current volume is: <Device_Path>
Open volume exclusive read or write returned, rc = 16
fsck: 0507-289 Device unavailable or locked by another process.
      Cannot continue.
```

Workaround: The online operation for Mount resource internally calls the `fsck` command if mount command fails. IBM recommends re-running the `fsck` command to resolve the issue. Hence, increase the OnlineRetryLimit value for Mount resource to a higher value than its default value.

SFCache Agent fails to enable caching if cache area is offline [3644424]

SFCache agent cannot enable caching if cache area associate with this particular object is in offline state. User need to manually online the cache area to make sure that caching can be enabled/disabled.

Workaround: Online the cache area using `sfcache` command

```
# sfcache online <cache_area_name>
```

RemoteGroup agent may stop working on upgrading the remote cluster in secure mode [3648886]

RemoteGroup agent may report the resource state as UNKNOWN if the remote cluster is upgraded to VCS 6.2 in secure mode.

Workaround: Restart the RemoteGroup agent.

Issues related to the VCS database agents

The ASMInstAgent does not support having pfile/spfile for the ASM Instance on the ASM diskgroups

The ASMInstAgent does not support having pfile/spfile for the ASM Instance on the ASM diskgroups.

Workaround:

Have a copy of the pfile/spfile in the default \$GRID_HOME/dbs directory to make sure that this would be picked up during the ASM Instance startup.

VCS agent for ASM: Health check monitoring is not supported for ASMInst agent

The ASMInst agent does not support health check monitoring.

Workaround: Set the MonitorOption attribute to 0.

NOFAILOVER action specified for certain Oracle errors

The Symantec High Availability agent for Oracle provides enhanced handling of Oracle errors encountered during detailed monitoring. The agent uses the reference file oraerror.dat, which consists of a list of Oracle errors and the actions to be taken.

See the *Symantec Cluster Server Agent for Oracle Installation and Configuration Guide* for a description of the actions.

Currently, the reference file specifies the NOFAILOVER action when the following Oracle errors are encountered:

ORA-00061, ORA-02726, ORA-6108, ORA-06114

The NOFAILOVER action means that the agent sets the resource's state to OFFLINE and freezes the service group. You may stop the agent, edit the oraerror.dat file, and change the NOFAILOVER action to another action that is appropriate for your environment. The changes go into effect when you restart the agent.

IMF registration fails if sybase server name is given at the end of the configuration file [2365173]

AMF driver supports a maximum of 80 characters of arguments. In order for AMF to detect the start of the Sybase process, the Sybase server name must occur in the first 80 characters of the arguments.

Workaround: Must have the server name, `-sSYBASE_SERVER`, as the first line in the configuration file: `ASE-15_0/install/RUN_SYBASE_SERVER`.

Oracle agent fails to offline pluggable database (PDB) resource with PDB in backup mode [3592142]

If the PDB is in backup mode and if you attempt to offline the corresponding PDB resource, this will cause PDB resource to go into “Unable to Offline” state.

Workaround: Manually remove the PDB from the backup mode before attempting to take the PDB resource offline.

Clean succeeds for PDB even as PDB status is UNABLE to OFFLINE [3609351]

Oracle does not allow any operation on a PDB when the PDB is in backup mode. This is an expected behavior of Oracle. Therefore, a shutdown fails when it is initiated on a PDB in backup mode and returns an UNABLE TO OFFLINE status for the PDB. If PDB is removed from the backup mode using the SQL script, the agent framework is unable to change the UNABLE TO OFFLINE status of the PDB as clean is called. Since Oracle does not differentiate between clean and offline for PDB, clean succeeds for the PDB in spite of being in UNABLE TO OFFLINE state.

Workaround: No workaround.

Second level monitoring fails if user and table names are identical [3594962]

If the table inside CDB has same name as the user name, second level monitoring fails and Oracle agent fails to update the table. For example, if user name is `c##pdbuser1` and table is created as `c##pdbuser1.vcs`, then Oracle agent is unable to update it.

Workaround: Avoid having identical user and CDB table names.

Monitor entry point times out for Oracle PDB resources when CDB is moved to suspended state in Oracle 12.1.0.2 [3643582]

In Oracle-12.1.0.2.0, when CDB is in SUSPENDED mode, then the SQL command for PDB view (`v$pdb`) hangs. Due to this, the monitor entry point in PDB gets timed out and there is no issue found in oracle-12.1.0.1.0 .

Workaround: No workaround.

Oracle agent fails to online and monitor Oracle instance if threaded_execution parameter is set to true [3644425]

In Oracle 12c, the threaded execution feature is enabled. The multithreaded Oracle Database model enables Oracle processes to execute as operating system threads in separate address spaces. If Oracle Database 12c is installed, the database runs in the process mode. If you set a parameter to run the database in threaded mode, some background processes on UNIX and Linux run with each process containing one thread, whereas the remaining Oracle processes run as threads within the processes.

When you enable this parameter, Oracle agent is unable to check smon (mandatory process check) and lgwr (optional process check) processes which were traditionally used for monitoring and which now run as threads.

Workaround: Disable the threaded execution feature as it is not supported on Oracle 12C.

Issues related to the agent framework

Agent may fail to heartbeat under heavy load [2073018]

An agent may fail to heartbeat with the VCS engine under heavy load.

This may happen when agent does not get enough CPU to perform its tasks and when the agent heartbeat exceeds the time set in the AgentReplyTimeout attribute. The VCS engine therefore stops the agent and restarts it. The VCS engine generates a log when it stops and restarts the agent.

Workaround: If you are aware that the system load is likely to be high, then:

- The value of AgentReplyTimeout attribute can be set to a high value
- The scheduling class and scheduling priority of agent can be increased to avoid CPU starvation for the agent, using the AgentClass and AgentPriority attributes.

Agent framework cannot handle leading and trailing spaces for the dependent attribute (2027896)

Agent framework does not allow spaces in the target resource attribute name of the dependent resource.

Workaround: Do not provide leading and trailing spaces in the target resource attribute name of the dependent resource.

The agent framework does not detect if service threads hang inside an entry point [1442255]

In rare cases, the agent framework does not detect if all service threads hang inside a C entry point. In this case it may not cancel them successfully.

Workaround: If the service threads of the agent are hung, send a kill signal to restart the agent. Use the following command: `kill -9 hung_agent's_pid`. The `haagent -stop` command does not work in this situation.

IMF related error messages while bringing a resource online and offline [2553917]

For a resource registered with AMF, if you run `hagrps -offline` or `hagrps -online` explicitly or through a collective process to offline or online the resource respectively, the IMF displays error messages in either case.

The errors displayed is an expected behavior and it does not affect the IMF functionality in any manner.

Workaround: No workaround.

Delayed response to VCS commands observed on nodes with several resources and system has high CPU usage or high swap usage [3208239]

You may experience a delay of several minutes in the VCS response to commands if you configure large number of resources for monitoring on a VCS node and if the CPU usage is close to 100 percent or swap usage is very high.

Some of the commands are mentioned below:

- `# hares -online`
- `# hares -offline`
- `# hagrps -online`
- `# hagrps -offline`
- `# hares -switch`

The delay occurs as the related VCS agent does not get enough CPU bandwidth to process your command. The agent may also be busy processing large number of pending internal commands (such as periodic monitoring of each resource).

Workaround: Change the values of some VCS agent type attributes which are facing the issue and restore the original attribute values after the system returns to the normal CPU load.

- 1 Back up the original values of attributes such as MonitorInterval, OfflineMonitorInterval, and MonitorFreq of IMF attribute.
- 2 If the agent does not support Intelligent Monitoring Framework (IMF), increase the value of MonitorInterval and OfflineMonitorInterval attributes.

```
# haconf -makerw
# hatype -modify <TypeName> MonitorInterval <value>
# hatype -modify <TypeName> OfflineMonitorInterval <value>
# haconf -dump -makero
```

Where <TypeName> is the name of the agent with which you are facing delays and <value> is any numerical value appropriate for your environment.

- 3 If the agent supports IMF, increase the value of MonitorFreq attribute of IMF.

```
# haconf -makerw
# hatype -modify <TypeName> IMF -update MonitorFreq <value>
# haconf -dump -makero
```

Where <value> is any numerical value appropriate for your environment.

- 4 Wait for several minutes to ensure that VCS has executed all pending commands, and then execute any new VCS command.
- 5 If the delay persists, repeat step 2 or 3 as appropriate.
- 6 If the CPU usage returns to normal limits, revert the attribute changes to the backed up values to avoid the delay in detecting the resource fault.

CFSMount agent may fail to heartbeat with VCS engine and logs an error message in the engine log on systems with high memory load [3060779]

On a system with high memory load, CFSMount agent may fail to heartbeat with VCS engine resulting into V-16-1-53030 error message in the engine log.

VCS engine must receive periodic heartbeat from CFSMount agent to ensure that it is running properly on the system. The heartbeat is decided by AgentReplyTimeout attribute. Due to high CPU usage or memory workload (for example, swap usage greater than 85%), agent may not get enough CPU cycles to schedule. This causes heartbeat loss with VCS engine and as a result VCS engine terminates the agent and starts the new agent. This can be identified with the following error message in the engine log:

```
V-16-1-53030 Termination request sent to CFSSMount  
agent process with pid %d
```

Workaround: Increase the AgentReplyTimeout value and see if CFSSMount agent becomes stable. If this does not resolve the issue then try the following workaround. Set value of attribute NumThreads to 1 for CFSSMount agent by running following command:

```
# hatype -modify CFSSMount NumThreads 1
```

Even after the above command if CFSSMount agent keeps on terminating, report this to Symantec support team.

Logs from the script executed other than the agent entry point goes into the engine logs [3547329]

The agent logs of C-based and script-based entry points get logged in the agent log when the attribute value of LogViaHalog is set to 1 (one). To restore to the older logging behavior in which C-based entry point logs were logged in agent logs and script-based entry point logs were logged in engine logs, you can set the LogViaHalog value as 0 (zero). However, it is observed that some C-based entry point logs continue to appear in the engine logs even when LogViaHalog is set to 1 (one). This issue is observed on all the database agents.

Workaround: No workaround.

Issues related to global clusters

The engine log file receives too many log messages on the secure site in global cluster environments [1919933]

When the WAC process runs in secure mode on one site, and the other site does not use secure mode, the engine log file on the secure site gets logs every five seconds.

Workaround: The two WAC processes in global clusters must always be started in either secure or non-secure mode. The secure and non-secure WAC connections will flood the engine log file with the above messages.

Application group attempts to come online on primary site before fire drill service group goes offline on the secondary site (2107386)

The application service group comes online on the primary site while the fire drill service group attempts to go offline at the same time, causing the application group to fault.

Workaround: Ensure that the fire drill service group is completely offline on the secondary site before the application service group comes online on the primary site.

LLT known issues

This section covers the known issues related to LLT in this release.

LLT may fail to make connections with LLT on peer nodes in virtual environment (2343451/2376822)

After you upgrade from 5.0 MP3 or earlier releases to version 6.0, LLT may fail to make connections with LLT on the peer nodes in AIX virtual environment.

This is a known IBM VIOS issue. Install APAR IV00776 on your VIOS server. Without this fix, VIOS fails to handle new LLT packet header and drops packets.

Workaround: Disable the `largesend` attribute of the SEA adapter. Check the properties of the SEA adapter (on which the virtual links are configured under LLT maps) on each VIOS using the following command:

```
# lsattr -El SEA
```

If the `largesend` is set to 1, then set it to 0 using the following command:

```
# chdev -l SEA -a largesend=0
```

LLT port stats sometimes shows `recvcnt` larger than `recvbytes` (1907228)

With each received packet, LLT increments the following variables:

- `recvcnt` (increment by one for every packet)
- `recvbytes` (increment by size of packet for every packet)

Both these variables are integers. With constant traffic, `recvbytes` hits and rolls over `MAX_INT` quickly. This can cause the value of `recvbytes` to be less than the value of `recvcnt`.

This does not impact the LLT functionality.

LLT over IPv6 does not work on AIX [3637948]

Due to IPv6 related changes in the AIX kernel, LLT over IPv6 feature does not work on these AIX releases.

Workaround: No workaround.

GAB known issues

This section covers the known issues related to GAB in this release.

While deinitializing GAB client, "gabdebug -R GabTestDriver" command logs refcount value 2 (2536373)

After you unregister the gtx port with `-nodeinit` option, the `gabconfig -C` command shows `refcount` as 1. But when forceful `deinit` option (`gabdebug -R GabTestDriver`) is run to deinitialize GAB client, then a message similar to the following is logged.

```
GAB INFO V-15-1-20239
```

```
Client GabTestDriver with refcount 2 forcibly deinitd on user request
```

The `refcount` value is incremented by 1 internally. However, the `refcount` value is shown as 2 which conflicts with the `gabconfig -C` command output.

Workaround: There is no workaround for this issue.

Cluster panics during reconfiguration (2590413)

While a cluster is reconfiguring, GAB broadcast protocol encounters a race condition in the sequence request path. This condition occurs in an extremely narrow window which eventually causes the GAB master to panic.

Workaround: There is no workaround for this issue.

I/O fencing known issues

This section covers the known issues related to I/O fencing in this release.

CP server repetitively logs unavailable IP addresses (2530864)

If coordination point server (CP server) fails to listen on any of the IP addresses that are mentioned in the `vxcps.conf` file or that are dynamically added using the command line, then CP server logs an error at regular intervals to indicate the failure. The logging continues until the IP address is bound to successfully.

```
CPS ERROR V-97-51-103 Could not create socket for host
10.209.79.60 on port 14250
CPS ERROR V-97-1400-791 Coordination point server could not
open listening port = [10.209.79.60]:14250
Check if port is already in use.
```

Workaround: Remove the offending IP address from the listening IP addresses list using the `rm_port` action of the `cpsadm` command.

See the *Symantec Cluster Server Administrator's Guide* for more details.

Fencing port b is visible for few seconds even if cluster nodes have not registered with CP server (2415619)

Even if the cluster nodes have no registration on the CP server and if you provide coordination point server (CP server) information in the `vxfenmode` file of the cluster nodes, and then start fencing, the fencing port b is visible for a few seconds and then disappears.

Workaround: Manually add the cluster information to the CP server to resolve this issue. Alternatively, you can use installer as the installer adds cluster information to the CP server during configuration.

The `cpsadm` command fails if LLT is not configured on the application cluster (2583685)

The `cpsadm` command fails to communicate with the coordination point server (CP server) if LLT is not configured on the application cluster node where you run the `cpsadm` command. You may see errors similar to the following:

```
# cpsadm -s 10.209.125.200 -a ping_cps
CPS ERROR V-97-1400-729 Please ensure a valid nodeid using
environment variable
CPS_NODEID
CPS ERROR V-97-1400-777 Client unable to communicate with CPS.
```

However, if you run the `cpsadm` command on the CP server, this issue does not arise even if LLT is not configured on the node that hosts CP server. The `cpsadm` command on the CP server node always assumes the LLT node ID as 0 if LLT is not configured.

According to the protocol between the CP server and the application cluster, when you run the `cpsadm` on an application cluster node, `cpsadm` needs to send the LLT node ID of the local node to the CP server. But if LLT is unconfigured temporarily, or if the node is a single-node VCS configuration where LLT is not configured, then

the `cpsadm` command cannot retrieve the LLT node ID. In such situations, the `cpsadm` command fails.

Workaround: Set the value of the `CPS_NODEID` environment variable to 255. The `cpsadm` command reads the `CPS_NODEID` variable and proceeds if the command is unable to get LLT node ID from LLT.

In absence of cluster details in CP server, VxFEN fails with pre-existing split-brain message (2433060)

When you start server-based I/O fencing, the node may not join the cluster and prints error messages in logs similar to the following:

In the `/var/VRTSvcs/log/vxfen/vxfen.log` file:

```
VXFEN vxfenconfig ERROR V-11-2-1043  
Detected a preexisting split brain. Unable to join cluster.
```

In the `/var/VRTSvcs/log/vxfen/vxfen.log` file:

```
operation failed.  
CPS ERROR V-97-1400-446 Un-authorized user cpsclient@sys1,  
domaintype vx; not allowing action
```

The `vxfend` daemon on the application cluster queries the coordination point server (CP server) to check if the cluster members as seen in the GAB membership are registered with the CP server. If the application cluster fails to contact the CP server due to some reason, then fencing cannot determine the registrations on the CP server and conservatively assumes a pre-existing split-brain.

Workaround: Before you attempt to start VxFEN on the application cluster, ensure that the cluster details such as cluster name, UUID, nodes, and privileges are added to the CP server.

The `vxfenswap` utility does not detect failure of coordination points validation due to an RSH limitation (2531561)

The `vxfenswap` utility runs the `vxfenconfig -o modify` command over RSH or SSH on each cluster node for validation of coordination points. If you run the `vxfenswap` command using RSH (with the `-n` option), then RSH does not detect the failure of validation of coordination points on a node. From this point, `vxfenswap` proceeds as if the validation was successful on all the nodes. But, it fails at a later stage when it tries to commit the new coordination points to the VxFEN driver. After the failure, it rolls back the entire operation, and exits cleanly with a non-zero error code. If you run `vxfenswap` using SSH (without the `-n` option), then SSH detects

the failure of validation of coordination of points correctly and rolls back the entire operation immediately.

Workaround: Use the `vxfenswap` utility with SSH (without the `-n` option).

Fencing does not come up on one of the nodes after a reboot (2573599)

If VxFEN unconfiguration has not finished its processing in the kernel and in the meantime if you attempt to start VxFEN, you may see the following error in the `/var/VRTSvcs/log/vxfen/vxfen.log` file:

```
VXFEN vxfenconfig ERROR V-11-2-1007 Vxfen already configured
```

However, the output of the `gabconfig -a` command does not list port b. The `vxfenadm -d` command displays the following error:

```
VXFEN vxfenadm ERROR V-11-2-1115 Local node is not a member of cluster!
```

Workaround: Start VxFEN again after some time.

The `cpsadm` command fails after upgrading CP server to 6.0 or above in secure mode (2846727)

The `cpsadm` command may fail after you upgrade coordination point server (CP server) to 6.0 in secure mode. If the old VRTS`at` fileset is not removed from the system, the `cpsadm` command loads the old security libraries present on the system. As the installer runs the `cpsadm` command on the CP server to add or upgrade the VCS cluster (application cluster), the installer also fails.

Workaround: Perform the following procedure on all of the nodes of the CP server.

To resolve this issue

- 1 Rename `cpsadm` to `cpsadmbin`:

```
# mv /opt/VRTScps/bin/cpsadm /opt/VRTScps/bin/cpsadmbin
```

- 2 Create a file `/opt/VRTScps/bin/cpsadm` with the following content:

```
#!/bin/sh
EAT_USE_LIBPATH="/opt/VRTScps/lib"
export EAT_USE_LIBPATH
/opt/VRTScps/bin/cpsadmbin "$@"
```

- 3 Change the permissions of the new file to 775:

```
# chmod 755 /opt/VRTScps/bin/cpsadm
```

Common product installer cannot setup trust between a client system on release version 5.1SP1 and a server on release version 6.0 or later [3226290]

The issue exists because the VCS 5.1SP1 release version does not support separate directories for truststores. However, VCS version 6.0 and later support separate directories for truststores. Because of this mismatch in support for truststores, you cannot set up trust between client systems and servers.

Workaround: Set up trust manually between the coordination point server and client systems using the `cpsat` or `vcsat` command so that the servers and client systems can communicate in a secure mode.

Hostname and username are case sensitive in CP server (2846392)

The hostname and username on the CP server are case sensitive. The hostname and username used by fencing to communicate with CP server must be in same case as present in CP server database, else fencing fails to start.

Workaround: Make sure that the same case is used in the hostname and username on the CP server.

Server-based fencing comes up incorrectly if default port is not mentioned (2403453)

When you configure fencing in customized mode and do not provide default port, fencing comes up. However, the `vxfenconfig -l` command output does not list the port numbers.

Workaround: Retain the "port=<port_value>" setting in the `/etc/vxfenmode` file, when using customized fencing with at least one CP server. The default port value is 14250.

Secure CP server does not connect from localhost using 127.0.0.1 as the IP address (2554981)

The `cpsadm` command does not connect to the secure CP server on the localhost using 127.0.0.1 as the IP address.

Workaround: Connect the secure CP server using any of the virtual IPs that is configured with the CP server and is plumbed on the local node.

Unable to customize the 30-second duration (2551621)

When the `vxcpsserv` process is not able to bind to an IP address during startup, it attempts to bind to that IP address at an interval of 30 seconds. This interval is not configurable.

Workaround: There is no workaround for this issue.

CoordPoint agent does not report the addition of new disks to a Coordinator disk group [2727672]

The LevelTwo monitoring of the CoordPoint agent does not report a fault even if the constituent of a coordinator disk group changes due to addition of new disks in the coordinator disk group.

Workaround: There is no workaround for this issue.

Fencing may show the RFSM state as replaying for some nodes in the cluster (2555191)

Fencing based on coordination point clients in Campus cluster environment may show the RFSM state as replaying for some nodes in the cluster.

Workaround:

Restart fencing on the node that shows RFSM state as replaying.

The `vxfsnwap` utility deletes comment lines from the `/etc/vxfemode` file, if you run the utility with `hacli` option (3318449)

The `vxfsnwap` utility uses RSH, SSH, or `hacli` protocol to communicate with peer nodes in the cluster. When you use `vxfsnwap` to replace coordination disk(s) in disk-based fencing, `vxfsnwap` copies `/etc/vxfenmode` (local node) to `/etc/vxfenmode` (remote node).

With the `hacli` option, the utility removes the comment lines from the remote `/etc/vxfenmode` file, but, it retains comments in the local `/etc/vxfenmode` file.

Workaround: Copy the comments manually from local `/etc/vxfenmode` to remote nodes.

When you configure CP server only for HTTPS-based communication, the `engine_A.log` displays a misleading message (3321101)

The `engine_A.log` file displays the following message when you configure CP server only for HTTPS-based communication but not for IPM-based communication.

```
No VIP for IPM specified in /etc/vxcps.conf
```

Workaround: Ignore the message.

The `vxfsntsthdw` utility may not run on systems installed with partial SFHA stack [3333914]

The `vxfsntsthdw` utility runs if the SFHA stack and VCS are fully installed with properly configured SF and VxVM. It also runs if the entire SFHA stack and VCS are not installed. However, partial installs where SF is installed and configured but VCS is not installed is not supported. The utility will display an error with the `-g` or `-c` options.

Workaround: Install the `VRTSvxfen` fileset, then run the utility from either the install media or from the `/opt/VRTSvcs/vxfen/bin/` location.

When a client node goes down, for reasons such as node panic, I/O fencing does not come up on that client node after node restart (3341322)

This issue happens when one of the following conditions is true:

- Any of the CP servers configured for HTTPS communication goes down.

- The CP server service group in any of the CP servers configured for HTTPS communication goes down.
- Any of the VIPs in any of the CP servers configured for HTTPS communication goes down.

When you restart the client node, fencing configuration starts on the node. The fencing daemon, `vxferd`, invokes some of the fencing scripts on the node. Each of these scripts has a timeout value of 120 seconds. If any of these scripts fails, fencing configuration fails on that node.

Some of these scripts use `cpsadm` commands to communicate with CP servers. When the node comes up, `cpsadm` commands try to connect to the CP server using VIPs for a timeout value of 60 seconds. So, if the multiple `cpsadm` commands that are run within a single script exceed the timeout value, then the total timeout value exceeds 120 seconds, which causes one of the scripts to time out. Hence, I/O fencing does not come up on the client node.

Note that this issue does not occur with IPM-based communication between CP server and client clusters.

Workaround: Fix the CP server.

The `vxferconfig -l` command output does not list Coordinator disks that are removed using the `vxferpadmin exclude dmpnodename=<dmp_disk/node>` command [3644431]

After you remove a Coordinator disk used by fencing or fencing disk group by running the `vxferpadmin exclude dmpnodename=<dmp_disk/node>` command, the removed disk is not listed in the `vxferconfig -l` command output.

In case of a split brain, the `vxfer` program cannot use the removed disk as a coordination point in the subsequent fencing race.

Workaround: Run the `vxferpadmin include dmpnodename=<dmp_disk/node>` command to again enable the dmp disk. This disk will show up in subsequent `vxferconfig -l` output.

Symantec Cluster Server agents for Volume Replicator known issues in 6.2

The following are new additional Symantec Cluster Server agents for Volume Replicator known issues in 6.2 release.

Stale entries observed in the sample main.cf file for RVGLogowner agent [2872047]

Stale entries are found in sample main.cf file for RVGLogowner agent. The stale entries are present in main.cf.seattle file on the RVGLogowner agent which includes CFSQlogckd resource. However, CFSQlogckd is not supported since VCS 5.0.

Workaround: In the cvm group remove the following two lines:

```
CFSQlogckd qlogckd (  
    Critical = 0  
)
```

Issues related to Intelligent Monitoring Framework (IMF)

Registration error while creating a Firedrill setup [2564350]

While creating the Firedrill setup using the `Firedrill setup` utility, VCS encounters the following error:

```
AMF amfregister ERROR V-292-2-167  
Cannot register mount offline event
```

During Firedrill operations, VCS may log error messages related to IMF registration failure in the engine log. This happens because in the firedrill service group, there is a second CFSSMount resource monitoring the same MountPoint through IMF. Both the resources try to register for online/offline events on the same MountPoint and as a result, registration of one fails.

Workaround: No workaround.

IMF does not provide notification for a registered disk group if it is imported using a different name [2730774]

If a disk group resource is registered with the AMF and the disk group is then imported using a different name, AMF does not recognize the renamed disk group and hence does not provide notification to DiskGroup agent. Therefore, the DiskGroup agent keeps reporting the disk group resource as offline.

Workaround: Make sure that while importing a disk group, the disk group name matches the one registered with the AMF.

Direct execution of `linkamf` displays syntax error [2858163]

Bash cannot interpret Perl when executed directly.

Workaround: Run `linkamf` as follows:

```
# /opt/VRTSperl/bin/perl /opt/VRTSamf/imf/linkamf <destination-directory>
```

Error messages displayed during reboot cycles [2847950]

During some reboot cycles, the following message might get logged in the engine log:

```
AMF libvxamf ERROR V-292-2-149 Cannot unregister event: no rid -1 found
AMF libvxamf ERROR V-292-2-306 Unable to unregister all events (errno:405)
```

This does not have any effect on the functionality of IMF.

Workaround: No workaround.

Error message displayed when ProPCV prevents a process from coming ONLINE to prevent concurrency violation does not have I18N support [2848011]

The following message is seen when ProPCV prevents a process from coming ONLINE to prevent concurrency violation. The message is displayed in English and does not have I18N support.

```
Concurrency Violation detected by VCS AMF.
Process <process-details> will be prevented from startup.
```

Workaround: No Workaround.

AMF displays StartProgram name multiple times on the console without a VCS error code or logs [2872064]

When VCS AMF prevents a process from starting, it displays a message on the console and in syslog. The message contains the signature of the process that was prevented from starting. In some cases, this signature might not match the signature visible in the PS output. For example, the name of the shell script that was prevented from executing will be printed twice.

Workaround: No workaround.

VCS engine shows error for cancellation of reaper when Apache agent is disabled [3043533]

When `haimfconfig` script is used to disable IMF for one or more agents, the VCS engine logs the following message in the engine log:

```
AMF imf_getnotification ERROR V-292-2-193
Notification(s) canceled for this reaper.
```

This is an expected behavior and not an issue.

Workaround: No workaround.

Terminating the `imfd` daemon orphans the `vxnotify` process [2728787]

If you terminate `imfd` daemon using the `kill -9` command, the `vxnotify` process created by `imfd` does not exit automatically but gets orphaned. However, if you stop `imfd` daemon with the `amfconfig -D` command, the corresponding `vxnotify` process is terminated.

Workaround: The correct way to stop any daemon is to gracefully stop it with the appropriate command (which is `amfconfig -D` command in this case), or to terminate the daemon using Session-ID. Session-ID is the -PID (negative PID) of the daemon.

For example:

```
# kill -9 -27824
```

Stopping the daemon gracefully stops all the child processes spawned by the daemon. However, using `kill -9 pid` to terminate a daemon is not a recommended option to stop a daemon, and subsequently you must kill other child processes of the daemon manually.

Agent cannot become IMF-aware with agent directory and agent file configured [2858160]

Agent cannot become IMF-aware if Agent Directory and Agent File are configured for that agent.

Workaround: No workaround.

Process offline monitoring issues with Asynchronous Monitoring Framework [3540463]

Process offline monitoring registrations with Asynchronous Monitoring Framework (AMF) freezes Symantec Cluster Server nodes on AIX 7.1 TL3 SP3 and AIX 6.1 TL9 SP3 versions.

Workaround: Install the IBM APAR [IV63274](#) on all nodes to fix this issue.

ProPCV fails to prevent a script from running if it is run with relative path [3617014]

If the absolute path is registered with AMF for prevention and the script is run with the relative path, AMF fails to prevent the script from running.

Workaround: No workaround.

Issues related to the Cluster Manager (Java Console)

This section covers the issues related to the Cluster Manager (Java Console).

Some Cluster Manager features fail to work in a firewall setup [1392406]

In certain environments with firewall configurations between the Cluster Manager and the VCS cluster, the Cluster Manager fails with the following error message:

```
V-16-10-13 Could not create CmdClient. Command Server  
may not be running on this system.
```

Workaround: You must open port 14150 on all the cluster nodes.

VCS Cluster Configuration wizard issues

IPv6 verification fails while configuring generic application using VCS Cluster Configuration wizard [3614680]

The VCS Cluster Configuration wizard fails to check whether IPv6 IP is already plumbed while configuring a generic application through the Virtual IP page. The wizard does neither displays a warning if IPv6 IP is already plumbed elsewhere nor indicates whether it is reachable through a ping.

Workaround: Manually ensure that IPv6 is not plumbed elsewhere on the network before configuring the generic application through the wizard.

Software limitations

This section covers the software limitations of this release.

See the corresponding Release Notes for a complete list of software limitations related to that component or product.

See [“Documentation”](#) on page 73.

Limitations related to bundled agents

Programs using networked services may stop responding if the host is disconnected

Programs using networked services (for example, NIS, NFS, RPC, or a TCP socket connection to a remote host) can stop responding if the host is disconnected from the network. If such a program is used as an agent entry point, a network disconnect can cause the entry point to stop responding and possibly time out.

For example, if the host is configured to use NIS maps as a client, basic commands such as `ps -ef` can hang if there is network disconnect.

Symantec recommends creating users locally. To reflect local users, configure:

```
/etc/netsvc.conf
```

Volume agent clean may forcibly stop volume resources

When the attribute `FaultOnMonitorTimeouts` calls the Volume agent clean entry point after a monitor time-out, the `vxvol -f stop` command is also issued. This command forcibly stops all volumes, even if they are still mounted.

False concurrency violation when using PidFiles to monitor application resources

The PID files created by an application contain the PIDs for the processes that are monitored by Application agent. These files may continue to exist even after a node running the application crashes. On restarting the node, the operating system may assign the PIDs listed in the PID files to other processes running on the node.

Thus, if the Application agent monitors the resource using the `PidFiles` attribute only, the agent may discover the processes running and report a false concurrency violation. This could result in some processes being stopped that are not under VCS control.

Volumes in a disk group start automatically irrespective of the value of the StartVolumes attribute in VCS [2162929]

Volumes in a disk group are started automatically when the disk group is imported, irrespective of the value of the `StartVolumes` attribute in VCS. This behavior is observed if the value of the system-level attribute `autostartvolumes` in Veritas Volume Manager is set to `On`.

Workaround: If you do not want the volumes in a disk group to start automatically after the import of a disk group, set the `autostartvolumes` attribute to `Off` at the system level.

WPAR agent registered to IMF for Directory Online event

The Directory Online event monitors the WPAR root directory. If the parent directory of the WPAR root directory is deleted or moved to another location, AMF does not provide notification to the WPAR agent. In the next cycle of the WPAR monitor, it detects the change and reports the state of the resource as offline.

Application agent limitations

- ProPCV fails to prevent execution of script-based processes configured under `MonitorProcesses`.

Campus cluster fire drill does not work when DSM sites are used to mark site boundaries [3073907]

The campus cluster FireDrill agent currently uses the `SystemZones` attribute to identify site boundaries. Hence, campus cluster FireDrill is not supported in DSM enabled environment.

Workaround: Disable DSM and configure the `SystemZones` attribute on the application service group to perform the fire drill.

Live Partition Mobility (LPM) of management LPAR is not supported

Live Partition Mobility (LPM) of management LPAR is not supported.

Mount agent reports resource state as OFFLINE if the configured mount point does not exist [3435266]

If a configured mount point does not exist on a node, then the Mount agent reports the resource state as `OFFLINE` instead of `UNKNOWN` on that particular node. If an attempt is made for onlining the resource, it fails on that node as the mount point does not exist.

Workaround: Make sure that configured mount point exists on all nodes of the cluster or alternatively set the `CreateMntPt` attribute value of Mount agent to 1. This will ensure that if a mount point does not exist then it will create while onlining the resource.

Limitations related to VCS engine

Loads fail to consolidate and optimize when multiple groups fault [3074299]

When multiple groups fault and fail over at the same time, the loads are not consolidated and optimized to choose the target systems.

Workaround: No workaround.

Preferred fencing ignores the forecasted available capacity [3077242]

Preferred fencing in VCS does not consider the forecasted available capacity for fencing decision. The fencing decision is based on the system weight configured.

Workaround: No workaround.

Failover occurs within the SystemZone or site when BiggestAvailable policy is set [3083757]

Failover always occurs within the SytemZone or site when the BiggestAvailable failover policy is configured. The target system for failover is always selected based on the biggest available system within the SystemZone.

Workaround: No workaround.

Load for Priority groups is ignored in groups with BiggestAvailable and Priority in the same group[3074314]

When there are groups with both BiggestAvailable and Priority as the failover policy in the same cluster, the load for Priority groups are not considered.

Workaround: No workaround.

Symantec cluster configuration wizard limitations

Environment variable used to change log directory cannot redefine the log path of the wizard [3609791]

By default, the Symantec cluster configuration wizard writes the logs in `/var/VRTSvcs/log` directory. VCS provides a way to change the log directory through environment variable `VCS_LOG`, but this does not apply to the logs of VCS wizards.

Workaround: No workaround.

Limitations related to IMF

- If a process is registered with IMF for offline monitoring, IMF may not detect the process being executed if the length of the process and related arguments exceed 70 characters. In case of ProPCV, IMF may not be able to prevent the process from coming online if the length of the process and related arguments exceeds 70 characters. This limitation affects Application agent and Process agent. Refer to the *Symantec Cluster Server Bundled Agents Reference Guide* for more information. [2768558]

Limitations related to the VCS database agents

DB2 RestartLimit value [1234959]

When multiple DB2 resources all start at the same time with no dependencies, they tend to interfere or race with each other. This is a known DB2 issue.

The default value for the DB2 agent RestartLimit is 3. This higher value spreads out the re-start of the DB2 resources (after a resource online failure), which lowers the chances of DB2 resources all starting simultaneously.

Pluggable database (PDB) online may timeout when started after container database (CDB) [3549506]

PDB may take long time to start when it is started for the first time after starting CDB. As a result, the PDB online initiated using VCS may cause ONLINE timeout and the PDB online process may get cancelled.

Workaround: Increase the OnlineTimeout attribute value of the Oracle type resource.

Systems in a cluster must have same system locale setting

VCS does not support clustering of systems with different system locales. All systems in a cluster must be set to the same locale.

Limitations with DiskGroupSnap agent [1919329]

The DiskGroupSnap agent has the following limitations:

- The DiskGroupSnap agent does not support layered volumes.
- If you use the Bronze configuration for the DiskGroupSnap resource, you could end up with inconsistent data at the secondary site in the following cases:
 - After the fire drill service group is brought online, a disaster occurs at the primary site during the fire drill.

- After the fire drill service group is taken offline, a disaster occurs at the primary while the disks at the secondary are resynchronizing.

Symantec recommends that you use the Gold configuration for the DiskGroupSnap resource.

Virtualizing shared storage using VIO servers and client partitions

In an Advanced POWER™ Virtualization (APV) environment, AIX uses the VIO Server to monitor and manage the I/O paths for the virtualized client partitions. At a very high level, the VIO server provides a partition's access to storage that is external to the physical computer. The VIO server encapsulates the physical hardware into virtual adapters called virtual SCSI adapters (server adapter). On the client side, you can create virtual adapters (client adapters) that map to the server adapter and enable a partition to connect to external storage.

The VIO server provides similar mechanisms to share limited networking resources across partitions. Refer to the manual that came with your system to help set up partitions, and to configure and use the various components such as VIO server and HMC, which are integral parts of IBM's APV environment.

The minimum patch level for using VIO servers with VCS is: version 2.1.3.10-FP-23 and later.

Supported storage

Refer to the IBM data sheet:

<http://www14.software.ibm.com/webapp/set2/sas/f/vios/home.html>

Disk Restrictions

When using VCS in combination with VIO servers and their client partitions, you need to ensure that no reservations are placed on the shared storage. This enables client partitions on different systems to access and use the same shared storage.

- If the shared storage is under MPIO control, set the `reserve_policy` attribute of the disk to `no_reserve`.
- If the shared storage is not under MPIO control, look up the array documentation to locate a similar attribute to set on the disk.

Internal testing on EMC disks shows that this field maps as the `reserve_lock` attribute for EMC disks. In this case, setting it to `no` achieves the same result.

Accessing the same LUNs from Client Partitions on different Central Electronics Complex (CEC) modules

This section briefly outlines how to set shared storage so that it is visible from client partitions on different CEC modules.

With the VIO server and client partitions set up and ready, make sure that you have installed the right level of operating system on the client partitions, and that you have mapped the physical adapters to the client partitions to provide access to the external shared storage.

To create a shareable diskgroup, you need to ensure that the different partitions use the same set of disks. A good way to make sure that the disks (that are seen from multiple partitions) are the same is to use the disks serial numbers, which are unique.

Run the following commands on the VIO server (in non-root mode), unless otherwise noted.

Get the serial number of the disk of interest:

```
$ lsdev -dev hdisk20 -vpd
hdisk20
U787A.001.DNZ06TT-P1-C6-T1-W500507630308037C-
L401 0401A00000000 IBM FC 2107

Manufacturer.....IBM
Machine Type and Model.....2107900
Serial Number.....7548111101A
EC Level.....131
Device Specific.(z0).....10
Device Specific.(z1).....0100
...
```

Make sure the other VIO server returns the same serial number. This ensures that you are viewing the same actual physical disk.

List the virtual SCSI adapters.

```
$ lsdev -virtual | grep vhost
vhost0 Available Virtual SCSI Server Adapter
vhost1 Available Virtual SCSI Server Adapter
```

Note: Usually vhost0 is the adapter for the internal disks. vhost1 in the example above maps the SCSI adapter to the external shared storage.

Prior to mapping `hdisk20` (in the example) to a SCSI adapter, change the reservation policy on the disk.

```
$ chdev -dev hdisk20 -attr reserve_policy=no_reserve
hdisk20 changed
```

For `hdisk20` (in the example) to be available to client partitions, map it to a suitable virtual SCSI adapter.

If you now print the reserve policy on `hdisk20` the output resembles:

```
$ lsdev -dev hdisk20 attr reserve_policy
value
no_reserve
```

Next create a virtual device to map `hdisk20` to `vhost1`.

```
$ mkvdev -vdev hdisk20 -vadapter vhost1 -dev mp1_hdisk5
mp1_hdisk5 Available
```

Finally on the client partition run the `cfgmgr` command to make this disk visible via the client SCSI adapter.

You can use this disk (`hdisk20` physical, and known as `mp1_hdisk5` on the client partitions) to create a diskgroup, a shared volume, and eventually a shared file system.

Perform regular VCS operations on the clients vis-a-vis service groups, resources, resource attributes, etc.

Cluster Manager (Java console) limitations

This section covers the software limitations for Cluster Manager (Java Console).

Cluster Manager (Java Console) version 5.1 and lower cannot manage VCS 6.0 secure clusters

Cluster Manager (Java Console) from versions lower than VCS 5.1 cannot be used to manage VCS 6.0 secure clusters. Symantec recommends using the latest version of Cluster Manager.

See the *Symantec Cluster Server Installation Guide* for instructions on upgrading Cluster Manager.

Cluster Manager does not work if the hosts file contains IPv6 entries

VCS Cluster Manager fails to connect to the VCS engine if the `/etc/hosts` file contains IPv6 entries.

Workaround: Remove IPv6 entries from the `/etc/hosts` file.

VCS Simulator does not support I/O fencing

When running the Simulator, be sure the `UseFence` attribute is set to the default, "None".

Limited support from Cluster Manager (Java console)

Features introduced in VCS 6.0 may not work as expected with Java console. However, CLI option of the simulator supports all the VCS 6.0 features. You are recommended to use Veritas Operations Manager (VOM) since all new features are already supported in VOM. However, Java console may continue to work as expected with features of releases prior to VCS 6.0.

Port change required to connect to secure cluster [2615068]

In order to connect to secure cluster, the default port must be changed from 2821 to 14149. You must choose **Advanced settings** in the **Login** dialog box and change **IP: 2821** to **IP: 14149** for secure cluster login.

The operating system does not distinguish between IPv4 and IPv6 packet counts

In a dual-stack configuration, when you use packet counts and the IPv6 network is disabled, the NIC agent might not detect a faulted NIC. It might not detect a fault because while the IPv6 network is down its packet count still increases. The packet count increases because the operating system does not distinguish between the packet counts for IPv4 and IPv6 networks. The agent then concludes that the NIC is up. If you are using the same NIC device for IPv4 as well as IPv6 resources, set `PingOptimize` to 0 and specify a value for the `NetworkHosts` attribute for either the IPv6 or the IPv4 NIC resource. [1061253]

A service group that runs inside of a WPAR may not fail over when its network connection is lost

For a WPAR configuration when the WPAR root is on NFS, the WPAR service group may not fail over if the NFS connection is lost. This issue is due to an AIX operating system limitation. [1637430]

Limitations related to LLT

This section covers LLT-related software limitations.

LLT over IPv6 UDP cannot detect other nodes while VCS tries to form a cluster (1907223)

LLT over IPv6 requires link-local scope multicast to discover other nodes when VCS tries to form a cluster. If multicast networking is undesirable, or unavailable in your environment, use the address of the peer nodes to eliminate the need for the multicast traffic.

Workaround: Add the `set-addr` entry for each local link into the `/etc/l1ttab` file. You add the entry to specify the address of the peer nodes that are available on the corresponding peer links. For example, you add the following lines into the `l1ttab` file to specify the `set-addr` entry for a node. In this example, the node's IPv6 address is `fe80::21a:64ff:fe92:1d70`.

```
set-addr 1 link1 fe80::21a:64ff:fe92:1d70
set-arp 0
```

LLT does not start automatically after system reboot (2058752)

After you reboot the systems, if you had not completed the terminal setting procedure, LLT does not start automatically and does not log any error messages. You can manually start LLT using the `/etc/init.d/llt.rc` command.

If you reinstall a system, when the system reboots a message appears on the system console to set the terminal setting if you have not already done so. LLT does not start until you complete the terminal setting procedure.

Workaround: To resolve the LLT startup issue

- 1 After you reboot the systems, open the system console using any available method, for example, from HMC.
- 2 On the console, go to the terminal setting menu, and set the terminal of your choice.
- 3 Select the **Task Completed** menu option.

Limitation of LLT support over UDP using alias IP [3622175]

When configuring the VCS cluster, if alias IP addresses are configured on the LLT links as the IP addresses for LLT over UDP, LLT may not work properly.

Workaround: Do not use alias IP addresses for LLT over UDP.

Limitations related to I/O fencing

This section covers I/O fencing-related software limitations.

Preferred fencing limitation when VxFEN activates RACER node re-election

The preferred fencing feature gives preference to more weighted or larger subclusters by delaying the smaller subcluster. This smaller subcluster delay is effective only if the initial RACER node in the larger subcluster is able to complete the race. If due to some reason the initial RACER node is not able to complete the race and the VxFEN driver activates the racer re-election algorithm, then the smaller subcluster delay is offset by the time taken for the racer re-election and the less weighted or smaller subcluster could win the race. This limitation though not desirable can be tolerated.

Limitation with RDAC driver and FASTT array for coordinator disks that use raw disks

For multi-pathing to connected storage, AIX uses the RDAC driver for FASTT arrays. Since it is an active/passive array, only the current active path is exposed to clients. The I/O fencing driver, vxfen, can use only a single active path and has no foreknowledge of the passive paths to the coordinator disks on an array. If the single active path fails, all nodes in the cluster lose access to the coordinator disks.

The loss of the path to the coordinator disks can potentially go unnoticed until a reboot, split brain, or any other reason that leads to a cluster membership change occurs. In any of these conditions, the cluster cannot form, and all nodes panic to prevent data corruption. No data loss occurs.

Workaround: Use DMP and specify paths to coordinator disks as DMP paths rather than raw disks to avoid this limitation.

Stopping systems in clusters with I/O fencing configured

The I/O fencing feature protects against data corruption resulting from a failed cluster interconnect, or “split brain.” See the *Symantec Cluster Server Administrator's Guide* for a description of the problems a failed interconnect can create and the protection I/O fencing provides.

In a cluster using SCSI-3 based fencing, I/O fencing implements data protection by placing the SCSI-3 PR keys on both the data disks and coordinator disks. In a cluster using CP server-based fencing, I/O fencing implements data protection by placing the SCSI-3 PR keys on data disks and similar registrations on CP server. The VCS administrator must be aware of several operational changes needed when working with clusters protected by I/O fencing. Specific shutdown procedures ensure keys are removed from coordination points and data disks to prevent possible difficulties with subsequent cluster startup.

Using the reboot command rather than the shutdown command bypasses shutdown scripts and can leave keys on the coordination points and data disks. Depending on the order of reboot and subsequent startup events, the cluster may warn of a possible split brain condition and fail to start up.

Workaround: Use the shutdown -r command on one node at a time and wait for each node to complete shutdown.

Uninstalling VRTSvxvm causes issues when VxFEN is configured in SCSI3 mode with dmp disk policy (2522069)

When VxFEN is configured in SCSI3 mode with dmp disk policy, the DMP nodes for the coordinator disks can be accessed during system shutdown or fencing arbitration. After uninstalling VRTSvxvm fileset, the DMP module will no longer be loaded in memory. On a system where VRTSvxvm fileset is uninstalled, if VxFEN attempts to access DMP devices during shutdown or fencing arbitration, the system panics.

Node may panic if HAD process is stopped by force and then node is shut down or restarted [3640007]

A node may panic if the HAD process running on it is stopped by force and then it is shut down or restarted. This limitation is observed when you perform the following steps on a cluster node:

- 1 Stop the HAD process with the `force` flag.

```
# hastop -local -force
```

or

```
# hastop -all -force
```

- 2 Restart or shut down the node.

The node panics because forcefully stopping VCS on the node leaves all the applications, file systems, CVM, and other process online on that node. If the same

node is restarted in this state, VCS triggers a fencing race to avoid data corruption. However, the restarted node loses the fencing race and panics.

Workaround: No workaround.

Limitations related to global clusters

- Cluster address for global cluster requires resolved virtual IP.
The virtual IP address must have a DNS entry if virtual IP is used for heartbeat agents.
- Total number of clusters in a global cluster configuration can not exceed four.
- Cluster may not be declared as faulted when Symm heartbeat agent is configured even when all hosts are down.
The Symm agent is used to monitor the link between two Symmetrix arrays. When all the hosts are down in a cluster but the Symm agent is able to see the replication link between the local and remote storage, it would report the heartbeat as ALIVE. Due to this, DR site does not declare the primary site as faulted.

Documentation

Product guides are available in the PDF format on the software media in the `/docs/product_name` directory. Additional documentation is available online.

Make sure that you are using the current version of documentation. The document version appears on page 2 of each guide. The publication date appears on the title page of each document. The latest product documentation is available on the Symantec website.

<http://sort.symantec.com/documents>

Documentation set

Each product in the Storage Foundation and High Availability Solutions product line includes release notes, an installation guide, and additional documents such as administration and agent guides. In most cases, you may also need to refer to the documentation for the product's components.

The SFHA Solutions documents describe functionality and solutions that apply across the product line. These documents are relevant whichever SFHA Solutions product you use.

Symantec Cluster Server documentation

Table 1-9 lists the documents for Symantec Cluster Server.

Table 1-9 Symantec Cluster Server documentation

Title	File name	Description
<i>Symantec Cluster Server Release Notes</i>	vcs_notes_62_aix.pdf	Provides release information such as system requirements, changes, fixed incidents, known issues, and limitations of the product.
<i>Symantec Cluster Server Installation Guide</i>	vcs_install_62_aix.pdf	Provides information required to install the product.
<i>Symantec Cluster Server Administrator's Guide</i>	vcs_admin_62_aix.pdf	Provides information required for administering the product.
<i>Symantec Cluster Server Bundled Agents Reference Guide</i>	vcs_bundled_agents_62_aix.pdf	Provides information about bundled agents, their resources and attributes, and more related information.
<i>Symantec Cluster Server Agent Developer's Guide</i> (This document is available online only.)	vcs_agent_dev_62_unix.pdf	Provides information about the various Symantec agents and procedures for developing custom agents.
<i>Symantec Cluster Server Agent for DB2 Installation and Configuration Guide</i>	vcs_db2_agent_62_aix.pdf	Provides notes for installing and configuring the DB2 agent.
<i>Symantec Cluster Server Agent for Oracle Installation and Configuration Guide</i>	vcs_oracle_agent_62_aix.pdf	Provides notes for installing and configuring the Oracle agent.
<i>Symantec Cluster Server Agent for Sybase Installation and Configuration Guide</i>	vcs_sybase_agent_62_aix.pdf	Provides notes for installing and configuring the Sybase agent.

Symantec Storage Foundation and High Availability Solutions products documentation

Table 1-10 lists the documentation for Symantec Storage Foundation and High Availability Solutions products.

Table 1-10 Symantec Storage Foundation and High Availability Solutions products documentation

Document title	File name	Description
<i>Symantec Storage Foundation and High Availability Solutions—What's new in this release</i> (This document is available online.)	sfhas_whats_new_62_unix.pdf	Provides information about the new features and enhancements in the release.
<i>Symantec Storage Foundation and High Availability Solutions Getting Started Guide</i>	getting_started.pdf	Provides a high-level overview of installing Symantec products using the script-based installer. The guide is useful for new users and returning users that want a quick refresher.
<i>Symantec Storage Foundation and High Availability Solutions Solutions Guide</i>	sfhas_solutions_62_aix.pdf	Provides information about how SFHA Solutions product components and features can be used individually and in concert to improve performance, resilience and ease of management for storage and applications.
<i>Symantec Storage Foundation and High Availability Solutions Virtualization Guide</i> (This document is available online.)	sfhas_virtualization_62_aix.pdf	Provides information about Symantec Storage Foundation and High Availability support for virtualization technologies. Review this entire document before you install virtualization software on systems running SFHA products.
<i>Symantec Storage Foundation and High Availability Solutions SmartIO for Solid State Drives Solutions Guide</i>	sfhas_smartio_solutions_62_aix.pdf	Provides information on using and administering SmartIO with SFHA solutions. Also includes troubleshooting and command reference sheet for SmartIO.
<i>Symantec Storage Foundation and High Availability Solutions Disaster Recovery Implementation Guide</i> (This document is available online.)	sfhas_dr_impl_62_aix.pdf	Provides information on configuring campus clusters, global clusters, and replicated data clusters (RDC) for disaster recovery failover using Storage Foundation and High Availability Solutions products.
<i>Symantec Storage Foundation and High Availability Solutions Troubleshooting Guide</i>	sfhas_tshoot_62_aix.pdf	Provides information on common issues that might be encountered when using Symantec Storage Foundation and High Availability Solutions and possible solutions for those issues.

Symantec ApplicationHA documentation

Table 1-11 lists the documentation for Symantec ApplicationHA.

Table 1-11 Symantec ApplicationHA documentation

Document title	File name	Description
<i>Symantec ApplicationHA Release Notes</i>	applicationha_notes_62_lpar_aix.pdf	Describes the new features and software and system requirements. This document also contains a list of limitations and issues known at the time of the release.
<i>Symantec ApplicationHA Installation Guide</i>	applicationha_install_62_lpar_aix.pdf	Describes the steps for installing and configuring Symantec ApplicationHA. Some of the most common troubleshooting steps are also documented in this guide.
<i>Symantec ApplicationHA User's Guide</i>	applicationha_users_62_lpar_aix.pdf	Provides information about configuring and managing Symantec ApplicationHA in Logical Partition (LPAR) virtualization environments. Some of the most common troubleshooting steps are also documented in the guide.
<i>Symantec ApplicationHA Agent for Oracle Configuration Guide</i>	applicationha_oracle_agent_62_lpar_aix.pdf	Describes how to configure application monitoring for Oracle.
<i>Symantec ApplicationHA Generic Agent Configuration Guide</i>	applicationha_gen_agent_62_lpar_aix.pdf	Describes how to configure application monitoring for a generic application.
<i>Symantec ApplicationHA Agent for DB2 Configuration Guide</i>	applicationha_db2_agent_62_lpar_aix.pdf	Describes how to configure application monitoring for DB2.
<i>Symantec ApplicationHA Agent for Apache HTTP Server Configuration Guide</i>	applicationha_apache_agent_62_lpar_aix.pdf	Describes how to configure application monitoring for Apache HTTP Server.

Veritas Operations Manager (VOM) is a management tool that you can use to manage Symantec Storage Foundation and High Availability Solutions products. If you use VOM, refer to the VOM product documentation at:

<https://sort.symantec.com/documents>

Manual pages

The manual pages for Symantec Storage Foundation and High Availability Solutions products are installed in the `/opt/VRTS/man` directory.

Set the `MANPATH` environment variable so the `man(1)` command can point to the Symantec Storage Foundation manual pages:

- For the Bourne or Korn shell (`sh` or `ksh`), enter the following commands:

```
MANPATH=$MANPATH:/opt/VRTS/man
export MANPATH
```

- For C shell (`csh` or `tcsh`), enter the following command:

```
setenv MANPATH ${MANPATH}:/opt/VRTS/man
```

See the `man(1)` manual page.

The latest manual pages are available online in HTML format on the Symantec website at:

<https://sort.symantec.com/documents>