

# NetBackup appliance initial configuration checklist

This checklist is intended to help you plan for the initial configuration of your appliance.

Use this checklist together with the initial configuration procedures in the *NetBackup Appliance Initial Configuration Guide*. That document also contains a copy of this checklist.

For a new appliance, use the following tables to record the initial configuration settings for this appliance. If this appliance is ever factory reset or re-imaged, the appliance must be configured again. The recorded settings in the checklist can save valuable time and help get the appliance back on line quickly.

When using the hard copy or printed version of this checklist, make sure to place the completed checklist in a secure location. You can also obtain a PDF version of the checklist to download and save to a location of your choice. To access the latest version of this checklist, see the following link:

[https://www.veritas.com/support/en\\_US/article.000100480](https://www.veritas.com/support/en_US/article.000100480)

## IPMI port configuration

IPMI port configuration is separate from the initial configuration. To use this port for remote access to the appliance, you must first configure it for connectivity to your network. Use the following table to record the required parameter settings.

**Table 1** IPMI port configuration

| Parameter          | Setting |
|--------------------|---------|
| IP Address         |         |
| Netmask            |         |
| Gateway IP Address |         |

## Appliance initial configuration

The following tables identify the fields that appear on the initial configuration pages in the NetBackup Appliance Web Console. Use these tables to record your settings.

**Table 2** Network Configuration - Create Bond

| Field             | Setting |
|-------------------|---------|
| Network Interface |         |
| Bond Mode         |         |
| IP Address        |         |
| Subnet Mask       |         |

**Table 3** Network Configuration - Tag VLAN

| Field  | Setting |
|--|---------|
| Select Interface                               |         |
| Description (for Select Interface field above) |         |
| VLAN Id  |         |
| IP Address (IPv4 or IPv6)                      |         |
| Subnet Mask                                    |         |

**Table 4** Network Configuration - Add Static Route

| Field                   | Setting |
|-------------------------|---------|
| Destination IP          |         |
| Destination Subnet Mask |         |
| Gateway                 |         |
| Network Interface       |         |

**Table 5** Host Configuration

| Field     | Setting |
|-----------|---------|
| Host Name |         |

**Table 5** Host Configuration (*continued*)

| Field  | Setting   |
|--|---|
| Domain Name System (DNS)   | DNS:  |
| <ul style="list-style-type: none"> <li>■ Domain Name Suffix</li> <li>■ DNS IP Address</li> <li>■ Search Domain(s)</li> </ul>   | <ul style="list-style-type: none"> <li>■ _____</li> <li>■ _____</li> <li>■ _____</li> </ul> |
| Host Name Resolution (no DNS)  | No DNS:   |
| <ul style="list-style-type: none"> <li>■ IP address</li> <li>■ Fully qualified host name</li> <li>■ Short host name</li> </ul> | <ul style="list-style-type: none"> <li>■ _____</li> <li>■ _____</li> <li>■ _____</li> </ul> |

**Table 6** Password change

| Field                      | Setting |
|----------------------------|---------|
| Old admin password         |         |
| New admin password         |         |
| Confirm new admin password |         |

**Table 7** Date and time configuration

| Field         | Setting |
|---------------|---------|
| Time zone     |         |
| NTP Server IP |         |
| Date and Time |         |

**Table 8** Alerting Configuration

| Field  | Setting |
|--|---------|
| Notification Interval (in 15-minute intervals)                     |         |
| Enable SNMP Alert  |         |
| SNMP server (required only if you check <b>Enable SNMP Alert</b> ) |         |
| SNMP port  |         |
| SNMP community   |         |

**Table 8** Alerting Configuration (*continued*)

| Field                                | Setting |
|--------------------------------------|---------|
| SMTP server                          |         |
| Software administrator email address |         |
| Hardware administrator email address |         |
| Sender email address                 |         |
| SMTP account                         |         |
| Password                             |         |

**Table 9** Call Home Configuration

| Field   | Setting |
|---|---------|
| Enable Call Home  |         |
| Enable proxy server   |         |
| Enable proxy tunneling  |         |
| Proxy server (required only if you check <b>Enable proxy server</b> ) |         |
| Proxy port (required only if you check <b>Enable proxy server</b> )   |         |
| Proxy user name   |         |
| Proxy password  |         |

**Table 10** Registration

| Field              | Setting |
|--------------------|---------|
| Appliance Name     |         |
| Company Name       |         |
| Street             |         |
| City               |         |
| State or Province  |         |
| ZIP or Postal Code |         |

**Table 10** Registration (*continued*)

| Field          | Setting |
|----------------|---------|
| Country        |         |
| Contact Name   |         |
| Contact Number |         |
| Contact Email  |         |

**Table 11** Role Configuration

| Field   | Setting |
|---|---------|
| Master or Media   |         |
| Master server name (required only if you check <b>Media</b> ) |         |

**Table 12** AdvancedDisk storage configuration

| Field             | Setting |
|-------------------|---------|
| Storage Unit name |         |
| Disk Pool Name    |         |
| Size              |         |

**Table 13** Deduplication (MSDP) Disk Configuration

| Field             | Setting |
|-------------------|---------|
| Storage Unit name |         |
| Disk Pool Name    |         |
| Size              |         |