

Symantec™ Desktop and Laptop Option 8.0 SP4

README



The software described in this document is furnished under a license agreement and may be used only in accordance with the terms of the agreement.

Documentation version for Symantec DLO 8.0 SP4

Legal Notice

Copyright © 2016 Symantec Corporation. All rights reserved.

Symantec, the Symantec Logo, and NetBackup are trademarks or registered trademarks of Symantec Corporation or its affiliates in the U.S. and other countries. Other names may be trademarks of their respective owners.

This Symantec product may contain third party software for which Symantec is required to provide attribution to the third party ("Third Party Programs"). Some of the Third Party Programs are available under open source or free software licenses. The License Agreement accompanying the Software does not alter any rights or obligations you may have under those open source or free software licenses. Please see the Third Party Legal Notice Appendix to this Documentation or TPIP ReadMe File accompanying this Symantec product for more information on the Third Party Programs.

The product described in this document is distributed under licenses restricting its use, copying, distribution, and decompilation/reverse engineering. No part of this document may be reproduced in any form by any means without prior written authorization of Symantec Corporation and its licensors, if any.

THE DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID. SYMANTEC CORPORATION SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH THE FURNISHING, PERFORMANCE, OR USE OF THIS DOCUMENTATION. THE INFORMATION CONTAINED IN THIS DOCUMENTATION IS SUBJECT TO CHANGE WITHOUT NOTICE.

The Licensed Software and Documentation are deemed to be commercial computer software as defined in FAR 12.212 and subject to restricted rights as defined in FAR Section 52.227-19 "Commercial Computer Software - Restricted Rights" and DFARS 227.7202, "Rights in Commercial Computer Software or Commercial Computer Software Documentation", as applicable, and any successor regulations. Any use, modification, reproduction release, performance, display or disclosure of the Licensed Software and Documentation by the U.S. Government shall be solely in accordance with the terms of this Agreement.

Symantec Corporation

350 Ellis Street

Mountain View, CA 94043

<http://www.symantec.com>

Technical Support

Symantec Technical Support maintains support centers globally. Technical Support's primary role is to respond to specific queries about product features and functionality. The Technical Support group also creates content for our online Knowledge Base. The Technical Support group works collaboratively with the other functional areas within Symantec to answer your questions in a timely fashion. For example, the Technical Support group works with Product Engineering and Symantec Security Response to provide alerting services and virus definition updates.

Symantec's maintenance offerings include the following:

- A range of support options that give you the flexibility to select the right amount of service for any size organization
- Telephone and Web-based support that provides rapid response and up-to-the-minute information
- Upgrade assurance that delivers automatic software upgrade protection
- Global support that is available 24 hours a day, 7 days a week
- Advanced features, including Account Management Services

For information about Symantec's Maintenance Programs, you can visit our Web site at the following URL: www.symantec.com/support/

Contacting Technical Support

Customers with a current maintenance agreement may access Technical Support information at the following URL: <http://www.symantec.com/business/support/>

Before contacting Technical Support, make sure you have satisfied the system requirements that are listed in your product documentation. Also, you should be at the computer on which the problem occurred, in case it is necessary to replicate the problem.

When you contact Technical Support, please have the following information available:

- Product release level
- Hardware information
- Available memory, disk space, and NIC information
- Operating system
- Version and patch level
- Network topology
- Router, gateway, and IP address information
- Problem description
- Error messages and log files
- Troubleshooting that was performed before contacting Symantec
- Recent software configuration changes and network changes

Licensing and Registration

If your Symantec product requires registration or a license key, access our technical support web page at the following URL: <http://www.symantec.com/business/support/>

Customer Service

Customer service information is available at the following URL: www.symantec.com/support/

Customer Service is available to assist with the following types of issues:

- Questions regarding product licensing or serialization
- Product registration updates, such as address or name changes
- General product information (features, language availability, local dealers)
- Latest information about product updates and upgrades
- Information about upgrade assurance and maintenance contracts
- Information about the Symantec Buying Programs
- Advice about Symantec's technical support options
- Nontechnical presales questions
- Issues that are related to CD-ROMs or manuals

Maintenance Agreement Resources

If you want to contact Symantec regarding an existing maintenance agreement, please contact the maintenance agreement administration team for your region as follows:

Asia-Pacific and Japan	customercare_apac@symantec.com
Europe, Middle-East, and Africa	customercare_emean@symantec.com
North America and Latin America	supportsolutions@symantec.com

Additional Enterprise Services

Symantec offers a comprehensive set of services that allow you to maximize your investment in Symantec products and to develop your knowledge, expertise, and global insight, which enable you to manage your business risks proactively.

Enterprise services that are available include the following:

Symantec Early Warning Solutions	These solutions provide early warning of cyber attacks, comprehensive threat analysis, and countermeasures to prevent attacks before they occur.
Managed Security Services	These services remove the burden of managing and monitoring security devices and events, ensuring rapid response to real threats.
Consulting Services	Symantec Consulting Services provide on-site technical expertise from Symantec and its trusted partners. Symantec Consulting Services offer a variety of prepackaged and customizable options that include assessment, design, implementation, monitoring, and management capabilities. Each is focused on establishing and maintaining the integrity and availability of your IT resources.
Educational Services	Educational Services provide a full array of technical training, security education, security certification, and awareness communication programs.

To access more information about Enterprise services, please visit our Web site at the following URL:

www.symantec.com

Select your country or language from the site index.

Contents

Technical Support.....	3
Contacting Technical Support.....	3
Licensing and Registration	4
Customer Service	4
Maintenance Agreement Resources.....	4
Additional Enterprise Services.....	5
DLO 8.0 SP4 New Features	8
Language Support in DLO Administration Console	8
Enhanced Backup Status Report.....	8
Third Party Disk Encryption Support.....	8
Downloading Symantec DLO.....	8
Prerequisites for Installing Symantec DLO	8
User Account Privileges.....	9
Backup Status Report.....	9
Installing Symantec DLO.....	10
Upgrading to Symantec DLO 8.0 SP4	10
Installing Symantec DLO using Patch Installer	13
Installing the Desktop Agent on Mac	13
Upgrading the Desktop Agent on Mac.....	15
Known Issues	15
ET 3763796	15
ET 3387185	15
ET 3399304	15
ET 2896052	15
ET 3378168	16
ET 3537591	16
ET 3441283	16
ET 3550123	16
ET 3563867	16
ET 3565546	17
ET 3565801	17
ET 3740609	17
ET 3746675	17
ET 3859170	17
ET 3851038	17
ET 3891307	18
ET 3882129	18
Known Issues in Mac Agent.....	18

ET 3211658	18
ET 3211601	18
ET 3136529	18
ET 3546979	18
ET 3520357	18
Troubleshooting Tips	18
Error 1321	19
PST Backup with VSS	19
Change in Directory Structure in Windows Vista	19
Desktop Agent	20
Resolved Issues	20

DLO 8.0 SP4 New Features

This section provides a brief introduction about the new features included in this release. This release also focuses on the stability of the product.

Language Support in DLO Administration Console

DLO now provides an option to change the language of the User Interface of DLO Administration Console.

Enhanced Backup Status Report

The Backup Status report is enhanced to estimate time required for the pending backups to complete. For more information, see [Backup Status Report](#).

Third Party Disk Encryption Support

DLO extends support on Desktop Agent machines where the drives/disks are encrypted with third party encryption software available. DLO functionalities will remain intact.

Downloading Symantec DLO

To download Symantec DLO 8.0 SP4, perform the following:

1. Download the appropriate files into a temporary directory:

`Symantec_DLO_8.0_SP4_x64.zip`

`Symantec_DLO_8.0_SP4_x86.zip`

2. To extract the files, double-click the `.zip` file.

This helps to create a number of files that include `x64.README`, `x86.README` and `setup.exe`.

-OR-

1. Download the appropriate patch installer:

`Symantec_Desktop_and_Laptop_Option_32-bit_Patch.zip`

`Symantec_Desktop_and_Laptop_Option_64-bit_Patch.zip`

Prerequisites for Installing Symantec DLO

- The latest service pack should be installed to be able to install the DLO components.
- The DLO Database Service requires:
 - Minimum 5 GB hard disk space
 - WMI service should be running
 - .NET 4.0 or above full version should be installed

<http://www.microsoft.com/en-in/download/details.aspx?id=17718>

Note: On Windows 2012/ 2012 R2 Server, it is not mandatory to install .NET 4.0 since .NET 4.5 is installed by default.

User Account Privileges

The following table lists the user account privileges for various services:

Service	User Account Privilege	Description
Symantec DLO Administration Service	Domain user or domain administrator	This user should have local administrator privilege on DLO admin server machine, storage server and SQL Server.
Symantec DLO Maintenance Service	Local System account	This account has access to all local system resources.
Mindtree StoreSmart Dedupe Server Service	Domain user or domain administrator	This user should have local administrator privilege on the admin server machine. This account should be the same as DLO Administration Server service account.
SQL Server (SQL instance)	Domain user or domain administrator	This user should have local administrator privilege on DLO admin Server, SQL server machine and storage server.
SQL Server Browser	Domain user or domain administrator	This user should have local administrator privilege on the SQL server machine.
Symantec DLO Edge Server Service	Local System account	This account has access to all local system resources.
Symantec DLO Web Server Service	Domain user or domain administrator	This user should have local administrator privilege on the admin server machine. This account should be the same as DLO Administration Server service account.

Backup Status Report

This report provides information about the backup status and estimated amount of time required for the backups to complete.

The following table lists the backup status report column names and their description:

Column Name	Description
Time when Agent was Last Active	Displays the last time when the Desktop Agent was able to communicate to the server.
Time of Last Successful Backup	Displays the last time when the Desktop Agent backed up user's data completely.
Files in Backup Selections	Displays the total number of files in the current backup selections. This count does not include the excluded files.

Column Name	Description
Size of Backup Selections (GB)	Displays the total size of the data present in the source (Desktop Agent) backup selections. This size does not include the excluded files size.
Backup Completion	Displays the percentage of data that has been backed up. This calculation is based on source size and not on source files count.
Files Pending for Backup	Displays the total number of files which needs to be protected.
Estimated Time for Backup Completion (Hours: Minutes)	Displays the amount of time required for the remaining backups to complete. The estimates are based on the time taken for the backups in earlier attempts.
Average Time Available for Backup (Hours: Minutes per Day)	Displays the average time that the Desktop Agent is available for a backup in a day.

Note: 1. Backup Status report is applicable only to Desktop Agent running on Windows operating system.

2. For older versions of the Desktop Agents, the column values will be zero.

Installing Symantec DLO

The installation package is used to install a new DLO Administration Server and other required components of Symantec DLO 8.0 SP4. For instructions, refer to the Symantec Desktop and Laptop Option Administrator's Guide.

Upgrading to Symantec DLO 8.0 SP4

DLO supports upgrades from the following previous versions:

- Symantec DLO 8.0, 8.0 SP1, 8.0 SP2 and 8.0 SP3
- Symantec DLO 7.6 and 7.6 SP1
- Symantec DLO 7.5 and 7.5 SP1
- Symantec DLO 7.0
- BackupExec-DLO 2010 R3

For any existing customers with previous version of DLO, apart from the versions mentioned above, it will be a stepped upgrade support. That is, customers should first upgrade the existing version of DLO to Symantec DLO 7.0, and then upgrade to Symantec DLO 8.0 SP4.

Note: It is recommended to upgrade all the DLO components to DLO 8.0 SP4.

DLO 8.0 SP4 Installer

If you are upgrading from DLO 8.0, DLO 8.0 SP1, DLO 8.0 SP2, or DLO 8.0 SP3 to DLO 8.0 SP4, then you can upgrade through build installer or using patch installer.

The patch installer should be run with Administrative privileges.

Note: If you are upgrading from DLO 7.0, 7.5, 7.6 and the corresponding minor versions to DLO 8.0 SP4, then use only build installer and not patch installer.

For information on installing DLO using patch installer, refer [Installing Symantec DLO using Patch Installer](#).

Database Schema Upgrade

If you are upgrading from DLO 7.5 or 7.5 SP1, then before upgrading to DLO 8.0 SP4, it is mandatory to run the `DLODBUpgradeU.exe` utility to upgrade the Dedupe database.

In case you are upgrading from DLO 7.6 or 7.6 SP1, then it is not required to upgrade the Dedupe Database. You need not run the `DLODBUpgradeU.exe` utility and proceed with upgrade to DLO 8.0 SP4.

In case this utility is not executed, you cannot proceed with DLO upgrade.

You can use any of the following methods to perform the database schema upgrade:

Time Mode

- In this method, the downtime is less than half compared to the Space mode.
- Upgrade is twice faster compared to the Space mode.
- The disk space required during upgrade is twice compared to the Space mode, as the old data is preserved until upgrade is successfully completed.
- This is the default method for upgrade.

Space Mode

- There is a complete downtime during the DB schema upgrade.
- The disk space required during upgrade is half compared to the Time mode.
- During upgrade, if optimized disk space usage is desired, then select the Space mode.
- For SQL Express servers, Space mode is recommended.

The upgrade is performed in two stages:

Pre-install stage: To prepare the existing data in new schema format.

- In Time mode, there is no downtime during the pre-install stage. The backups performed during this stage are captured as delta backups.
- In Space mode there will be complete downtime during this stage.

Post-install stage: Executed after the pre-install stage.

- The delta backups identified (only in Time mode) during the pre-install stage is converted to new schema format.
- For both Time and Space mode, there will be complete downtime during this stage.

Failure handling

Time Mode: In case of any failures during pre-install stage, the administrator should run the tool again and the upgrade utility automatically takes corrective action.

In case of any failures during post-install stage, run this command: `DLODBUpgradeU.exe -Cleanup`

Space Mode: Manually complete these tasks in case of any failure during pre or post-install stages:

- Delete the database.
- Restore the database from backup path.

To upgrade the database schema:

Pre-requisite: It is mandatory to back up the database before upgrade. You can either manually take a backup or allow the `DLODBUpgradeU.exe` to back up the database.

1. Navigate to the **DBSchemaUpgrade** folder available within the DLO installer package.
2. Copy the **Upgrade_Scripts** folder, `DLODBUpgradeU.exe` (32-bit or 64-bit depending on the machine) file, and place them in the DLO install path on the computer where DLO Administration Server is installed.
3. Open the command prompt with administrator privileges.
4. Navigate to the DLO install path and run this command to upgrade the database:

```
DLODBUpgradeU.exe -upgrade <mode> [SQL Server Name]
[DLODBInstance] [DedupeDBInstance]
<mode> = TIME or SPACE
```

5. Continue with the upgrade process as explained in the next section.

Additional command-line options

```
DLODBUpgradeU.exe -Cleanup [SQL Server Name] [DedupeDBInstance]
```

This command (applicable only for Time mode) is used to revert the pre-install changes made by the previous upgrade command.

Use case: In case of any failures during post-install stage the `-Cleanup` command can be used.

```
DLODBUpgradeU.exe -Status [SQL Server Name] [DedupeDBInstance]
```

This command is used to obtain the status of the DB upgrade.

Use case: The administrator can run this command to know the status of DB upgrade.

```
DLODBUpgradeU.exe -SetMultiUser [SQL Server Name] [DedupeDBInstance]
```

This command is used to set the Dedupe DB access to multi-user mode.

Use case: The Dedupe DB access is changed to single user mode when `DLODBUpgradeU.exe` is executed.

If the upgrade is abruptly terminated in the post-install stage, then restart the SQL service and run this command to set the Dedupe DB access to multi user mode.

Note: Parameters enclosed in [] are optional. The utility automatically retrieves these parameters from the registry. If the registry is not available, the administrator is prompted to provide these parameters.

For default SQL instance, provide only the SQL Server name.

To upgrade from a previous version of DLO to Symantec DLO 8.0 SP4, follow these steps:

1. Run **setup.exe** to start the installation wizard.
2. Click **Next**.
3. Read the license agreement, and if you accept the terms, select **I accept the terms in the license agreement**.
4. Click **Next**.
5. As DLO 7.5 comes with Dedupe feature, a dialog appears, prompting you to install the Dedupe Administration Service. If required, select the check box and click **Next**.
6. As DLO 8.0 comes with new components, Edge Server and IO Server, a dialog appears, prompting you to install the **Symantec DLO Edge Server** and **Symantec DLO IO Server**. If required, select the check box and click **Next**.
7. Proceed with the installation.

Note: During the installation process, a dialog may appear indicating that the SQL services failed to start. Click **Ignore** to continue.

8. When the installation is completed, click **Finish**.

Installing Symantec DLO using Patch Installer

To install Symantec DLO using patch installer:

1. Copy patch installer package to your local machine.
2. Open the command prompt with administrator privileges.
3. Run the `DLOPatch32.msp` or `DLOPatch64.msp` utility depending on the server machine bitness.

Command: `msiexec /i {8D187A78-8C89-4F33-BA05-BAE3C958E65B} PATCH=" path of .msp file" /l*v "path of log file"`

where 8D187A78-8C89-4F33-BA05-BAE3C958E65B is Symantec DLO product code.

Example: `msiexec /i {8D187A78-8C89-4F33-BA05-BAE3C958E65B} PATCH=" C:\Patch_Installer\DLOPatch32.msp" /l*v "C:\Patch_Log\Install_Log.txt"`

4. Click **Update**.
5. When the installation is complete, click **Finish**.

Note: Once the patch installation is complete, restart all the machines where the DLO components are installed and then restart the machine where the DLO Administration service is installed.

Installing the Desktop Agent on Mac

Users with administrator rights can install the Desktop Agent. After the Desktop Agent is installed on a Mac desktop, anyone who logs on to that desktop can use the Desktop Agent. The logged on user will only have access to DLO backup files associated with the logged on account.

When the Mac Desktop Agent is installed on a computer that is not in a domain, and when you launch the Desktop Agent for the first time, you are prompted to enter the user name, password, and domain. Provide the domain user credentials.

Prerequisites

Complete the following tasks before installing the Desktop Agent on a Mac machine.

1. Install and configure DLO Administration Server on a Windows server machine.
2. The DLO administrator must ensure that the TCP/IP protocol is enabled for the DB instance, and the port number is set.
3. Irrespective of the firewall state in the DB server (ON or OFF), the administrator must enter the DB port in **SQL Server Configuration Manager > SQL Server Network Configuration > “Protocols for <Instance name>” > TCP/IP Protocol Settings > TCP Port**.
4. If the firewall is ON in the DB server, then this port should also be included in the firewall exception list.
5. Also, restart the DLO DB service after providing the DB port number.

Note: The default port to communicate with DB Server is 1433. To verify the communication to DB server, use Telnet. (Example, telnet <IP> <port>.)

To install the Desktop Agent on Mac:

1. From the desktop on which you want to install the Desktop Agent, go to the desktop menu options, select **Finder**.
2. Select **Go > Connect to Server**.
3. In the **Server Address** field, type the network address of DLO Server using one of the following formats.
 - a. **smb://IPAddress/**
 - b. **smb://DNSname/**
4. Click **Connect**.

Note: You can also type the server address along with the share name.
smb : // IPAddress / DLOMacAgent.

5. From the list of shared folders, open **DLOMacAgent** folder, copy the **setup.ini** and the installer package for Mac to your local machine.
6. Double-click the file **Symantec_DLO_Agent.pkg**.
7. On the Welcome screen, click **Continue**.
8. Read the license agreement, and click **Continue**.
9. Click **Agree**.
10. The default installation path for Mac is: **/Applications**. To install the Desktop Agent in an alternate location, click the **Change Install Location** button, and do one of the following:
 - a. Select **Install for all users** to install Desktop Agent in the default location, OR
 - b. Select **Install on a specific disk** to install in any other disk other than the default startup disk. This option is useful when you want to install the Desktop Agent on any additional hard disks or hard drive partitions that exist on the local Mac machine.
11. Click **Continue**.
12. Click **Install**.
13. Once the installation is completed, click **Close**.

For more information about launching and configuring the Agent on Mac, refer to the *Symantec Desktop and Laptop Administrator's Guide*.

Upgrading the Desktop Agent on Mac

To upgrade the Desktop Agent on Mac:

1. Copy **setup.ini** and the **installer package for Mac** from **DLOMacAgent** shared folder present in DLO 8.0 SP4 Server to your local machine.
2. Proceed with DLO 8.0 SP4 Mac Agent installation.

For more information on installing the Desktop Agent, refer [To install the Desktop Agent on Mac.](#)

Known Issues

This section describes the known issues in DLO 8.0 SP4. The issues are listed based on the ET number (software bug tracking number).

ET 3763796

Description: Any new Certificate push from the Server does not get updated for all the Desktop Agents working in BOI mode.

Workaround:

To resolve this issue, follow either of the steps mentioned below:

1. Manually download the Server Certificate from Web Restore page (EdgeServer.ini and ServerCert.pem files) and copy them in the Desktop Agent install location.
2. Desktop Agents need to come online (connected to LAN) for the settings to be updated automatically.

ET 3387185

Description: DLO Agent is going to disabled state when Desktop User Data Folder is on FAT32 drive.

Explanation: Dedupe initialization is failing in case Desktop user Data Folder is on FAT32 drive.

Workaround: Move Desktop User Data folder from FAT to NTFS drive.

ET 3399304

Description: If the network connection is lost when a backup job is in progress, and after some time the network connection is restored while the Desktop Agent is still in Backup Interruption Tolerance (BIT) mode, the following error message is displayed: *"24049 – Data written before network failure not found."*

Explanation: Dedupe verifies the data integrity of files after the network connection is restored in BIT mode. If data that was backed up before network failure is lost due to any network errors, then this message is displayed.

Workaround: Backup job will be triggered again and the job will be successful.

ET 2896052

Description: On a remote DB setup in an IPv6 environment, command-line operations on the Administration Server are failing.

Workaround: Run the `DLOCommandu.exe -C` by providing the host name of the remote database machine.

ET 3378168

Description: MAPI backups of PST files are failing with this error message: *"The backup PST file is corrupt. This file will be discarded and the original PST will be backed up again."*

Explanation: This error message can be ignored because PST backup will be retrigged again.

ET 3537591

Description: While upgrading DLO 7.5 SP1 in a staggered setup, if Dedupe Server is upgraded before upgrading the remaining DLO components, Mindtree Storesmart Dedupe Server service is in "stopped" state.

Workaround: It is recommended to upgrade the Administration Server first and then upgrade the remaining components in a staggered setup.

To resolve the above-mentioned issue, manually restart the Mindtree Storesmart Dedupe Server service.

ET 3441283

Description: The sub administrator has the permission to "Add/Modify Profiles" but is unable to import profiles using the `-IOProfile` command.

Explanation: Sub administrator will not be able to import profiles.

ET 3550123

Description: While upgrading from DLO 7.5\ 7.5 SP1 to DLO 8.0, Post-install stage might fail during Database Schema Upgrade with SPACE mode approach when the hash entries in the database is around 10 million.

Workaround: Increase the Batch size during upgrade and run the Upgrade command using the Batch size parameter as shown:

```
DLODBUpgradeU.exe -upgrade <mode> [SQL Server Name] [DLODBInstance]
[DedupeDBInstance] 10000000
```

<mode>=SPACE

Note: Here, 10000000 denotes Upgrade HashCount BatchSize.

ET 3563867

Description: Backups are failing and files are in Retry mode in Symantec DLO 7.6 Agent on a Windows XP 64-bit machine.

Workaround: To resolve this issue:

1. Download the XML parser from the Microsoft website:
<http://www.microsoft.com/en-in/download/details.aspx?id=3988>
2. Install the **msxml6_x64.msi** file and then launch the Desktop Agent.

ET 3565546

Description: Commandline upgrade/Upgrade user fails on XP/Vista machine with the error "An internal certificate chaining error has occurred".

Workaround: To resolve this issue:

1. Pull install the Desktop Agent by accessing the path \\<servername_or_IP>\DLOAgent

ET 3565801

Description: Desktop Agent is taking long time to backup large number of small files (1kb or less).

ET 3740609

Description: Desktop Agent upgrade from 7.0/7.5 to DLO 8.0 fails on Win 7/Vista/XP machines when upgraded using **Upgrade User** option in DLO Administration Console.

Workaround: To resolve this issue:

1. Push or pull install the Desktop Agent.
2. Download the **Update for Root Certificates for Windows XP/Vista** from the Microsoft website:
<http://www.microsoft.com/en-in/download/details.aspx?id=42092>
3. Install the **rootsupd.exe** on XP/Vista machines and then perform upgrade.

ET 3746675

Description: Support for Web Restore on IE9

Workaround: To resolve this issue:

1. Open the Internet Explorer browser.
2. Goto **Tools> Internet Options> Advanced**.
3. Under **Security** Settings, enable **Use SSL 3.0** and disable **Do not save encrypted pages to disk**.
4. Add the Web Restore URL to the **Trusted sites**.

ET 3859170

Description: Backup of configured PST files are failing on Desktop Agent machines installed with Microsoft Outlook 2016.

Workaround: To resolve this issue:

- Install Visual C++ Redistributable 2015 (64 bit).

ET 3851038

Description: When a configured Outlook PST file is placed in a bit locked drive and on unlocking the locked drive, Microsoft Outlook and the Desktop Agent stops responding.

Workaround: To resolve this issue:

- Exit and launch the Microsoft Outlook and DLO Desktop Agent.

ET 3891307

Description: When DLO Administration Console language is changed from Japanese to Chinese Traditional, the **Getting Started** view on the DLO Desktop Agent is completely blank without any text.

ET 3882129

Description: Edge Server configuration files are not getting updated with correct adapter settings when more than one network adapters are present on DLO Server machine.

Known Issues in Mac Agent

ET 3211658

Description: In the installer wizard, though the option "**Install for all the users**" is highlighted by default, the **Continue** button is greyed out.

Workaround: Double-click the "**Install for all the users**" option and proceed with the installation.

ET 3211601

Description: The LUDF (.dlo and .settings) folders are not purged uninstalling the Mac Agent.

Explanation: The user should purge the folders manually.

ET 3136529

Description: DLO Client help pages are being displayed behind the Agent user interface.

Explanation: This is a default behavior of Mac.

ET 3546979

Description: If NUDF is deleted, DLO Mac Agent goes offline and further backup and restore jobs do not happen.

Workaround: Delete the user from DLO Administration console and then launch the Mac Agent.

ET 3520357

Description: When the DLO Mac Agent is offline, Jobs present in the backup queue with 'Pending Network' status disappears from Agent Console at the next scheduled time.

Explanation: This is only an UI issue. Once the network is up, backup and restore of files work fine.

Troubleshooting Tips

The following section describes some issues that you may experience while using the application. A clarification or a tip is provided to resolve the issue.

Error 1321

DLO installer displays the following error message:
"Error 1321. The installer has insufficient privileges to modify the file
C:\ProgramFiles\Symantec\Symantec DLO\Data\DLO.mdf."

Description

This error occurs when you uninstall the DLO server and attempt to re-install it in the same location using a SQL Server 2005 database.

When you uninstall the DLO server, the database files (*DLO.mdf* and *DLO_log.ldf*) are not deleted. When you try to re-install the DLO server, the DLO installer uses the old database files instead of installing the new versions. To use these files, you must have full rights.

Generally, the administrator has full rights to use these files. However, the error may still occur.

Resolution

Make the following changes in each file:

1. Right-click on the file and select **Properties**.
2. On the **Security** tab, grant full rights to the Administrators group.

PST Backup with VSS

DLO Agent is unable to take a backup of PST files using VSS, even though the VSS feature is enabled for the user.

Resolution

Ensure that the Volume Shadow Copy service is enabled on the user's system.

If VSS service is enabled, then the PST file may reside on FAT32 drive. VSS-enabled backups are not supported on FAT32 file system.

Change in Directory Structure in Windows Vista

Versions of Backup Exec for Windows Servers that support Windows Vista and Windows Server 2008 do not cross the %SystemDrive%\Documents and Settings junction point to backup data that resides in the %SystemDrive%\Users folder.

Resolution

The default locations of user data have changed in Microsoft Windows Vista and Microsoft Windows Server 2008. To ensure backward compatibility with previous Windows platforms, these operating systems create special junctions. These junctions redirect access from one directory to another. For example, %SystemDrive%\Documents and Settings is now a junction that points to %SystemDrive%\Users. Additional information can be obtained at this location:

<http://www.symantec.com/docs/TECH51361>

Desktop Agent

Empty folders will not be backed up even though a job is started on the DLO Agent UI.

Resolved Issues

ET Number	Description
3889418	DLO Log Gather tool is not initiating DLO Diagnostic tool to generate and collect the diagnostic report and logs.
3873461	Folders and subfolders level path check should be enhanced for Include/Exclude filter list.
3877259	In a Profile, when BOI is disabled, a pop up to enter BOI credentials is observed in Desktop Agent.
3878733	If Edge and IO Server components are not installed during DLO Installation wizard and on installing it later on the same machine, the installation fails.
3862640	If Desktop Agent is not upgraded after DLO Server is upgraded, then backups and restores fail.