

Veritas NetBackup™ Appliance Release Notes

Release 5.5.0.1

VERITAS™

Veritas NetBackup™ Appliance Release Notes

Last updated: 2025-02-14

Legal Notice

Copyright © 2025 Veritas Technologies LLC. All rights reserved.

Veritas, the Veritas Logo, and NetBackup are trademarks or registered trademarks of Veritas Technologies LLC or its affiliates in the U.S. and other countries. Other names may be trademarks of their respective owners.

This product may contain third-party software for which Veritas is required to provide attribution to the third party ("Third-party Programs"). Some of the Third-party Programs are available under open source or free software licenses. The License Agreement accompanying the Software does not alter any rights or obligations you may have under those open source or free software licenses. Refer to the Third-party Legal Notices document accompanying this Veritas product or available at:

<https://www.veritas.com/about/legal/license-agreements>

The product described in this document is distributed under licenses restricting its use, copying, distribution, and decompilation/reverse engineering. No part of this document may be reproduced in any form by any means without prior written authorization of Veritas Technologies LLC and its licensors, if any.

THE DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID. VERITAS TECHNOLOGIES LLC SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH THE FURNISHING, PERFORMANCE, OR USE OF THIS DOCUMENTATION. THE INFORMATION CONTAINED IN THIS DOCUMENTATION IS SUBJECT TO CHANGE WITHOUT NOTICE.

The Licensed Software and Documentation are deemed to be commercial computer software as defined in FAR 12.212 and subject to restricted rights as defined in FAR Section 52.227-19 "Commercial Computer Software - Restricted Rights" and DFARS 227.7202, et seq. "Commercial Computer Software and Commercial Computer Software Documentation," as applicable, and any successor regulations, whether delivered by Veritas as on premises or hosted services. Any use, modification, reproduction release, performance, display or disclosure of the Licensed Software and Documentation by the U.S. Government shall be solely in accordance with the terms of this Agreement.

Veritas Technologies LLC
2625 Augustine Drive
Santa Clara, CA 95054

<https://www.veritas.com>

Technical Support

Technical Support maintains support centers globally. All support services will be delivered in accordance with your support agreement and the then-current enterprise technical support policies. For information about our support offerings and how to contact Technical Support, visit our website:

<https://www.veritas.com/support>

You can manage your Veritas account information at the following URL:

<https://my.veritas.com>

If you have questions regarding an existing support agreement, please email the support agreement administration team for your region as follows:

Worldwide (except Japan)

CustomerCare@veritas.com

Japan

CustomerCare_Japan@veritas.com

Documentation

Make sure that you have the current version of the documentation. Each document displays the date of the last update on page 2. The latest documentation is available on the Veritas website:

https://www.veritas.com/content/support/en_US/dpp.Appliances.html

Documentation feedback

Your feedback is important to us. Suggest improvements or report errors or omissions to the documentation. Include the document title, document version, chapter title, and section title of the text on which you are reporting. Send feedback to:

APPL.docs@veritas.com

You can also see documentation information or ask a question on the Veritas community site:

<https://www.veritas.com/community/>

Veritas Services and Operations Readiness Tools (SORT)

Veritas Services and Operations Readiness Tools (SORT) is a website that provides information and tools to automate and simplify certain time-consuming administrative tasks. Depending on the product, SORT helps you prepare for installations and upgrades, identify risks in your datacenters, and improve operational efficiency. To see what services and tools SORT provides for your product, see the data sheet:

https://sort.veritas.com/data/support/SORT_Data_Sheet.pdf

Contents

Chapter 1	About NetBackup appliance 5.5.0.1	6
	About the NetBackup appliance 5.5.0.1	6
	About NetBackup Appliance third-party legal notices	7
Chapter 2	NetBackup appliance 5.5.0.1 features, enhancements, and changes	8
	About new features, enhancements, and changes	8
	New features, enhancements, and changes for NetBackup Appliance 5.5.0.1	8
Chapter 3	NetBackup Appliance Hardware features	11
	NetBackup 52xx hardware features	11
	NetBackup 53xx hardware features	13
	About the 5U84 storage shelves	15
	Comparison of the NetBackup Appliances hardware	16
	About NetBackup Appliance memory requirements	19
Chapter 4	NetBackup Appliance compatibility	21
	About NetBackup Appliance upgrades	21
Chapter 5	Operational notes	22
	About operational notes for NetBackup appliance 5.5.0.1	22
	New operational notes for NetBackup appliance 5.5.0.1	23
	Upgrade and rollback notes	23
	General NetBackup Appliance notes	23
	NetBackup Appliance user interface notes	26
	Installation and configuration notes	29
	High availability notes	30
	About NetBackup support utilities	31
	NetBackup Domain Network Analyzer (NBDNA)	31
	NetBackup Support Utility (NBSU)	33
	About other support resources	33
	About NetBackup appliance log files	33

Appendix A	Related documents	36
	About the NetBackup appliance documentation	36

About NetBackup appliance 5.5.0.1

This chapter includes the following topics:

- [About the NetBackup appliance 5.5.0.1](#)
- [About NetBackup Appliance third-party legal notices](#)

About the NetBackup appliance 5.5.0.1

The NetBackup Appliance Release Notes document is meant to act as a snapshot of information about a version of NetBackup Appliance at the time of its release. Old information and any information that no longer applies to this release is either removed from the release notes, and you can check old information in the previous NetBackup Appliance documentation set.

When an appliance is released, the latest version of NetBackup is used as a basis on which the appliance code is built. That ensures that all applicable features, enhancements, and fixes that were released within NetBackup are included in the latest release of the appliance.

This release incorporates fixes to several known issues that existed with the NetBackup Appliance software. Many of these issues pertain to the customer-specific issues that have been documented in the form of technical support cases. Many of the fixes that are incorporated into this release are available as individual engineering binaries and engineering bundles (EEBs). These EEBs were created to address specific customer issues with a previous version of the NetBackup Appliance software. The engineering binaries and bundles that are created and included can be found on the Veritas Services and Operations Readiness Tools (SORT).

NetBackup software version 10.5.0.1 is included with the NetBackup appliance 5.5.0.1 release. Information about the new features, enhancements, and fixes found in NetBackup 10.5.0.1 can be found in the *NetBackup 10.5.0.1 Release Notes* document on the Veritas Support website.

About NetBackup Appliance third-party legal notices

NetBackup Appliance products may contain third-party software for which Veritas is required to provide attribution. Some of the third-party programs are available under open source or free software licenses. The license agreement accompanying the software does not alter any rights or obligations you may have under those open source or free software licenses.

The proprietary notices and the licenses for these third-party programs are documented in the *NetBackup Appliance Third-party Legal Notices* document, which is available at the following website:

<https://www.veritas.com/about/legal/license-agreements>

NetBackup appliance 5.5.0.1 features, enhancements, and changes

This chapter includes the following topics:

- [About new features, enhancements, and changes](#)
- [New features, enhancements, and changes for NetBackup Appliance 5.5.0.1](#)

About new features, enhancements, and changes

In addition to new features, this release offers enhancements and improvements from previous NetBackup Appliance releases. Information about the new features, enhancements, and changes in this release of NetBackup Appliance can be found in the following sections of this chapter.

New features, enhancements, and changes for NetBackup Appliance 5.5.0.1

The following list describes the new features, enhancements, and changes in the NetBackup appliance 5.5.0.1 release:

- This release is the final software version that supports the NetBackup Appliance 5240 hardware platform.

- Starting with this release, the AMS user role is no longer supported and the associated commands have been removed from the appliance shell menu as follows:

```
Settings > Security > Authorization Grant AMS Groups
Settings > Security > Authorization Grant AMS Users
Settings > Security > Authorization Grant AMS SSO_Groups
Settings > Security > Authorization Grant AMS SSO_Users
Settings > Security > Authorization Revoke AMS Groups
Settings > Security > Authorization Revoke AMS Users
Settings > Security > Authorization Revoke AMS SSO_Groups
Settings > Security > Authorization Revoke AMS SSO_Users
```

Either before or after an upgrade to software version 5.5.0.1, you must unregister any existing associated agents as follows:

- Before an upgrade: Remove the existing associated agents from the Appliance Management Console. For more information, see the topic "Removing one or more agents from the Appliance Management Console" in the *Veritas Appliance Management Guide*.
- After an upgrade: Unregister each associated agent with the following appliance shell menu command:

```
Main > Appliance > Management > Agent Unregister
```

- Starting with this release, the OpenStorage plugin is no longer supported and the following `Main > Manage > OpenStorage` commands have been removed from the appliance shell menu:

```
Main > Manage > OpenStorage > Install
Main > Manage > OpenStorage > List
Main > Manage > OpenStorage > Readme
Main > Manage > OpenStorage > Share
Main > Manage > OpenStorage > Uninstall
```

- Multifactor authentication support for Log Transfer Console
Starting with this release, the Log Transfer Console supports multifactor authentication. If multifactor authentication is configured on the appliance, a **Use multifactor authentication** checkbox appears with a check mark and requires an additional 6-digit code for login. If multifactor authentication is not configured, there is no check mark and the 6-digit code is not required.
- Support for NetBackup Predictive Cache (P-cache)
Starting with this release, the NetBackup Predictive Cache (P-cache) functionality is available with the NetBackup Appliance. For new 5.5.0.1 appliance deployments, the feature is enabled by default. When you upgrade to version

5.5.0.1, the feature is disabled by default and you must enable it manually. For complete configuration details, see the [NetBackup Deduplication Guide](#) and refer to the section title "About MSDP capacity support and hardware requirements".

- Starting with this release, the ability to upgrade from factory mode to version 5.5.0.1 and later has been removed.
- The Emulex HBA driver has been removed from the ISO.
- Communications with the AutoSupport server now support TLS anonymous authentication version 1.3

NetBackup Appliance Hardware features

This chapter includes the following topics:

- [NetBackup 52xx hardware features](#)
- [NetBackup 53xx hardware features](#)
- [Comparison of the NetBackup Appliances hardware](#)

NetBackup 52xx hardware features

NetBackup 52xx hardware architectures use the same software so you can configure them in any of the following modes:

- Appliance primary server
- Appliance primary and media server
- Appliance media server only

For the latest NetBackup Appliance compatibility information, refer to the *Appliance Compatibility List* posted on the following site:

<https://sort.veritas.com/acl>

All 52xx appliance architectures support the following features and functions, unless specifically noted:

- 5240 - Dual processor, eight core processors, Intel-based systems.
- 5250 - Dual processor, eight core processors, Intel-based systems.
- Each has a number of hot swap external drives.
- Fibre Channel connectivity that supports external tape drives.

- The base configuration supports a Gigabit Ethernet network.
- High-performance hardware RAID controller.
- Each uses NetBackup as their code base.
- RHEL operating system (provided by Veritas).
- Each can run the latest version of NetBackup Appliance software.
- Each supports Media Server Deduplication Pool (MSDP) storage when configured as a media server. MSDP offers up to the maximum available storage capacity on a 52xx appliance.

The NetBackup 5240 Appliance contains eight internal storage disk drives with a total formatted storage capacity of 4 TB to 27 TB, depending on the configuration.

The NetBackup 5250 Appliance contains eight internal storage disk drives with a total formatted storage capacity of 9.1 TB to 36.4 TB, depending on the configuration.

The NetBackup 52xx Appliances can be used with attached Veritas Storage Shelves for additional storage.

The following shows the available, formatted storage capacity of the NetBackup 5250 Appliance, with or without attached storage shelves.

Table 3-1 Usable storage capacities - NetBackup 5250 Appliance and Veritas 2U12 65.5TiB/72TB Storage Shelves

Appliance only	Storage shelf capacity	Appliance and one storage shelf	Appliance and two storage shelves	Appliance and three storage shelves	Appliance and four storage shelves	Appliance and five storage shelves	Appliance and six storage shelves
10TB (9.1TiB)	72TB (65.5TiB)	82TB (74.6TiB)	154TB (140.1TiB)	226TB (205.6TiB)	298TB (271.1TiB)	370TB (336.6TiB)	442TB (402.1TiB)
40TB (36.4TiB)	72TB (65.5TiB)	112TB (101.9TiB)	184TB (167.4TiB)	256TB (232.9TiB)	328TB (292.4TiB)	400TB (363.9TiB)	472TB (429.4TB)

Refer to the *NetBackup 5250 Appliance Product Description* for additional details about storage capacity.

Table 3-2 shows the available, formatted storage capacity of the NetBackup 5240 Appliance, with or without attached storage shelves. The NetBackup 5240 Appliance, Release 3.1, now supports six 2U12 storage shelves.

Table 3-2 NetBackup 5240 Appliance version 5.5.0.1 available storage capacity options

Appliance only	Storage shelf	Appliance and one storage shelf	Appliance and two storage shelves	Appliance and three storage shelves	Appliance and four storage shelves	Appliance and five storage shelves	Appliance and six storage shelves
4TB	49TB	53TB	102TB	151TB	200TB	249TB	298TB
14TB	49TB	63TB	112TB	161TB	210TB	259TB	308TB
27TB	49TB	76TB	125TB	174TB	174TB	272TB	321TB

Refer to the *NetBackup 5240 Appliance Product Description* for additional details about storage capacity.

For more information about the hardware architecture of NetBackup Appliances, see the *NetBackup Appliance and Veritas Storage Shelf Product Description* document.

NetBackup 53xx hardware features

The 53xx appliances can only be configured as a media server.

The NetBackup 53xx appliances offer the following features:

- **Memory**
 The 5340 has 768 GB of RAM that runs at 2666 MHz.
 The 5350 has 768 GB of RAM that runs at 2666 MHz.
- **Speed**
 The 5340 has Base 2.0GHz and a Peak of 3.7GHz 20-core processors.
 The 5350 has Base 2.0GHz and a Peak of 3.7GHz 20-core processors.
- **Operating voltage**
 The 5340 operates at 1.2V.
 The 5350 operates at 1.2V.
- **A resilient storage architecture**
 The redundant components of the NetBackup 53xx Appliances allow the appliance to remain productive, even when a hardware component fails. This feature minimizes the effect of a hardware failure on your operations until the faulty part can be replaced.
- **Hot-swappable components**
 The 53xx external RAID controllers are hot-swappable so that a faulty controller can be replaced without interrupting your operations.

- Multiple redundant data paths
 The NetBackup 53xx have redundant data paths for all critical storage. These paths mean that it can withstand multiple component failures and still operate.

NetBackup 5340 and 5350 Appliance storage capacities

The 5340 and 5350 compute nodes do not contain internal disk space on which to store data. Instead, these models use the required Veritas 5U84 Primary Storage Shelf as the main data storage device. The 5U84 Primary Storage Shelf connects to the compute nodes and use RAID 6 drive sets to protect the stored data.

If additional data storage space is required, you can connect up to three optional Veritas 5U84 Expansion Storage Shelves to the existing 5U84 Primary Storage Shelf. The 5U84 Expansion Storage Shelves connect to the 5U84 Primary Storage Shelf using SAS3 data cables. After connecting the shelves, the disk drives in the 5U84 Expansion Storage Shelf use RAID 6 sets that are controlled by the 5U84 Primary Storage Shelf to protect the stored data.

Table 3-3 NetBackup 5340 and 5350 Appliance storage options by disk drive capacities

Usable storage capacities (4-TB Drives)	Usable storage capacities (8-TB Drives)
120TiB (132TB)	240TiB (264TB)
240TiB (264TB)	480TiB (528TB)
360TiB (396TB)	720TiB (792TB)
480TiB (528TB)	960TiB (1,056TB)
600TiB (660TB)	1200TiB (1,320TB)
720TiB (792TB)	1440TiB (1,583TB)
840TiB (924TB)	1680TiB (1,847TB)

Table 3-3 NetBackup 5340 and 5350 Appliance storage options by disk drive capacities (*continued*)

Usable storage capacities (4-TB Drives)	Usable storage capacities (8-TB Drives)
960TiB (1,056TB)	1920TiB (2,111TB)

For more information, see the *Veritas 5340 Appliance Product Description Guide* and the *Veritas 5350 Appliance Product Description Guide*.

For more information about the hardware architecture of NetBackup Appliances, see the *NetBackup Appliance and Veritas Storage Shelf Product Description* document.

About the 5U84 storage shelves

The NetBackup 5340 and the NetBackup 5350 compute nodes do not contain any internal storage. Both configurations rely on the use of external storage shelves as follows.

- 5U84 Primary Storage Shelf (required)
This shelf connects directly to the compute node and to any optional Expansion shelves.
- 5U84 Expansion Storage Shelf (optional, up to three shelves)
These shelves connect directly to the Primary shelf.

Features of the 5U84 storage shelves include:

- The storage shelves require a 220VAC at 20A with C19 and C20 connectors.
- A storage shelf without disk drives weighs up to 61.65kg (135.72lbs). The disk drives ship separately from the storage shelf. Install the disks after the shelf has been installed into the rack.
- From the inside of the front post to the inside of the rear post the rails measure 713mm to 884mm (28in to 34.8in). Be sure that your rack accommodates this distance. Allow extra space to accommodate power strips, power cords, and other cables.
- Half capacity storage shelves are available if desired. For details about available storage capacities, see the *NetBackup 5340 Appliance Product Description Guide* and the *NetBackup 5350 Appliance Product Description Guide*.

Comparison of the NetBackup Appliances hardware

Table 3-4 outlines the differences between the NetBackup appliance models.

Table 3-4 Comparison of NetBackup 5350, 5340, 5250, and 5240 appliances

Parameter	NetBackup 5350	NetBackup 5340	NetBackup 5250	NetBackup 5240
Role	Media server only	Media server only	Primary or media server	Primary or media server
Cores	52 (26 per processor)	40 (20 per processor)	24 (12 per processor)	V3 16 (8 per processor) V4 20 (10 per processor)
Cache	71.5 MB (35.75 MB per processor) Note: Two processors are installed in a compute node.	55 MB (27.5 MBs per CPU)	33 MB (16.5 MBs per CPU)	V3 40 MB (20 MBs per CPU) V4 50MB (25 MBs per CPU)
RAID cache	32 GB	32 GB	1 GB (4 GB included on the external PCIe RAID controller)	1 GB
CPU speed	2.1 GHz (Turbo: 4.00 GHz)	2.0 GHz	2.20 GHz	V3 2.4 GHz V4 2.2GHz
Turbo speed	3.7 GHz	3.7 GHz	3.2 GHz	V3 3.2 GHz V4 3.1GHz
QPI/UPI speed	10.4 GT/s	10.4 GT/s	9.6GT/s	8 GT/s

Table 3-4 Comparison of NetBackup 5350, 5340, 5250, and 5240 appliances (*continued*)

Parameter	NetBackup 5350	NetBackup 5340	NetBackup 5250	NetBackup 5240
System memory**	768 GB	768 GB	64 GB/256GB/512GB Note: When you purchase the first expansion storage shelf, the Storage Expansion Kit that comes with the storage shelf includes 256 GB of memory that replaces the existing 64GB. An additional 256GB memory kit is required when you add the fifth shelf.	64 GB Note: When you purchase the first storage shelf, the Storage Expansion that comes with the storage shelf includes an additional 64 GB of memory. After adding the first storage shelf and the memory, you can increase the appliance memory to 192 GB by purchasing an additional 64 GB memory kit. Note: A 256GB kit is also available that replaces the existing memory configuration (32 GB x 8).
Memory configuration ** (DIMMs, except where noted otherwise.)	Standard (RDIMMs): 64GB x 12 RDIMM (768 GB) Option: (RDIMMs) 64 GB x 24 (1536 GB)	Standard (RDIMMs): 32 GB x 24 (768 GB) Option: (RDIMMs) 64 GB x 24 (1536 GB)	8 x 8GB (64GB) 8 x 32GB (256GB) 16 x 32GB (512GB)	Standard: 8 GB x 8 (64 GB) Options: 8 GB x 16 (128 GB) 8 GB x 24 (192 GB) 32 GB x 8 (256 GB)

Table 3-4 Comparison of NetBackup 5350, 5340, 5250, and 5240 appliances (*continued*)

Parameter	NetBackup 5350	NetBackup 5340	NetBackup 5250	NetBackup 5240
Data retention	Supercapacitors and flash memory in each of the 2 RAID controllers	Supercapacitors and flash memory in each of the 2 RAID controllers	One MFBU with a flash memory card for the internal RAID controller One MFBU with a flash memory card for the external RAID controller when the first storage shelf is purchased	One MFBU with a flash memory card for the internal RAID controller One MFBU with a flash memory card for the external RAID controller when the first storage shelf is purchased
PCI add-in card slots	8	8	8	8
On-board 10 Gb Ethernet ports	0 (Four on-board 1 GbE ports)	0 (Four on-board 1 GbE ports)	2	2
10 Gb Ethernet cards in PCI assembly	Up to 5 cards (10 ports)	Up to 5 cards (10 ports)	Up to 3 cards (6 ports)	Up to 3 cards (6 ports)
Additional 1 Gb Ethernet cards in PCI assemblies	No	No	Up to 1 card (4 ports)	Up to 1 card (4 ports)
SAS RAID card in PCI assemblies	No	No	Mezzanine card: Yes PCIe RAID card: Yes	Yes (with the purchase of the first storage shelf)
Dual redundant external storage-based RAID controllers	Yes	Yes	No	No
External storage	1 required Primary Storage Shelf and up to 3 optional Expansion Shelves	1 required Primary Storage Shelf and up to 3 optional Expansion Shelves	Up to 6 Storage Shelves	Up to 6 Storage Shelves
Maximum storage capacity with external storage**	1920 TB	1920 TB	429.4 TiB	201 TB

Table 3-4 Comparison of NetBackup 5350, 5340, 5250, and 5240 appliances (*continued*)

Parameter	NetBackup 5350	NetBackup 5340	NetBackup 5250	NetBackup 5240
Typical power consumption with maximum external storage	5800 Watts (3.0 W per TB)	5800 Watts (3.0 W per TB)	1776 watts (3.76 watts per TB)	1140 Watts (5.6 W per TB)

About NetBackup Appliance memory requirements

Beginning with NetBackup Appliance software version 3.1, the security posture of MSDP has been improved by moving from MD5 to SHA-256 for the fingerprinting process. This change has increased the demand on memory consumption in large deduplication pool configurations.

The following describes the guidance for appliance memory footprint requirements that you should follow to ensure optimal performance with MSDP:

- **NetBackup 5240**

For all storage configurations with an MSDP pool of 150TB or larger, Veritas strongly recommends that you upgrade the memory capacity to a minimum of 192GB.

For all storage configurations with an MSDP pool of 250TB or larger, Veritas strongly recommends that you upgrade the memory capacity to a minimum of 256GB.

A 256GB memory upgrade kit is now available for purchase, which replaces all existing DIMM modules in the appliance. Contact your Veritas account representative for details.
- **NetBackup 5250**

For all storage configurations with an MSDP pool of 150TB or larger, Veritas strongly recommends that you upgrade the memory capacity to a minimum of 192GB.

For all storage configurations with an MSDP pool of 250TB or larger, Veritas strongly recommends that you upgrade the memory capacity to a minimum of 256GB.

For all storage configurations with an MSDP pool of 325TB or larger, Veritas strongly recommends that you upgrade the memory capacity to a minimum of 512GB.

A 256GB memory upgrade kit is also available for purchase for resource-intensive, high performance workload configurations. Contact your Veritas account representative for details.
- **NetBackup 5340**

For all storage configurations with an MSDP pool of 960TB or larger, Veritas strongly recommends upgrading the memory capacity to 1536GB.

- NetBackup 5350
For all storage configurations with an MSDP pool of 960TB or larger, Veritas strongly recommends upgrading the memory capacity to 1536GB.

Other factors can also contribute to additional memory utilization, including but not limited to the following:

- High concurrent job/stream count
- Larger MSDP fingerprint cache configurations
- Primary server scheduling responsibilities

NetBackup Appliance compatibility

This chapter includes the following topics:

- [About NetBackup Appliance upgrades](#)

About NetBackup Appliance upgrades

When a software update release is available, Veritas recommends that you install the update in a timely manner to ensure that you have the latest product features and fixes. Veritas also recommends that you install the latest firmware with the [Veritas Appliance firmware update tool](#) to avoid problems with or immediately after the upgrade.

When you upgrade appliance software, the update release may install an updated version of the operating system, NetBackup, and all appliance interfaces. All services are shut down automatically when the upgrade begins, and then restarted automatically after all updates have been applied.

Veritas recommends that you plan your appliance upgrades in advance to help minimize system down time and that you use the upgrade automation feature in System Health Insights. For details, see the "Appliance Update Management" chapter in the *System Health Insights User Guide*.

Operational notes

This chapter includes the following topics:

- [About operational notes for NetBackup appliance 5.5.0.1](#)
- [New operational notes for NetBackup appliance 5.5.0.1](#)
- [Upgrade and rollback notes](#)
- [General NetBackup Appliance notes](#)
- [NetBackup Appliance user interface notes](#)
- [Installation and configuration notes](#)
- [High availability notes](#)
- [About NetBackup support utilities](#)
- [About NetBackup appliance log files](#)

About operational notes for NetBackup appliance 5.5.0.1

This chapter contains the topics that explain important aspects of NetBackup Appliance 5.5.0.1 operations that may not be documented elsewhere in the documentation set. This document is posted on the Veritas Support website and may be updated after the GA release of NetBackup appliance 5.5.0.1. Therefore, Veritas recommends that you check this website periodically for documentation updates.

Because NetBackup Appliance 5.5.0.1 installs NetBackup 10.5.0.1 software, the operational notes that apply to NetBackup 10.5.0.1 also apply to NetBackup appliance 5.5.0.1. For more information on the operational notes for NetBackup, refer to the *NetBackup 10.5.0.1 Release Notes* on the Veritas Support website.

New operational notes for NetBackup appliance 5.5.0.1

This topic describes the known issues for this release. Some of the issues that appear here may also apply to previous releases because some issues may have been discovered after the previous release became available.

- After you upgrade to NetBackup appliance 5.5.0.1, some system kernel tunables may be reset to default levels, which may cause backup performance to be degraded. If you experience this issue, see the following article on the Veritas Support website:
https://www.veritas.com/support/en_US/article.100073321
- If you restart a NetBackup appliance primary server when a large number of LUNs are attached, users may not be able to sign in to the NetBackup web UI. If you experience this issue, see the following article on the Veritas Support website:
https://www.veritas.com/support/en_US/article.100073166
- After you upgrade to NetBackup appliance 5.5.0.1, if you use `VxLogView` against a module under the `Main > Support > Logs` command, it fails. For example:

```
Logs > VxLogView Module CallHome  
V-1-26 Configuration setting not found for given product/originator id.
```

If you need to view the unified log files, contact Technical Support for assistance. Ask your representative to reference article 100073323.

Upgrade and rollback notes

The following list contains the notes and the known issues that relate to upgrades and rollbacks:

- Intermittent test email notification after upgrade
After upgrading to versions 4.0 and later, the test email may not always succeed. To workaround this issue, delete all of the SMTP server configuration information and then re-enter all of the information.

General NetBackup Appliance notes

The following list contains the notes and the known issues that relate to the general workings of the NetBackup Appliance:

- The order in which the 52xx storage shelves are displayed on the NetBackup Appliance Web Console or the NetBackup Appliance Shell Menu may be different than the actual order and layout in your environment. The storage shelf order is displayed in the **Monitor > Hardware** tab on the left pane where the storage shelves are displayed as **NetBackup StorageShelf 1**, **NetBackup StorageShelf2**, etc. Similarly the order of the storage shelves is displayed on the NetBackup Appliance Shell Menu when you run the `Monitor > Hardware > ShowHealth` command.
- If the mainboard RAID controller is removed from a 52xx appliance, the NetBackup Appliance Web Console or the NetBackup Appliance Shell Menu may still display stale data when you click on the **Monitor > Hardware > Adapter** tab or run the `Monitor> Hardware ShowHealth Appliance Adapter` command.
- If the disks on the RAID 1 volume of the 5240 appliance are missing and you run the `Monitor > Hardware ShowHealth Appliance RAID` command, the location of the missing disks is displayed incorrectly as slot 0. The same behavior is observed in the NetBackup Appliance Web Console when you navigate to **Monitor > Hardware > RAID** for the 5240 appliance. This issue applies to 5240 appliances and is observed when the disks on the RAID 1 volume of the appliance are missing.
- If you connect a Veritas Storage Shelf to a NetBackup 52xx Appliance, an AutoSupport alert with UMI code V-475-100-1004 is generated for each storage disk when the storage shelf is turned on. The following message displays:
"You can either import the foreign configuration or clear the disk."
You can safely ignore these alerts.
If you connect the storage shelf during initial configuration, the alerts are all cleared when initial configuration is complete.
If you connect the storage shelf after initial configuration, the alerts are cleared when you run the storage scan as part of installation. In this case, the NetBackup Appliance Web Console and the NetBackup Appliance Shell Menu may show incorrect data for the storage shelf for approximately five minutes after installation is complete.
See the *NetBackup Appliance Hardware Installation Guides* for more information on installing a storage shelf.
- An appliance self-test fails if the login banner heading or a single line in the login banner message contains only the following text: `ERROR:.`
- Windows 7/8.1 clients cannot automatically access the appliance CIFS shares. To work around this issue, run the following command from a Windows command prompt on the client:
`net use /user:admin \\appliance-name *`, where *appliance-name* is the fully qualified domain name (FQDN) of the appliance.

Enter your appliance administrator password at the prompt.

Once you have run this command, the client is able to access the CIFS shares.

- For this release of NetBackup Appliance, Replication Director (RD) restores do not support dynamic multi-pathing (DMP) when the appliance is used as a backup or a recovery host.
- During a factory reset, when the following message appear:

```
RESET STORAGE CONFIGURATION and BACKUP DATA [Optional]
```

If you select `no`, it indicates that you keep the storage related configurations. After the factory reset, when you perform the initial configuration, make sure that the size of the Advanced Disk and MSDP are not set to `0`, otherwise the role configuration fails.

Note: If the size of AdvancedDisk and MSDP partitions were set to `0` before the factory reset, they can remain at `0` when you perform the initial configuration.

- If you want to configure 16Gb Fibre Chanel cards on the appliance with software version 3.1.2 or later, do not directly connect two 16Gb Fibre Channel cards. Direct connection between two 16Gb Fibre Channel cards makes the HBA link down on the target port. To avoid this issue, always build an HBA link between two 16Gb Fibre Channel HBA cards through a switch.
- After you replace 8Gb FC cards with 16Gb FC cards on an appliance that is updated to software version 3.1.2 or later, the "Fibre Transport Deduplication state" may not show correctly when you run the command `Manage > FibreChannel > Show` in the NetBackup Appliance Shell Menu. To restart the infrastructure services and refresh the "Fibre Transport Deduplication state", run the following:

```
Support > InfraServices Stop  
Support > InfraServices Start  
Manage > FibreChannel > Show
```
- If your appliance has shares configured and you roll back to a user created checkpoint, some tuning parameters for the share may be lost after the rollback has completed. This issue can affect appliance performance once you start using the share again. To resolve this issue, contact Veritas Support and refer them to article 100047636.
- Appliance reboot during backups causes SAN client, Fibre Transport, tape device issues
If you reboot an appliance media server appliance while backup jobs are in progress, the following problems may result after the reboot has completed:

- SAN client backups fail.
- Backup jobs through Fibre Transport (FT) fail.
- Remote tape devices become unusable.

To resolve these issues, do one of the following:

- Log in to the NetBackup Java console, navigate to **Media and Device Management > Devices > SAN Clients**, then choose each SAN client that is affected and trigger a Fibre Channel (FC) rescan.
- Log in to the appliance media server as a NetBackup CLI user and run the following command

```
/usr/opensv/netbackup/bin/admincmd/nbftconfig -rescanallclients
```

NetBackup Appliance user interface notes

The following list contains the notes and the known issues that relate to the NetBackup Appliance Web Console and the NetBackup Appliance Shell Menu:


- If you see a hardware error on the home page of the NetBackup Appliance Web Console, but the **Monitor > Hardware** page does not show the error, check the NetBackup Appliance Shell Menu to see the current status. The **Monitor > Hardware** page may not have some information that is available in the shell menu.
- When you install a NetBackup client add-on package on the appliance, the **Version after upgrade** that displays on the NetBackup Appliance Web Console is incorrect. A client package installation does not affect the appliance software version. However, the web console displays the NetBackup version for the **Version after upgrade**.
- The functionality of Active Directory (AD) user names is inconsistent, as described in the following scenarios:
 - NetBackup Appliance Web Console and NetBackup Appliance Shell Menu
These interfaces do not recognize Active Directory (AD) user names as case sensitive.
 - NetBackup Java Console
This interface does recognize Active Directory (AD) user names as case sensitive. When you enter these user names with all lowercase letters, access to the NetBackup Administrator's Console is granted. If you enter these user names with any or all uppercase letters, access to the NetBackup Backup, Archive, and Restore interface is granted.

- The command `Main > Settings > Security > Authentication > LDAP > Certificate set path name` in the NetBackup Appliance Shell Menu does not allow path names with dashes. Path names with dashes are allowed in the NetBackup Appliance Web Console.
- If your appliance is not provisioned, the following notification should appear on the NetBackup Appliance Web Console landing page:
Call Home service is not functional. Please contact Veritas Technical Support to verify if the system has been provisioned on Call Home server.
However, in certain cases, the notification does not appear. If the appliance date and time are not set per Network Time Protocol (NTP), the landing page only shows a notification to update the date and time. If you set the date and time per NTP, the Call Home notification appears.
- Alert configuration is not supported from the Veritas Remote Manager. Alert configuration is supported from either the **Settings > Notification > Alert Configuration** menu in the NetBackup Appliance Web Console or the `Settings > Alerts` command view in the NetBackup Appliance Shell Menu. For details, see the **Settings > Notifications > Alert Configuration** section in the *NetBackup Appliance Administrator's Guide* or the **Main > Settings > Alerts** view commands section in the *NetBackup Appliance Commands Reference Guide*.
- Storage shelf connectivity and ID numbers for NetBackup 5250
The NetBackup Appliance Shell Menu may show incorrect information for storage shelf cable connections and ID numbers. The following describes the commands, the output messages, and the errors that may appear:
`Monitor Hardware > ShowErrors`
Failed. No Connection(s) Detected.
`Monitor > Hardware > ShowHealth > StorageShelf Connection`
May show **Disconnected | ERROR** intermittently.
`Support > ShelfOrdering > Show`
May show incorrect ID numbers for some storage shelves.
These are false reports and they do not affect appliance operations. UMI message alerts for these issues have been suppressed. Fixes for these issues are planned for an upcoming appliance release.
- The **Adapter** page for hardware monitoring in the NetBackup Appliance Web Console currently shows accurate information only for the **ID** and the **Status** columns for a 5250 appliance. For complete adapter status information, log in to the NetBackup Appliance Shell Menu and enter the following command:
`Main > Monitor > Hardware > ShowHealth > Adapter`
A fix for this issue is planned for an upcoming appliance release.

- The `Support > Collect Inventory` command fails if you attempt to run it on NetBackup Appliance 5240 models that do not include a QLogic QLE8442 card. Any model 5240 with I/O configuration H is exempt, as it is not iSCSI capable. Although the command output results with a corresponding failure message, the underlying hardware monitoring continues to work except for the `EthTool` plug-in that handles SFP Alerts.
- When either one of the following appliance commands are run on an appliance with software versions 3.2 and later, they may not respond as expected and appear to hang:
 - `Manage > FibreChannel > Clean`
 - `Manage > FibreChannel > Show`

To resolve the issue, reboot the appliance and run the command again. If the problem persists, contact Veritas Support and refer them to article 100047385.

- NetBackup web UI error during Instant Access (IA) operations
The following error message may appear while IA operations are running:




This issue may be caused by one of the following scenarios:

- An appliance with version 3.3.0.1 was configured as an HA node but an MSDP partition was not configured during the initial configuration process.
- The HA node has been upgraded from version 3.1 to 3.1.2, from 3.1.2 to 3.2, then from 3.2 to 3.3.0.1.

To resolve this issue, contact Veritas Technical Support and reference article 100048389.

- Proxy Server configuration prevents changes to notification settings (software versions 4.1 and earlier)

If you have configured a Proxy Server to access the Veritas AutoSupport servers, the following error message may appear when you try to change the **Notification Settings** using the appliance web console:



To resolve this issue, contact Veritas Support and refer them to article number 100049271.

Installation and configuration notes

The following list contains the notes and the known issues that relate to the installation and configuration of the appliance:

- When you attempt to copy a software update to the share directory, do not initiate any other commands until the copy finishes. If you run a command during the copy process, you may see that the software update is listed and available. However, if you install that software update, it can fail.
- iSCSI supports IPv4 addresses only. iSCSI connections over IPv6 are not supported. In addition, the initiator and the target must be on the same Layer 2 network (L2).
- Only a QLogic Small Form-Factor Pluggable (SFP+) module is supported in the 10Gb Ethernet/iSCSI card. This requirement applies to configuration H of the NetBackup 5240 appliance. Configurations A, B, C, D, and E of the NetBackup 5340 appliance also support iSCSI.
- A VLAN can be configured on either the network interface or the iSCSI interface. If a VLAN is configured on both the network and iSCSI interfaces, the VLAN for the network interface is effective on both the interfaces. Note that when VLAN is configured on both the network and iSCSI interface on different subnets, the configuration is not supported.

Network interface		iSCSI interface		Description
IP	VLAN	IP	VLAN	
Subnet X	None	Subnet X	None	Supported
Subnet X	None	Subnet Y	VLAN A	Supported
Subnet X	VLAN B	Subnet X	VLAN B	Supported
Subnet X	VLAN B	Subnet Y	VLAN B	Not supported

- When targets are discovered by using iSNS on two iSCSI interfaces, only the recent record is displayed by the `Target Show All` command. For example if you run the `Target Discover iSNS` command for *iscsi1* and then *iscsi2*, the **Interfaces** column in the `Target Show All` command output may not show both of the interfaces (*iscsi1*, *iscsi2*) for some targets. It actually shows the interface from the most recent command (*iscsi2* in this case) for some targets.
- The `iSCSI> Target Disconnect` command takes more time to complete if workloads are running on the iSCSI interface.

You may see the following messages appear on the NetBackup Appliance Shell Menu:

```
Message from syslogd@host at Sep 12 10:09:14 ...
iscsid:
Message from syslogd@host at Sep 12 10:13:27 ...
iscsid:
Message from syslogd@host at Sep 12 10:17:53 ...
iscsid:
```

These messages may appear at different times on the NetBackup Appliance Shell Menu. They may appear when you are running an iSCSI command, in the middle of a command output, or even when the console is idle. These messages are harmless and should be ignored.

- When CHAP authentication is enabled on a target device and targets are discovered by using iSNS, the `iSCSI > Target Discover` command may not prompt for target credentials.
- When you perform the role configuration during the initial configuration on an appliance with version 3.2 or later, some MSDP parameter settings are changed. However, the new settings are not enforced automatically after completing the initial configuration. To resolve this issue and enable the new MSDP parameter settings requires that you restart the NetBackup services manually.

For details, see the following article:

https://www.veritas.com/support/en_US/article.100047662

High availability notes

The following describes the notes and known issues for high availability setups.

- High Availability (HA) deployments
To help customers deploy new NetBackup Appliance HA installations, Veritas has created a checklist with links to various documents, including those that address related issues. For complete details, see the following article:
https://www.veritas.com/support/en_US/article.100043658.html

- If you create an HA setup on an existing appliance compute node that was upgraded to version 3.2 or later and then attempt to add a partner node that is a new 3.2 or later version appliance, the process may fail and show the following message:

```
- [Error] V-409-955-2025:
```

```
The User ID/Group ID (uid/gid) for the mongod user on the partner node  
is different from the uid/gid for the mongod user on the active node.  
Refer to Veritas article 100046013.
```

To resolve this issue, contact Veritas Support.

- Before adding the partner node to complete an appliance HA setup, you must first verify that all NetBackup processes are running on the primary server and on both HA nodes.
If any processes are not running on the primary server or on the nodes, adding the partner node fails. To prevent this failure, you must first stop all NetBackup processes and then restart them. For complete details, see the topic "Adding the partner node to the NetBackup 53xx high availability configuration" in the *NetBackup 53xx Appliance Initial Configuration Guide*.

About NetBackup support utilities

The NetBackup appliance provides the following support utilities to help diagnose NetBackup problems:

- [NetBackup Domain Network Analyzer \(NBDNA\)](#)
- [NetBackup Support Utility \(NBSU\)](#)

NetBackup Domain Network Analyzer (NBDNA)

You can run the NBDNA utility on a NetBackup appliance to perform the following tasks:

- Identify the NetBackup domain configuration to resolve network-related issues
- Identify NetBackup performance issues
- Ensure the behavior of the host name lookup is functional
- Ensure that the connectivity between NetBackup hosts and the appliance is established and functional based on their role within the NetBackup domain
- Generate the reports that are meant for Veritas Technical Support.

The NBDNA utility provides the following types of information in its output:

Running audit as Media Server.

```
Collection Version: x.x
  Collection Time: Tuesday, October 7, 2010 at 19:17:11 PM
    NBU Release: NetBackup-RedHat2.6.18 7.7.1
      NBU Version: 7.7.1
        NBU Major Version: 7
          NBU Minor Version: 7
            NBU Release Update: 1
              NBU Patch Type: Release Update
                NBU GlobDB Host: "host name"
                  Is GlobDB HOST? No
                    UNAME:
                      Hostname: sample.name.veritas.com
                        Host's Platform: Linux
                          Perl Architecture: Linux
```

Initialization completed in 14.040101 seconds.

Brief Description of What It Does (for type 1):

- ```

```
- 1) Perform basic self checks.
  - 2) Check connectivity to Primary (and EMM) server.
  - 3) If SSO configured, get list of media servers sharing devices.
  - 4) Get list of all clients which could send data here for backup.
  - 5) Test NBU ports for basic connectivity between media servers sharing devices.
  - 6) Test NBU ports for basic connectivity between media server and clients it backs up.
  - 7) Perform service level tests for phase 2
  - 8) Capture data for reports; save reports.
  - 9) Save data to report files.
- ```
-----
```

Discovering and mapping the NetBackup domain network for analysis by extracting data from current system's configuration.
(To see more details, consider using '-verbose' switch.)

Probing Completed in 2.867581 seconds.

Initiating tests...

```
COMPLETED. Thank you for your patience.
```

```
/log/dna/sample.name.veritas.com.NBDNA.20100907.191711.zip  
Archive created successfully!  
Return /log/dna/sample.name.veritas.com.NBDNA.20100907.191711.zip  
to Veritas Support upon request.
```

NetBackup Support Utility (NBSU)

You can use the `NBSU` utility to gather appropriate diagnostic information about NetBackup and the operating system.

The NetBackup Support Utility (NBSU) is a Veritas utility used to gather diagnostic information about the system on which the utility is run. By default, NBSU gathers the appropriate diagnostic information based on the operating system and the NetBackup environment.

You can use the `support > NBSU` command to create or remove the NetBackup configuration support files that the NBSU utility uses.

For more information, see the *NetBackup Appliance Commands Reference Guide*.

About other support resources

If you need additional assistance with your NetBackup Appliance, contact Veritas Technical Support. Customers with a current support agreement may access Technical Support information at the following URL:

www.veritas.com/support/

Information specific to NetBackup Appliance can be found on the [NetBackup Appliance Support page](#).

About NetBackup appliance log files

Log files help you to identify and resolve any issues that you may encounter with your appliance.

The NetBackup appliance has the ability to capture hardware-, software-, system-, and performance-related data. Log files capture information such as appliance operation, issues such as unconfigured volumes or arrays, temperature or battery issues, and other details.

[Table 5-1](#) describes the methods you can use to access the appliance log files.

Table 5-1 Viewing log files

From	Access methods	Log details
NetBackup Appliance Web Console	You can use the Monitor > SDCS Events page from the NetBackup Appliance Web Console to retrieve the audit logs of an appliance.	Appliance audit logs
NetBackup Appliance Shell Menu	You can use the <code>Main > Support > Logs > Browse</code> command to open the <code>LOGROOT/></code> prompt. You can use the <code>ls</code> and <code>cd</code> commands to traverse the appliance log directories.	<ul style="list-style-type: none"> ■ Appliance configuration log ■ Appliance command log ■ Appliance debug log ■ NetBackup logs, Volume Manager logs, and the NetBackup logs that are contained in the <code>openv</code> directory ■ Appliance operating system (OS) installation log ■ NetBackup administrative web user interface log and the NetBackup web server log ■ NetBackup 52xx appliance device logs

Table 5-1 Viewing log files (*continued*)

From	Access methods	Log details
NetBackup Appliance Shell Menu	<p>You can use the <code>Main > Support > Logs > VxLogView Module <i>ModuleName</i></code> command to access the appliance VxUL (unified) logs.</p>	<p>Appliance unified logs:</p> <ul style="list-style-type: none"> ■ All ■ CallHome ■ Checkpoint ■ Commands ■ Common ■ Config ■ CrossHost ■ Database ■ Hardware ■ HWMonitor ■ Network ■ RAID ■ Seeding ■ SelfTest ■ Storage ■ SWUpdate ■ Trace ■ FTMS ■ FTDedupTarget ■ TaskService ■ AuthService
NetBackup Appliance Shell Menu	<p>You can use the <code>Main > Support > DataCollect</code> command to collect the storage device logs.</p>	Appliance storage device logs
NetBackup-Java applications	<p>If you encounter problems with the NetBackup-Java applications, you can use the scripts in this section to gather the required information for contacting support.</p>	Logs relating to the NetBackup-Java applications

Related documents

This appendix includes the following topics:

- [About the NetBackup appliance documentation](#)

About the NetBackup appliance documentation

The following documents help to ensure that you can successfully install, configure, and use your appliance. In addition, you can find information about the appliance hardware documents from the following table.

All these documents are posted on the [NetBackup Appliance Documentation page](#).

Table A-1 NetBackup Appliance Software documentation

Guide	Description
<i>NetBackup™ 52xx Initial Appliance Configuration Guide</i>	This document guides you through the 52xx configuration process from the NetBackup Appliance Web Console or from the NetBackup Appliance Shell Menu.
<i>NetBackup™ 53xx Initial Appliance Configuration Guide</i>	This document guides you through the 53xx configuration process from the NetBackup Appliance Web Console or from the NetBackup Appliance Shell Menu.
<i>NetBackup Appliance Upgrade Guide</i>	This document guides you through the required steps to upgrade a NetBackup appliance.
<i>NetBackup™ Appliance Administrator's Guide</i>	The <i>NetBackup™ Appliance Administrator's Guide</i> contains the following types of information: <ul style="list-style-type: none">■ Deployment information■ Administering your appliance■ Monitoring information

Table A-1 NetBackup Appliance Software documentation (*continued*)

Guide	Description
<i>NetBackup™ Appliance Command Reference Guide</i>	The <i>NetBackup™ Appliance Command Reference Guide</i> provides a complete list of the commands that are available for you to use through the NetBackup Appliance Shell Menu.
<i>Appliance Management Guide</i>	This document helps you to use the Veritas Appliance Management Console to centrally manage multiple appliances. The Veritas Appliance Management Console provides enterprise-wide monitoring and management of NetBackup appliances. With 3.1 and later, you can manage software upgrades or install EEBs on multiple appliances.
<i>NetBackup Appliance Release Notes</i>	This document contains information about this version of NetBackup Appliance. It contains brief descriptions of new features within the release, operational notes that apply to the release update, and any known issues.
<i>NetBackup Appliance Troubleshooting Guide</i>	<p>This document provides a general overview of how to troubleshoot NetBackup appliance issues and an explanation of the appliance troubleshooting tools and log files.</p> <p>If you need more specific troubleshooting information about a particular issue, go to the NetBackup Appliance page on the Veritas Support website. You can use the search function to look for articles relating to specific issues.</p>
<i>NetBackup Appliance Capacity Planning and Performance Tuning Guide</i>	This document contains information on how to optimize your backup environment and your NetBackup appliance. It helps you to analyze your backup requirements and design a system that best fits your needs.
<i>NetBackup Appliance Security Guide</i>	This document describes the security features in NetBackup Appliance and how to use those features to ensure that your appliance environment is secure.
<i>NetBackup Appliance Fibre Channel Guide</i>	This document describes the supported Fibre Channel (FC) capabilities and configurations for NetBackup appliances.
<i>NetBackup Appliance iSCSI Guide</i>	This document describes how iSCSI works on the NetBackup appliance.

Table A-1 NetBackup Appliance Software documentation (*continued*)

Guide	Description
<i>NetBackup Appliance Decommissioning and Reconfiguration Guide</i>	This document describes how to decommission and reconfigure a NetBackup appliance.
<i>NetBackup Appliance SNMP Trap Reference Guide</i>	This document provides a complete list of the NetBackup Appliance SNMP traps. It describes what each trap means and the recommended actions for when an error occurs.
<i>NetBackup Copilot for Oracle Configuration Guide</i>	This document outlines how to configure Copilot using NetBackup and the NetBackup Appliance.
<i>NetBackup Appliance Third-party Legal Notices</i>	<p>The <i>NetBackup Appliance Third-party Legal Notices</i> document lists the third-party software that is included in this product, and it contains attributions for the third-party software.</p> <p>This document is available from the following website: https://www.veritas.com/about/legal/license-agreements</p>
<i>NetBackup™ Appliance AutoSupport 2.0 Reference Guide</i>	This document contains the information about the AutoSupport 2.0. It helps you to understand the deployment of the AutoSupport infrastructure, and how does the AutoSupport infrastructure analyzes the Call Home data from each appliances.
<i>NetBackup™ 53xx Appliance High Availability Reference Guide</i>	This document contains the information about the High Availability (HA) solution. It helps you to understand the deployment of the high availability configuration.

Table A-2 NetBackup Appliance Hardware documentation

Guide	Description
<i>NetBackup™ 5240 Appliance Product Description</i>	This guide introduces you to the NetBackup 5240 Appliance and Storage Shelf.
<i>NetBackup™ 5250 Appliance Product Description</i>	This guide introduces you to the NetBackup 5250 Appliance and Storage Shelf.
<i>NetBackup™ 5340 Appliance Product Description</i>	This guide introduces you to the NetBackup 5340 Appliance and the 5U84 Storage Shelves.

Table A-2 NetBackup Appliance Hardware documentation (*continued*)

Guide	Description
<i>NetBackup™ Appliance Safety and Maintenance Guide</i>	<p>This document provides safety maintenance information for the following hardware:</p> <ul style="list-style-type: none"> ■ NetBackup 52xx appliances ■ NetBackup 53xx appliances ■ Veritas 3U16 24TB/36TB Storage Shelves ■ Veritas 2U12 49TB Storage Shelf ■ Veritas 5U84 Storage Shelves