

Veritas™ Desktop and Laptop Option 9.2

README

Veritas Desktop and Laptop Option: README

The software described in this document is furnished under a license agreement and may be used only in accordance with the terms of the agreement.

Legal Notice

Copyright (c) 2018 Veritas Technologies LLC. All rights reserved. Veritas and the Veritas Logo are trademarks or registered trademarks of Veritas Technologies LLC or its affiliates in the U.S. and other countries. Other names may be trademarks of their respective owners.

This Veritas product may contain third party software for which Veritas is required to provide attribution to the third party ("Third Party Programs"). Some of the Third Party Programs are available under open source or free software licenses. The License Agreement accompanying the Software does not alter any rights or obligations you may have under those open source or free software licenses. Please see the Third Party Legal Notice Appendix to this Documentation or TPIP ReadMe File accompanying this Veritas product for more information on the Third Party Programs.

This Veritas product may contain open source and other third party materials that are subject to a separate license. Please see the applicable Third Party Notice at <https://www.veritas.com/about/legal/license-agreements/>.

The product described in this document is distributed under licenses restricting its use, copying, distribution, and decompilation/reverse engineering. No part of this document may be reproduced in any form by any means without prior written authorization of Veritas Technologies LLC and its licensors, if any.

THE DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID. VERITAS TECHNOLOGIES LLC SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH THE FURNISHING, PERFORMANCE, OR USE OF THIS DOCUMENTATION. THE INFORMATION CONTAINED IN THIS DOCUMENTATION IS SUBJECT TO CHANGE WITHOUT NOTICE.

The Licensed Software and Documentation are deemed to be commercial computer software as defined in FAR 12.212 and subject to restricted rights as defined in FAR Section 52.227-19 "Commercial Computer Software - Restricted Rights" and DFARS 227.7202, "Rights in Commercial Computer Software or Commercial Computer Software Documentation", as applicable, and any successor regulations. Any use, modification, reproduction release, performance, display or disclosure of the Licensed Software and Documentation by the U.S. Government shall be solely in accordance with the terms of this Agreement.

Veritas Technologies LLC

500 East Middlefield Road

Mountain View, CA 94043

<http://www.Veritas.com/>

Technical Support

Technical Support maintains support centers globally. Technical Support's primary role is to respond to specific queries about product features and functionality. The Technical Support group also creates content for our online Knowledge Base. The Technical Support group works collaboratively with the other functional areas within the company to answer your questions in a timely fashion.

Our support offerings include the following:

- A range of support options that give you the flexibility to select the right amount of service for any size organization
- Telephone and/or Web-based support that provides rapid response and up-to-the-minute information
- Upgrade assurance that delivers software upgrades
- Global support purchased on a regional business hours or 24 hours a day, 7 days a week basis
- Premium service offerings that include Account Management Services

For information about our support offerings, you can visit our website at the following URL:

www.veritas.com/support

All support services will be delivered in accordance with your support agreement and the then-current enterprise technical support policy.

Contacting Technical Support

Customers with a current support agreement may access Technical Support information at the following URL:

www.veritas.com/support

Before contacting Technical Support, make sure you have satisfied the system requirements that are listed in your product documentation. Also, you should be at the computer on which the problem occurred, in case it is necessary to replicate the problem.

When you contact Technical Support, please have the following information available:

- Product release level
- Hardware information
- Available memory, disk space, and NIC information
- Operating system
- Version and patch level
- Network topology
- Router, gateway, and IP address information
- Problem description:
- Error messages and log files
- Troubleshooting that was performed before contacting Technical Support
- Recent software configuration changes and network changes

Licensing and registration

If your product requires registration or a license key, access our technical support Web page at the following URL:

www.veritas.com/support

Customer Service

Customer service information is available at the following URL:

www.veritas.com/support

Customer Service is available to assist with non-technical questions, such as the following types of issues:

- Questions regarding product licensing or serialization
- Product registration updates, such as address or name changes
- General product information (features, language availability, local dealers)
- Latest information about product updates and upgrades
- Information about upgrade assurance and support contracts
- Advice about technical support options
- Nontechnical presales questions
- Issues that are related to CD-ROMs, DVDs, or manuals

Support Agreement Resources

If you want to contact us regarding an existing support agreement, please contact the support agreement administration team for your region as follows:

Worldwide (except Japan)

CustomerCare@veritas.com

Japan

CustomerCare_Japan@veritas.com

Contents

Technical Support	3
Contacting Technical Support.....	3
Licensing and registration	4
Customer Service	4
Support Agreement Resources.....	4
DLO 9.2 New Features	6
Domain Trust Independent Solution	6
Downloading Veritas DLO	6
Prerequisites for Installing Veritas DLO	6
User Account Privileges.....	7
Installing Veritas DLO	7
Upgrading to Veritas DLO 9.2.....	7
Installing the Desktop Agent on Mac	8
Upgrading the Desktop Agent on Mac	9
Known Issues	9
Known Issues in Mac Agent	12
Troubleshooting Tips	13
Error 1321	13
PST Backup with VSS	13
Change in Directory Structure in Windows Vista	14
Desktop Agent	14
Resolved Issues	14

DLO 9.2 New Features

This section provides a brief introduction about the new feature included in this release.

Domain Trust Independent Solution

DLO can now be deployed as a Domain Trust Independent Solution.

Prior to the DLO 9.2 version, the DLO agents and DLO Server components had to be deployed on the same domain or if deployed on different domains, needed a one-way forest trust relationship to be established from the Server domain to the Agent domain.

With the DLO 9.2 version, this pre-requisite of domain trust is being overcome through the DLO Proxy Server component, which facilitates DLO operations even across domains that do not have a trust established between them.

Downloading Veritas DLO

To download Veritas DLO 9.2, perform the following:

1. Download the appropriate files into a temporary directory:

`Veritas_Desktop_and_Laptop_Option_9.2_xxxxxx_32-bit.zip`

`Veritas_Desktop_and_Laptop_Option_9.2_xxxxxx_64-bit.zip`

where, xxxxxx is the build number.

2. To extract the files, double-click the `.zip` file.

This helps to create a number of files that include `x64.README`, `x86.README` and `setup.exe`.

Prerequisites for Installing Veritas DLO

- The latest service pack should be installed to be able to install the DLO components.
- The DLO Database Service requires minimum 6 GB hard disk space.
- WMI service should be running.
- .NET 4.0 or above full version should be installed.

<http://www.microsoft.com/en-in/download/details.aspx?id=17718>

Note: On Windows 2012/ 2012 R2 /2016 Server, it is not mandatory to install .NET 4.0 since .NET 4.5 is installed by default in Windows 2012/2012 R2 Server and .NET 4.6 is installed by default in Windows 2016 Server.

User Account Privileges

The following table lists the user account privileges for various services:

Service	User Account Privilege	Description
Veritas DLO Administration Service	Domain user or domain administrator	This user should have local administrator privilege on DLO admin server machine, storage server and SQL Server.
Veritas DLO Maintenance Service	Local System account	This account has access to all local system resources.
Mindtree StoreSmart Dedupe Server Service	Domain user or domain administrator	This user should have local administrator privilege on the admin server machine. This account should be the same as DLO Administration Server service account.
SQL Server (SQL instance)	Domain user or domain administrator	This user should have local administrator privilege on DLO admin Server, SQL server machine and storage server.
SQL Server Browser	Domain user or domain administrator	This user should have local administrator privilege on the SQL server machine.
Veritas DLO Edge Server Service	Local System account	This account has access to all local system resources.
Veritas DLO Web Server Service	Domain user or domain administrator	This user should have local administrator privilege on the admin server machine. This account should be the same as DLO Administration Server service account.

Installing Veritas DLO

The installation package is used to install a new DLO Administration Server and other required components of Veritas DLO 9.2. For instructions, refer to the *Veritas Desktop and Laptop Option Administrator's Guide*.

Upgrading to Veritas DLO 9.2

DLO supports upgrades from the following previous versions:

- Veritas DLO 9.1
- Veritas DLO 9.0, 9.0 SP1
- Symantec DLO 8.0, Symantec DLO 8.0 SP1, Symantec DLO 8.0 SP2, Symantec DLO 8.0 SP3, and Symantec DLO 8.0 SP4
- Symantec DLO 7.6 and Symantec 7.6 SP1

For any existing customers with previous version of DLO (DLO Backup Exec 2010 R3, DLO 7.0, DLO 7.5, DLO 7.5 SP1), it will be a stepped upgrade support. That is, customers should first upgrade the existing version of DLO to Symantec DLO 7.6, and then upgrade to Veritas DLO 9.2.

To upgrade from a supported version of DLO to Veritas DLO 9.2, follow these steps:

1. Run **setup.exe** to start the installation wizard.
2. Click **Next**.
3. Read the license agreement, and if you accept the terms, select **I accept the terms in the license agreement**.
4. Click **Next**.
5. Proceed with the installation.
6. When the installation is completed, click **Finish**.

Installing the Desktop Agent on Mac

Users with administrator rights can install the Desktop Agent. After the Desktop Agent is installed on a Mac desktop, anyone who logs on to that desktop can use the Desktop Agent. The logged on user will only have access to DLO backup files associated with the logged on account.

When the Mac Desktop Agent is installed on a computer that is not in a domain, and when you launch the Desktop Agent for the first time, you are prompted to enter the user name, password, and domain. Provide the domain user credentials.

Prerequisites

Complete the following tasks before installing the Desktop Agent on a Mac machine.

1. Install and configure DLO Administration Server on a Windows server machine.
2. The DLO administrator must ensure that the TCP/IP protocol is enabled for the DB instance, and the port number is set.
3. Irrespective of the firewall state in the DB server (ON or OFF), the administrator must enter the DB port in **SQL Server Configuration Manager > SQL Server Network Configuration > "Protocols for <Instance name>" > TCP/IP Protocol Settings > TCP Port**.
4. If the firewall is ON in the DB server, then this port should also be included in the firewall exception list.

Also, restart the DLO DB service after providing the DB port number.

Note: The default port to communicate with DB Server is 1433. To verify the communication to DB server, use Telnet. (Example, telnet <IP> <port>.)

To install the Desktop Agent on Mac:

1. From the desktop on which you want to install the Desktop Agent, go to the desktop menu options, select **Finder**.
2. Select **Go > Connect to Server**.
3. In the **Server Address** field, type the network address of DLO Server using one of the following formats.
 - a. **smb://IPaddress/**
 - b. **smb://DNSname/**

- Click **Connect**.

Note: You can also type the server address along with the share name.
 smb: // IPaddress/DLOMacAgent.

- From the list of shared folders, open **DLOMacAgent** folder, copy the **setup.ini** and the installer package for Mac to your local machine.
- Double-click the file **Veritas_DLO_Agent.pkg**.
- On the Welcome screen, click **Continue**.
- Read the license agreement, and click **Continue**.
- Click **Agree**.
- The default installation path for Mac is: **/Applications**. To install the Desktop Agent in an alternate location, click the **Change Install Location** button, and do one of the following:
 - Select **Install for all users** to install Desktop Agent in the default location, OR
 - Select **Install on a specific disk** to install in any other disk other than the default startup disk. This option is useful when you want to install the Desktop Agent on any additional hard disks or hard drive partitions that exist on the local Mac machine.
- Click **Continue**.
- Click **Install**.
- Once the installation is completed, click **Close**.

For more information about launching and configuring the Agent on Mac, refer to the *Veritas Desktop and Laptop Administrator's Guide*.

Upgrading the Desktop Agent on Mac

To upgrade the Desktop Agent on Mac:

- Copy **setup.ini** and the **installer package for Mac** from **DLOMacAgent** shared folder present in DLO 9.2 Server to your local machine.
- Proceed with DLO 9.2 Mac Agent installation.

For more information on installing the Desktop Agent, refer [To install the Desktop Agent on Mac](#).

Known Issues

This section describes the known issues in DLO 9.2. The issues are listed based on the ET number (software bug tracking number).

ET Number	Description	Workaround
3899658	During uninstallation of DLO in an environment where NetBackup exists, the Files in Use dialog box appears with a message that NetBackup file is in use.	In the Files in Use dialog box, click Ignore and continue with uninstallation of DLO.
3898325	Edge service gets deleted after DLO Server is upgraded from DLO 8.0 SP3 to DLO 8.0 SP4 and then to DLO 9.0.	Re-install the Edge Server component after upgrading to DLO 9.0.

ET Number	Description	Workaround
3901312	After failover DLO cluster, the Startup Type of Mindtree StoreSmart Dedupe Service, SQL Service and DLO Administration Service are changing from Automatic to Manual .	Not Applicable
3903787	Notification Properties window is seen in Japanese even after changing the language to English with the Change Language option on Japanese OS	Not Applicable
3901307	DLO Desktop Agent does not work in BOI mode if the DLO Server is configured in clustered environment.	Not Applicable
3897900	When DLO Log Gather Utility or DLO Server Consolidation Utility is run on remote database machine, MSVCR100.dll missing prompt is displayed.	Install Microsoft VC 2010 Redistributables based on database machine bitness.
3763796	Any new Certificate push from the Server does not get updated for all the Desktop Agents working in BOI mode	<p>To resolve this issue, follow either of the steps mentioned below:</p> <ol style="list-style-type: none"> 1. Manually download the Server Certificate from Web Restore page (EdgeServer.ini and ServerCert.pem files) and copy them in the Desktop Agent install location. 2. Desktop Agents need to come online (connected to LAN) for the settings to be updated automatically.
3387185	DLO Agent is going to disabled state when Desktop User Data Folder is on FAT32 drive.	<i>Reason:</i> Dedupe initialization is failing in case Desktop user Data Folder is on FAT32 drive.
		Move Desktop User Data folder from FAT to NTFS drive
3399304	If the network connection is lost when a backup job is in progress, and after some time the network connection is restored while the Desktop Agent is still in Backup Interruption Tolerance (BIT) mode, the following error message is displayed: "24049 – Data written before network failure not found."	<i>Reason:</i> Dedupe verifies the data integrity of files after the network connection is restored in BIT mode. If data that was backed up before network failure is lost due to any network errors, then this message is displayed.
		Backup job will be triggered again and the job will be successful.
2896052	On a remote DB setup in an IPv6 environment, command-line operations on the Administration Server are failing	Run the DLOCommandu.exe -C by providing the host name of the remote database machine.

ET Number	Description	Workaround
3378168	MAPI backups of PST files are failing with this error message: <i>"The backup PST file is corrupt. This file will be discarded and the original PST will be backed up again."</i>	This error message can be ignored because PST backup will be retrigged again.
3537591	While upgrading DLO 7.5 SP1 in a staggered setup, if Dedupe Server is upgraded before upgrading the remaining DLO components, Mindtree Storesmart Dedupe Server service is in "stopped" state.	It is recommended to upgrade the Administration Server first and then upgrade the remaining components in a staggered setup. To resolve the above-mentioned issue, manually restart the Mindtree Storesmart Dedupe Server service.
3441283	The sub administrator has the permission to "Add/Modify Profiles" but is unable to import profiles using the -IOProfile command.	Sub administrator will not be able to import profiles.
3565801	Desktop Agent is taking long time to backup large number of small files (1kb or less).	Not Applicable
3740609	Desktop Agent upgrade from 7.0/7.5 to DLO 8.0 fails on Win 7/Vista/XP machines when upgraded using Upgrade User option in DLO Administration Console.	To resolve this issue: <ol style="list-style-type: none"> 1. Push or pull install the Desktop Agent. 2. Download the Update for Root Certificates for Windows XP/Vista from the Microsoft website: http://www.microsoft.com/en-in/download/details.aspx?id=42092 3. Install the rootsupd.exe on XP/Vista machines and then perform upgrade.
3746675	Support for Web Restore on IE9	Workaround: To resolve this issue: <ol style="list-style-type: none"> 1. Open the Internet Explorer browser. 2. Go to Tools> Internet Options> Advanced. 3. Under Security Settings, enable Use SSL 3.0 and disable Do not save encrypted pages to disk. 4. Add the Web Restore URL to the Trusted sites.
3859170	Backup of configured PST files are failing on Desktop Agent machines installed with Microsoft Outlook 2016.	To resolve this issue: <ul style="list-style-type: none"> • Install Visual C++ Redistributable 2015 (64 bit).
3851038	When a configured Outlook PST file is placed in a bit locked drive and on unlocking the locked drive, Microsoft	To resolve this issue: Exit and launch the Microsoft Outlook and DLO Desktop Agent.

ET Number	Description	Workaround
	Outlook and the Desktop Agent stops responding.	
3916644	The option to move the contents of the NUDF to an alternate location is greyed out.	The contents of NUDF can be moved only to an existing storage location. To move the contents of NUDF to a desired location, configure the location as a storage location.
3921934	Post upgrade of DLO Server to a higher version, the lower version agents are in a disabled state.	To resolve this issue, manually upgrade the agents to the latest Server version.
3927346	In DLO Console when the root folder is selected and restores are performed, the count and size of the restored files in restore summary is more than the actual selected files for restore.	Not Applicable
3938493	DLO Agent backup fails for users added using the Import User option.	Not Applicable

Known Issues in Mac Agent

ET Number	Description	Workaround/Explanation
3898178	After Server Consolidation, DLO 7.6 and DLO 8.0 version Mac Agents pointing to source server will be in Offline state.	Not Applicable.
3211658	In the installer wizard, though the option " Install for all the users " is highlighted by default, the Continue button is greyed out.	Double-click the " Install for all the users " option and proceed with the installation.
3211601	The LUDF (.dlo and .settings) folders are not purged uninstalling the Mac Agent.	The user should purge the folders manually.
3136529	DLO Client help pages are being displayed behind the Agent user interface.	This is a default behavior of Mac.
3546979	If NUDF is deleted, DLO Mac Agent goes offline and further backup and restore jobs do not happen.	Delete the user from DLO Administration console and then launch the Mac Agent.
3520357	When the DLO Mac Agent is offline, Jobs present in the backup queue with 'Pending Network' status disappears from	This is only an UI issue. Once the network is up, backup and restore of files work fine.

ET Number	Description	Workaround/Explanation
	Agent Console at the next scheduled time.	
3931685	In DLO 9.1, Staging operation with Rollback Restore option enabled will not be honored for unregistered Mac machines.	For successful staging with Rollback Restore option enabled, ensure the destination Mac machine is registered with the DLO server before initiating staging operation.
3923286	When the backup and maintenance cycle run simultaneously, the backup status report shows incorrect value for Backup Completion column in the Backup Status Report.	This will be automatically corrected in the next maintenance cycle and updates the Backup Completion column in the Backup Status Report.

Troubleshooting Tips

The following section describes some issues that you may experience while using the application. A clarification or a tip is provided to resolve the issue.

Error 1321

DLO installer displays the following error message:

"Error 1321. The installer has insufficient privileges to modify the file C:\ProgramFiles\Veritas\Veritas DLO\Data\DLO.mdf."

Description

This error occurs when you uninstall the DLO server and attempt to re-install it in the same location using a SQL Server 2005 database.

When you uninstall the DLO server, the database files (*DLO.mdf* and *DLO_log.ldf*) are not deleted. When you try to re-install the DLO server, the DLO installer uses the old database files instead of installing the new versions. To use these files, you must have full rights.

Generally, the administrator has full rights to use these files. However, the error may still occur.

Resolution

Make the following changes in each file:

1. Right-click on the file and select **Properties**.
2. On the **Security** tab, grant full rights to the Administrators group.

PST Backup with VSS

DLO Agent is unable to take a backup of PST files using VSS, even though the VSS feature is enabled for the user.

Resolution

Ensure that the Volume Shadow Copy service is enabled on the user's system.

If VSS service is enabled, then the PST file may reside on FAT32 drive. VSS-enabled backups are not supported on FAT32 file system.

Change in Directory Structure in Windows Vista

Versions of Backup Exec for Windows Servers that support Windows Vista and Windows Server 2008 do not cross the %SystemDrive%\Documents and Settings junction point to backup data that resides in the %SystemDrive%\Users folder.

Resolution

The default locations of user data have changed in Microsoft Windows Vista and Microsoft Windows Server 2008. To ensure backward compatibility with previous Windows platforms, these operating systems create special junctions. These junctions redirect access from one directory to another. For example, %SystemDrive%\Documents and Settings is now a junction that points to %SystemDrive%\Users.

Desktop Agent

Empty folders will not be backed up even though a job is started on the DLO Agent UI.

Resolved Issues

ET Number	Description
3933588	'IO Server auto configuration failed' error observed while assigning IO Server to the Storage Location, if the Dedupe Server and IO Server Name is same.
3933327	Mac Agent should support NTLMv2 authentication.