

# Veritas™ Cluster Server Release Notes

Linux

5.0 Release Update 1



# Veritas Cluster Server Release Notes

The software described in this book is furnished under a license agreement and may be used only in accordance with the terms of the agreement.

Product version: 5.0 RU1

Document version: 5.0RU1.0

## Legal Notice

Copyright © 2009 Symantec Corporation. All rights reserved.

Symantec, the Symantec Logo, Veritas Storage Foundation and Veritas are trademarks or registered trademarks of Symantec Corporation or its affiliates in the U.S. and other countries. Other names may be trademarks of their respective owners.

Third-party software may be recommended, distributed, embedded, or bundled with this Symantec product. Such third-party software is licensed separately by its copyright holder. All third-party copyrights associated with this product are listed in the *Veritas Cluster Server 5.0 Release Notes*.

The *Veritas Cluster Server 5.0 Release Notes* can be viewed at the following URL:

<http://entsupport.symantec.com/docs/283850>

The product described in this document is distributed under licenses restricting its use, copying, distribution, and decompilation/reverse engineering. No part of this document may be reproduced in any form by any means without prior written authorization of Symantec Corporation and its licensors, if any.

THE DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID. SYMANTEC CORPORATION SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH THE FURNISHING, PERFORMANCE, OR USE OF THIS DOCUMENTATION. THE INFORMATION CONTAINED IN THIS DOCUMENTATION IS SUBJECT TO CHANGE WITHOUT NOTICE.

The Licensed Software and Documentation are deemed to be commercial computer software as defined in FAR 12.212 and subject to restricted rights as defined in FAR Section 52.227-19 "Commercial Computer Software - Restricted Rights" and DFARS 227.7202, "Rights in Commercial Computer Software or Commercial Computer Software Documentation", as applicable, and any successor regulations. Any use, modification, reproduction release, performance, display or disclosure of the Licensed Software and Documentation by the U.S. Government shall be solely in accordance with the terms of this Agreement.

Symantec Corporation  
350 Ellis Street  
Mountain View, CA 94043  
<http://www.symantec.com>

# Technical Support

Symantec Technical Support maintains support centers globally. Technical Support's primary role is to respond to specific queries about product features and functionality. The Technical Support group also creates content for our online Knowledge Base. The Technical Support group works collaboratively with the other functional areas within Symantec to answer your questions in a timely fashion. For example, the Technical Support group works with Product Engineering and Symantec Security Response to provide alerting services and virus definition updates.

Symantec's maintenance offerings include the following:

- A range of support options that give you the flexibility to select the right amount of service for any size organization
- Telephone and Web-based support that provides rapid response and up-to-the-minute information
- Upgrade assurance that delivers automatic software upgrade protection
- Global support that is available 24 hours a day, 7 days a week
- Advanced features, including Account Management Services

For information about Symantec's Maintenance Programs, you can visit our Web site at the following URL:

[www.symantec.com/techsupp/](http://www.symantec.com/techsupp/)

## Contacting Technical Support

Customers with a current maintenance agreement may access Technical Support information at the following URL:

[www.symantec.com/business/support/assistance\\_care.jsp](http://www.symantec.com/business/support/assistance_care.jsp)

Before contacting Technical Support, make sure you have satisfied the system requirements that are listed in your product documentation. Also, you should be at the computer on which the problem occurred, in case it is necessary to replicate the problem.

When you contact Technical Support, please have the following information available:

- Product release level
- Hardware information
- Available memory, disk space, and NIC information
- Operating system

- Version and patch level
- Network topology
- Router, gateway, and IP address information
- Problem description:
  - Error messages and log files
  - Troubleshooting that was performed before contacting Symantec
  - Recent software configuration changes and network changes

## Licensing and registration

If your Symantec product requires registration or a license key, access our technical support Web page at the following URL:

[www.symantec.com/techsupp/](http://www.symantec.com/techsupp/)

## Customer service

Customer service information is available at the following URL:

[www.symantec.com/techsupp/](http://www.symantec.com/techsupp/)

Customer Service is available to assist with the following types of issues:

- Questions regarding product licensing or serialization
- Product registration updates, such as address or name changes
- General product information (features, language availability, local dealers)
- Latest information about product updates and upgrades
- Information about upgrade assurance and maintenance contracts
- Information about the Symantec Buying Programs
- Advice about Symantec's technical support options
- Nontechnical presales questions
- Issues that are related to CD-ROMs or manuals

## Maintenance agreement resources

If you want to contact Symantec regarding an existing maintenance agreement, please contact the maintenance agreement administration team for your region as follows:

Asia-Pacific and Japan	<a href="mailto:customercare_apac@symantec.com">customercare_apac@symantec.com</a>
Europe, Middle-East, and Africa	<a href="mailto:semea@symantec.com">semea@symantec.com</a>
North America and Latin America	<a href="mailto:supportsolutions@symantec.com">supportsolutions@symantec.com</a>

## Additional enterprise services

Symantec offers a comprehensive set of services that allow you to maximize your investment in Symantec products and to develop your knowledge, expertise, and global insight, which enable you to manage your business risks proactively.

Enterprise services that are available include the following:

Symantec Early Warning Solutions	These solutions provide early warning of cyber attacks, comprehensive threat analysis, and countermeasures to prevent attacks before they occur.
Managed Security Services	These services remove the burden of managing and monitoring security devices and events, ensuring rapid response to real threats.
Consulting Services	Symantec Consulting Services provide on-site technical expertise from Symantec and its trusted partners. Symantec Consulting Services offer a variety of prepackaged and customizable options that include assessment, design, implementation, monitoring, and management capabilities. Each is focused on establishing and maintaining the integrity and availability of your IT resources.
Educational Services	Educational Services provide a full array of technical training, security education, security certification, and awareness communication programs.

To access more information about Enterprise services, please visit our Web site at the following URL:

[www.symantec.com](http://www.symantec.com)

Select your country or language from the site index.

# Release Notes

This document includes the following topics:

- [Introduction](#)
- [About Veritas Cluster Server](#)
- [Changes introduced in VCS 5.0 RU1](#)
- [Changes introduced in VCS 5.0 MP3](#)
- [Changes introduced in VCS 5.0 MP2](#)
- [Changes introduced in VCS 5.0 MP1](#)
- [Features introduced in VCS 5.0](#)
- [VCS system requirements](#)
- [No longer supported](#)
- [Installation notes for VCS 5.0 RU1](#)
- [Fixed issues](#)
- [Known issues](#)
- [Software limitations](#)
- [Documentation errata](#)
- [VCS documentation](#)

# Introduction

This document provides important information about Veritas Cluster Server (VCS) version 5.0 Release Update 1 for Linux. Review this entire document before you install or upgrade VCS.

The information in the Release Notes supersedes the information provided in the product documents for VCS.

For the latest information on updates, patches, and software issues for this release, use the following TechNote on the Symantec Enterprise Support website:

<http://entsupport.symantec.com/docs/281993>

You can download the latest version of *Veritas Cluster Server Release Notes* from the link that is provided in the TechNote.

## About Veritas Cluster Server

Veritas™ Cluster Server by Symantec (VCS) is a clustering solution that eliminates downtime, facilitates server consolidation and failover, and effectively manages a wide range of applications in heterogeneous environments.

## About VCS agents

VCS bundles agents to manage a cluster's key resources. The implementation and configuration of bundled agents vary by platform.

For more information about bundled agents, refer to the *Veritas Cluster Server Bundled Agents Reference Guide*.

The Veritas High Availability Agent Pack gives you access to agents that provide high availability for third-party storage solutions. Contact your Symantec sales representative for information about agents included in the agent pack, agents under development, and agents that are available through Symantec consulting services.

VCS provides a framework that allows for the creation of custom agents. Create agents in situations where the Veritas High Availability Agent Pack, the bundled agents, or the agents for enterprise applications do not meet your needs. You can also request a custom agent through Symantec consulting services.

For more information about the creation of custom agents, refer to the *Veritas Cluster Server Agent Developer's Guide*.

VCS also provides agents to manage key enterprise applications. Before configuring an enterprise agent with VCS, verify that you have a supported version of the agent.

---

**Note:** SUSE Linux Enterprise Server (SLES) 11 does not support the enterprise applications Oracle, Sybase, and DB2. Hence, for the VCS 5.0 RU1 release, the VCS agents for these applications are also not supported.

---

## Changes introduced in VCS 5.0 RU1

This section lists the changes introduced in this release of VCS.

### Support for SUSE Linux Enterprise Server 11

This release adds support for SUSE Linux Enterprise Server 11 (SLES 11).

See [“Supported operating systems”](#) on page 30.

Note that this release supports fresh installations of VCS on SLES 11 systems. Upgrading to VCS 5.0 RU1 is not supported. See [“Installation notes for VCS 5.0 RU1”](#) on page 32.

### Mount agent supports NFSv4 client mounts

This release adds support for NFSv4 client mounts on SLES 11.

### Enterprise agents not supported on SLES 11

SUSE Linux Enterprise Server (SLES) 11 does not support the enterprise applications Oracle, Sybase, and DB2. Hence, the VCS agents for these applications are also not supported.

## Changes introduced in VCS 5.0 MP3

This section lists the changes introduced VCS 5.0 MP3.

### Support for additional Linux distributions

This release adds support for the following Linux distributions:

- Oracle Enterprise Linux 4.0 Update 5 and Update 6
- Oracle Enterprise Linux 5.0 Update 1
- Red Hat Enterprise Linux 5.0 Update 1 and Update 2
- Red Hat Enterprise Linux 4.0 Update 4, Update 5, and Update 6
- SUSE Linux Enterprise Server 9 SP4

- SUSE Linux Enterprise Server 10 SP1 and SP2

See “[Supported operating systems](#)” on page 30.

## Support for VLAN interfaces

The NIC and MultiNICA agents now support VLAN interfaces. The agents do not configure the NICs, but can monitor them.

See the *Veritas Cluster Server Bundled Agents Reference Guide*.

## Changes to Cluster Management Console 5.0

SFHA 5.0 MP3 has the following changes for Cluster Management Console 5.0:

- If you perform a fresh VCS 5.0 MP3 installation, the installer installs the Cluster Management Console 5.0 cluster connector and single cluster management console components as part of the optional VCS RPMs. However, the installer does not provide an option to configure these components.

If you already have a management server of Cluster Management Console 5.0, you can use direct connection to manage the newly configured VCS 5.0 MP3 cluster. Symantec recommends that you install and configure the latest version 5.1 of VCS Management Console.

See “[VCS Management Console 5.1](#)” on page 10.

- If you upgrade VCS to 5.0 MP3 and if you used Cluster Management Console 5.0 to manage the cluster, you may continue to use it with VCS 5.0 MP3.

## VCS Management Console 5.1

The installation media for this release also offers Veritas Cluster Server (VCS) Management Console 5.1. VCS Management Console was earlier known as Cluster Management Console.

VCS Management Console 5.1 can manage VCS 5.0 MP3 clusters using direct connection. You can also install the cluster connector for VCS Management Console 5.1 on the VCS 5.0 MP3 clusters.

Refer to the *Veritas Cluster Server Management Console Implementation Guide* for installation, upgrade, and configuration instructions.

For information on updates and patches for VCS Management Console 5.1, see <http://entsupport.symantec.com/docs/290657>

To download the most current version of VCS Management Console, go to [www.symantec.com](http://www.symantec.com), browse to the Cluster Server page and click **Utilities**.

## Changes to VCS agent for Oracle

The Veritas Cluster Server agent for Oracle includes the following new or enhanced features:

- Support for Oracle 11g
- Support for Oracle ASM
- Support to detect intentional offline
- Support to choose CUSTOM as one of the start up options when you use Hot backup feature of Oracle
- Support for csh and tcsh shell when Health check monitoring is enabled
- Support for a new action entry point pfile.vfd

See the *Veritas Cluster Server Agent for Oracle Installation and Configuration Guide* for more information.

## VCS agent for DB2 supports DB2 9.5

The Veritas Cluster Server Agent for DB2 supports DB2 9.5.

See the *Veritas Cluster Server Agent for DB2 Installation and Configuration Guide* for more information.

## Change in attributes

This release has the following changes for VCS attributes:

- AYATimeout - VCS heartbeat attribute  
The default value of the heartbeat attribute AYATimeout is changed from 300 seconds to 30 seconds. [622413]
- Preonline - VCS service group attribute  
You can now localize the Preonline attribute for the nodes in a cluster. [530440]
- AutoFailOver - VCS service group attribute  
If you have configured system zones in campus clusters, you can fail over that service group manually across system zones.

See the *Veritas Cluster Server User's Guide* for more information.

## New attributes

This release introduces the following new system attributes:

- HostMonitor—Monitors the usage of resources on the host.

- **HostUtilization**—Indicates the usage percentages of resources on the host.

This release introduces the following new service group attributes:

- **PreSwitch**—Indicates whether the VCS engine should switch a service group in response to a manual group switch.
- **PreSwitching**—Indicates that the VCS engine invoked the PreSwitch action function for the agent; however, the action function is not yet complete.

This release introduces the following new resource type level attribute:

- **OfflineWaitLimit**—Indicates the number of monitor intervals to wait for the resource to go offline after completing the offline procedure. Increase the value of this attribute if the resource is likely to take a longer time to go offline.

See the *Veritas Cluster Server User's Guide* for more information.

## Support for intentional offline

Certain VCS agents can identify when an application has been intentionally shut down outside of VCS control. If an administrator intentionally shuts down an application outside of VCS control, VCS does not treat it as a fault. VCS sets the service group state as offline or partial, depending on the state of other resources in the service group. This feature allows administrators to stop applications without causing a failover. The intentional offline feature is available for agents registered as V5.1 or later.

See the *Veritas Cluster Server Agent Developer's Guide* for information on agents that support this feature.

## VCS process to monitor resource utilization

VCS uses the HostMonitor daemon to monitor the resource utilization of CPU and Swap. VCS reports to the engine log if the resources cross the threshold limits that are defined for the resources.

See the *Veritas Cluster Server User's Guide* for more information.

## Support for VxFS file system lock

If the VxFS file system has "mntlock=key" in its mount options, then you cannot unmount the file system without specifying the key. This prevents accidental unmounts when a resource is online.

See the *Veritas Cluster Server Bundled Agents Reference Guide* for more information.

## Changes to bundled agents

VCS 5.0 MP3 introduces the following new agents:

- **DiskGroupSnap**—Verifies the configuration and data integrity in a campus cluster environment.

See “[No longer supported](#)” on page 32.

See the *Veritas Cluster Server Bundled Agents Reference Guide* for details.

### Change in behavior: DiskGroup agent

If you set the value of the `PanicSystemOnDGLoss` attribute to 1, VCS panics the system when the disk group becomes unavailable irrespective of whether you use I/O fencing.

See the *Veritas Cluster Server Bundled Agents Reference Guide* for more information.

### DNS agent updates and monitors the hostname to IP address mapping

The DNS agent now updates and monitors the mapping of host names to IP addresses (A, AAAA, and PTR records), in addition to the canonical name (CNAME) mapping for a DNS zone when failing over nodes across subnets.

See the *Veritas Cluster Server Bundled Agents Reference Guide*.

### New and modified attributes for the bundled agents in VCS 5.0 MP3

The new and modified attributes for the bundled agents in VCS 5.0 MP3 are as follows:

**Table 1-1** New and modified attributes for VCS 5.0 MP3 agents for upgrades from VCS 5.0

Agent	New and modified attributes	Default Value
Apache		
New attributes		
	PidFile	
	IntentionalOffline	0
DiskGroup		

**Table 1-1** New and modified attributes for VCS 5.0 MP3 agents for upgrades from VCS 5.0 (*continued*)

Agent	New and modified attributes	Default Value
New attributes		
	UmountVolumes	0
Modified attributes		
	SupportedActions	{ "license.vfd", "disk.vfd", "udid.vfd", "verifyplex.vfd", checkudid, numdisks, campusplex, joindg, splitdg, getvxvminfo, volinuse }
DNS		
New attributes		
	SupportedActions	{ "dig.vfd", "keyfile.vfd", "master.vfd" }
	ResRecord	
	CreatePTR	
	OffDelRR	
LVMVolumeGroup		
New attributes		
	SupportedActions	{ volinuse }
Mount		
New attributes		
	RegList	{ VxFSMountLock }
	VxFSMountLock	0
Modified attributes		

**Table 1-1** New and modified attributes for VCS 5.0 MP3 agents for upgrades from VCS 5.0 (*continued*)

Agent	New and modified attributes	Default Value
	SupportedActions	{ "mountpoint.vfd", "mounted.vfd", "vxfslic.vfd", "chgmtntlock", "mountentry.vfd" }
NFSRestart		
New attributes		
	SupportedActions	{ "lockdir.vfd", "nfsconf.vfd" }
Share		
New attributes		
	SupportedActions	{ "direxists.vfd" }

## Enhancements to VCS campus clusters

VCS 5.0 MP3 includes the following enhancements to campus cluster configurations:

- Support for campus clusters using VxVM remote mirror configuration  
 In a campus cluster setup, you can configure VxVM diskgroups for remote mirroring.
- Support for fire drill in campus clusters using the DiskGroupSnap agent  
 A fire drill tests the disaster-readiness of a configuration by mimicking a failover without stopping the application and disrupting user access. The DiskGroupSnap agent is used to perform the fire drill in campus clusters. You can bring online, take offline, and monitor the fire drill versions of disk groups for testing.  
 You can configure this agent to either use the disks at the secondary site (Bronze configuration) or use the disks configured on a dummy site at the secondary site (Gold configuration). Symantec recommends that you use the Gold configuration for the DiskGroupSnap resource.  
 See [“Limitations with DiskGroupSnap agent”](#) on page 68.
- Support for manual failover of service groups across system zones in campus clusters  
 The AutoFailOver attribute controls the service group behavior in response to service group and system faults. For campus clusters, you can set the value

of the `AutoFailOver` attribute as 2 to manually fail over the service group across the system zones that you defined in the `SystemZones` attribute.

The manual failover functionality requires that you enable the HA/DR license and that the service group is a non-hybrid service group.

See the *Veritas Cluster Server User's Guide* and the *Veritas Cluster Server Bundled Agents Reference Guide* for more information.

## Support for secure communication in global clusters

In global clusters, VCS provides the option of making the following communications secure:

- Communication between the wide-area connectors
- Communication between the wide-area connectors and the Steward process

See the *Veritas Cluster Server User's Guide* for more information.

## LLT supports NIC bonding

You can configure NIC bonds (aggregated interfaces) as private links under LLT. LLT treats each aggregated interface as a single link. So, you must configure these NICs that form the bond in such a way that the NICs are connected to the same switch or hub.

See the *Veritas Cluster Server Installation Guide* for instructions to configure private heartbeats that use aggregated interfaces.

## I/O fencing supports iSCSI devices

You can now use iSCSI devices as coordinator disks for I/O fencing. However, I/O fencing supports iSCSI devices only when you use DMP disk policy. Make sure that the `/etc/vxfenmode` file has the disk policy set to DMP before you use iSCSI devices as coordinator disks.

For the latest information on supported hardware visit the following URL:

<http://entsupport.symantec.com/docs/283161>

See the *Veritas Cluster Server Installation Guide* for instructions to configure I/O fencing using DMP policy.

## Changes to I/O fencing commands

Following are the changes to the I/O fencing commands:

- The `vxfcntlsthdw` command now supports `-d` option for dmp devices.

- The `vxfenconfig -l` command lists the coordinator disks that the `vxfen` driver uses.

Refer to the corresponding manual pages for more information on the commands.

## Support to replace coordinator disks in a running cluster

You can now replace the coordinator disks in a running cluster using the `vxfenswap` utility.

See the *Veritas Cluster Server User's Guide* for more details.

## Enhanced encryption mechanism for agent passwords

The `vcscrypt` utility now supports stronger encryption mechanism for agent passwords. Use the `vcscrypt` utility to generate a security key that you can use to create a more secure password for the agent.

See the *Veritas Cluster Server User's Guide*.

## Support for Security-Enhanced Linux on Redhat Enterprise Linux 5

VCS is enhanced to run on Security-Enhanced Linux (SE Linux) in the enabled and the enforced modes. VCS supports SE Linux only when the security context is within the "unconfined\_t" environment.

## Support to add a node to a cluster running in secure mode

You can use the `installvcs` to add a node to a cluster running in secure mode.

See the *Veritas Cluster Server Installation Guide* for details.

## Multi-tiered application support using the RemoteGroup agent for global groups

VCS supports the RemoteGroup agent when it points to a global group. The RemoteGroup agent must map the state of the global group in the local cluster.

See the *Veritas Cluster Server User's Guide* for more information on the functionality of this agent.

## VCS documentation is available on the software disc

The VCS documentation package (`VRTSvcsdc`) is deprecated. The software disc contains the documentation for VCS in Portable Document Format (PDF) in the `cluster_server/docs` directory.

Symantec recommends copying pertinent documents from the disc to your system directory `/opt/VRTS/docs` for reference.

## Changes introduced in VCS 5.0 MP2

This section lists the changes introduced in the VCS 5.0 MP2 release.

### Support for Oracle Enterprise Linux

This release adds support for the Oracle Enterprise Linux distribution. Oracle Enterprise Linux is a redistribution by Oracle of Red Hat Enterprise Linux 4 Update 4 that has been customized for the Oracle product.

## Changes introduced in VCS 5.0 MP1

This section lists the changes introduced in the VCS 5.0 MP1 release.

### Change in string size for some attribute values

For group name, resource name, attribute name, type name, and VCS username and password, the string size is limited to 1024 characters.

### Support dropped for SANVolume agent

This release of VCS does not support the SANVolume agent that was shipped with VCS 5.0.

### VCS FEN messages are now VxFEN messages

Error messages that are related to the fencing module, VCS FEN, are now read as VxFEN.

### Campus cluster support

You can configure a campus cluster using functionality provided by Veritas Volume Manager.

To set up a campus cluster, make sure the disk group contains mirrored volumes. The mirrors must be on separate storage at different sites. Use site tags to distinguish between mirrors located at different sites. You could also use enclosure-based naming.

See the *Veritas Volume Manager Administrator's Guide* for detailed instructions.

Symantec recommends using I/O fencing in campus clusters.

## Change in behavior: hastop command

VCS ignores the value of the cluster-level attribute EngineShutdown while the system is shutting down. [702597]

## Change in behavior: BrokerIP attribute of the RemoteGroup agent

The BrokerIP attribute now requires only the IP address. Do not include the port number when you configure the attribute. [789878]

For a secure remote cluster only, if you need the RemoteGroup agent to communicate to a specific authentication broker, then set this attribute.

Type: string-scalar

Example: "128.11.245.51"

## Fire drill support in Veritas Cluster Management Console

Veritas Cluster Management Console adds support for fire drills. The console lets you run fire drills and displays the status of the last fire drill.

- Viewing the status of the last fire drill—The service group listing tables display a column for the Physical Fire Drill Status, which indicates the results of the last fire drill.
- Running a fire drill.
  - Verify that replication for an application is working correctly.
  - Verify that a secondary disaster recovery (DR) application service group can be brought online successfully.
- Viewing fire drill logs—If a service group is configured with a physical fire drill group, a tab labelled Fire Drill Logs appears on the secondary tab bar in the Group:Summary view. Click this tab to view the VCS log messages about the fire drill group on the remote cluster and the resources that belong to it.

See the *Veritas Cluster Server User's Guide* for information about fire drills.

### Viewing the status of the last fire drill

The column Fire Drill Status has been added to service group listing tables. A service group listing table is on the Cluster:Groups view.

For VCS global service groups that are configured with a fire drill group, this column indicates the results of the most recently run fire drill. The following are the possible states:

unknown	No fire drill has been run or the Cluster Management Console has come online after the most recent fire drill
running	Fire drill in progress
passed	Fire drill group came online on the secondary cluster
failed	Fire drill group did not come online on the secondary cluster

If multiple management servers are connected to the global cluster that contains the primary global group, the table does not show fire drill status for that group.

## Running a fire drill

The Cluster Management Console supports fire drills in multi-cluster mode only. Before you run a fire drill, you must do the following:

- Configure the local (primary) and remote (secondary) global groups
- Set up the replication for the storage at the primary and secondary sites
- Configure the fire drill group using the FDSETUP command line wizard.

### To run a fire drill from the Cluster Management Console

- 1 On the navigation bar, click **Home**.
- 2 On the secondary tab bar, click **Clusters**.
- 3 In the Home:Clusters view, in the Clusters Listing table, click the name of the primary global cluster.
- 4 On the secondary tab bar, click **Groups**.
- 5 In the Cluster:Groups view, in the Groups Listing table, click the name of the primary global group.
- 6 In the Group:Summary view, in the Remote Operations task panel, click **Run fire drill**.

You can view results of the fire drill in the Cluster:Groups view, the Group:Summary view, and in the Group:Fire Drill Logs view.

## Viewing fire drill logs

Running a fire drill creates fire drill logs. If a service group is configured with a fire drill group, a tab labeled Fire Drill Logs appears on the secondary tab bar in the Group:Summary view.

### To view fire drill logs

- 1 On the navigation bar, click **Home**.
- 2 On the secondary tab bar, click **Clusters**.
- 3 In the Home:Clusters view, in the Clusters Listing table, click the name of a VCS global cluster.

The global cluster must contain a global service group (primary group) that is configured with a fire drill group at a secondary location.

- 4 On the secondary tab bar, click **Groups**.
- 5 In the Cluster:Groups view, in the Groups Listing table, click the name of the primary global group.
- 6 In the Group:Summary view, on the secondary tab bar, click **Fire Drill Logs**.

This tab contains VCS log messages about the fire drill group on the remote (secondary) cluster and the resources that belong to it.

## Features introduced in VCS 5.0

This section lists the features introduced in the VCS 5.0 release.

See the *Veritas Cluster Server User's Guide* for details.

### Cluster Management Console

The new Cluster Management Console replaces Cluster Manager (Web Console) and CommandCentral Availability.

Cluster Management Console enables administration and analysis for VCS clusters in your enterprise from a single console. You can install Cluster Management Console on a stand-alone system to manage multiple clusters or you can install the console on cluster nodes to manage a local cluster. When installed to manage a local cluster, the console is configured as part of the ClusterService group and the AppName attribute is set to cmc.

See [“VCS Management Console 5.1”](#) on page 10.

## Cluster Monitor is now called Cluster Connector

CommandCentral Availability installed a component called Cluster Monitor on cluster nodes. The updated component is called Cluster Connector.

## VCS privileges for operating system user groups

VCS 5.0 lets you assign VCS privileges to native users at an operating system (OS) user group level in secure clusters.

Assigning a VCS role to a user group assigns the same VCS privileges to all members of the user group, unless you specifically exclude individual users from those privileges.

See the *Veritas Cluster Server User's Guide* for more information.

## Five levels of service group dependencies

VCS now supports configuring up to five levels of service group dependencies. The exception is the online local hard dependency, for which only two levels are supported.

## New RemoteGroup agent to monitor service groups in remote clusters

The new RemoteGroup agent monitors and manages service groups in a remote cluster. See the *Veritas Cluster Server Bundled Agents Reference Guide* for more information about the agent.

## Enhancements to the hastop command

You can customize the behavior of the hastop command by configuring the new EngineShutdown attribute for the cluster.

[Table 1-2](#) lists the EngineShutdown attribute's values and description.

**Table 1-2** EngineShutdown attribute values

Attribute value	Description
Enable	Process all hastop commands. This is the default behavior.
Disable	Reject all hastop commands.
DisableClusStop	Do not process the hastop -all command; process all other hastop commands.

**Table 1-2** EngineShutdown attribute values (*continued*)

Attribute value	Description
PromptClusStop	Prompt for user confirmation before running the hastop -all command; process all other hastop commands.
PromptLocal	Prompt for user confirmation before running the hastop -local command; reject all other hastop commands.
PromptAlways	Prompt for user confirmation before running any hastop command.

## Simulator supports deleting simulated clusters

VCS Simulator now supports deleting simulated clusters.

Symantec recommends using the same tool (command line or Java Console) to create and delete a cluster. For example, if you created the cluster from the Java Console, delete the cluster from the Java Console.

## I/O fencing updates: DMP support

Dynamic multi-pathing (DMP) allows coordinator disks to take advantage of the path failover and the dynamic adding and removal capabilities of DMP. You can configure coordinator disks to use Veritas Volume Manager DMP feature.

You can set the coordinator disks to use either raw or DMP as the hardware path to a drive.

See the *Veritas Cluster Server Installation Guide* for more information.

## Minimal downtime upgrade to VCS 5.0

See the *Veritas Cluster Server Installation Guide* for a strategy on upgrading to VCS 5.0 while ensuring a minimal downtime for your applications.

## Backup of VCS configuration files

VCS backs up all configuration files (*config.cf*) including *main.cf* and *types.cf* to *config.cf.autobackup*. The configuration is backed up only if the *BackupInterval* attribute is set and the configuration is writable.

When you save a configuration, VCS saves the running configuration to the actual configuration file (i.e. *config.cf*) and removes all autobackup files. This does away with the VCS behavior of creating stale files.

If you do not configure the `BackupInterval` attribute, VCS does not save the running configuration automatically.

See the *Veritas Cluster Server User's Guide* for more information.

## Support for security services

VCS 5.0 uses the Symantec Product Authentication Service to provide secure communication between cluster nodes and clients, including the Java and the Web consoles. VCS uses digital certificates for authentication and uses SSL to encrypt communication over the public network.

## Separate logger thread for HAD

The VCS engine, HAD, runs as a high-priority process to send heartbeats to kernel components and to respond quickly to failures. In VCS 5.0, HAD runs logging activities in a separate thread to reduce the performance impact on the engine due to logging.

## Enhanced NFS lock failover

The new `NFSRestart` agent provides high availability to NFS locks. Use the agent in conjunction with the NFS agent.

See the *Veritas Cluster Server Bundled Agents Reference Guide* for more information.

## Support for VLAN interfaces

The `NIC` and `MultiNICA` agents now support VLAN interfaces. The agents do not configure the NICs, but can monitor them.

See the OS vendor's documentation on how to configure VLAN on your host, and ensure that the switch or router connected to such an interface is compatible with your configuration. Both server-side and switch-side VLAN configurations are supported.

## Virtual fire drill

VCS supports a virtual fire drill capability that lets you test whether a resource can fail over to another node in the cluster. Virtual fire drills detect discrepancies between the VCS configuration and the underlying infrastructure on a node; discrepancies that might prevent a service group from going online on a specific node.

See the *Veritas Cluster Server User's Guide* for more information on running virtual fire drills.

## New term: Daemon Down Node Alive (DDNA)

Daemon Down Node Alive (DDNA) is a condition in which the VCS high availability daemon (HAD) on a node fails, but the node is running. When HAD fails, the hashadow process tries to bring HAD up again. If the hashadow process succeeds in bringing HAD up, the system leaves the DDNA membership and joins the regular membership.

See the *Veritas Cluster Server User's Guide* for more information.

## Change in behavior: Use comma or semicolon as delimiter

VCS 5.0 does not support using spaces as delimiters to separate vector, association, or keylist values. You must use a comma or a semicolon as a delimiter.

## Change in behavior: New format for engine version

The new EngineVersion attribute replaces the MajorVersion and MinorVersion attributes. VCS stores version information in the following format:

```
major.minor.maintenance_patch_num.point_patch_num
```

For example:

```
5.0.30.0
```

## Change in behavior for the resfault trigger

VCS now provides finer control over the resfault trigger. The resfault trigger is now invoked if the TriggerResFault attribute is set to 1.

## Change in behavior: New location for enterprise agents

VCS enterprise agents are now installed in the `/opt/VRTSagents/ha/bin` directory.

The `agentTypes.cf` files are now located at `/etc/VRTSagents/ha/conf/agent`.

## Change in behavior: New location of message catalogs and attribute pools

VCS stores binary message catalogs (BMCs) at the following location:

```
/opt/VRTS/messages/language/module_name
```

The variable *language* represents a two-letter abbreviation.

The attribute pools also move from /var to /opt.

## Change in behavior: New option for the hastart and had commands

Use the -v option to retrieve concise information about the VCS version. Use the -version option to get verbose information.

## Changes to bundled agents

VCS introduces the following new agents:

- NFSRestart—Provides high availability for NFS record locks.
- RemoteGroup—Monitors and manages a service group on another system.
- Apache (now bundled on all platforms)—Provides high availability to an Apache Web server.

See “[No longer supported](#)” on page 32.

## Changes to licensing for VCS

[Table 1-3](#) describes the licensing scheme that VCS now follows.

**Table 1-3** VCS licensing scheme

License	What's included
VCS	This license includes the following: <ul style="list-style-type: none"> <li>■ VCS</li> <li>■ Cluster Management Console</li> <li>■ Database agents</li> <li>■ Application agents</li> <li>■ Virtual fire drill support</li> </ul>
VCS HA/DR	This license includes the following: <ul style="list-style-type: none"> <li>■ VCS</li> <li>■ Cluster Management Console</li> <li>■ Database agents</li> <li>■ Application agents</li> <li>■ Replication agents</li> <li>■ Global clustering</li> <li>■ Fire drill support</li> </ul>

---

**Note:**

Database agents are included on the VCS 5.0 disc. The replication and application agents are available via the Veritas High Availability Agent Pack.

---

## New attributes

VCS 5.0 introduces the following new attributes. See the *Veritas Cluster Server User's Guide* for more information.

### Resource type attributes:

- **AgentFile**—Complete name and path of the binary for an agent. Use when the agent binaries are not installed at their default locations.
- **AgentDirectory**—Complete path of the directory in which the agent binary and scripts are located. Use when the agent binaries are not installed at their default locations.

### Cluster attributes:

- **EngineShutdown**—Provides finer control over the `hastop` command.
- **BackupInterval**—Time period in minutes after which VCS backs up configuration files.
- **OperatorGroups**—List of operating system user account groups that have Operator privileges on the cluster.
- **AdministratorGroups**—List of operating system user account groups that have administrative privileges on the cluster.
- **Guests**—List of users that have Guest privileges on the cluster.

### System attributes:

- **EngineVersion**—Specifies the major, minor, maintenance-patch, and point-patch version of VCS.

### Service group attributes:

- **TriggerResFault**—Defines whether VCS invokes the resfault trigger when a resource faults.
- **AdministratorGroups**—List of operating system user account groups that have administrative privileges on the service group.
- **OperatorGroups**—List of operating system user account groups that have Operator privileges on the service group.
- **Guests**—List of users that have Guest privileges on the service group.

## Removed attributes

VCS 5.0 does not use the following attributes:

- **DiskHbStatus**—Deprecated. This release does not support disk heartbeats. Symantec recommends using I/O fencing.
- **MajorVersion**—The **EngineVersion** attribute provides information about the VCS version.
- **MinorVersion**—The **EngineVersion** attribute provides information about the VCS version.

## Updates to the DB2 agent

The Veritas High Availability Agent for DB2 introduces the following changes:

- The attributes **StartUpOpt** and **ShutDownOpt** provide new start up and shut down options. Using the **StartUpOpt** attribute, you can start the instance or partition, activate database commands after processes start, or create customized start up sequences. Using the **ShutDownOpt** attribute, you can perform a normal stop or customize your shut down sequence.
- In previous releases when you enabled in-depth monitoring (**IndepthMonitor=1**), it executed a default SQL query. The in-depth monitor now allows you to classify actions for DB2 errors according to their severity. You can associate predefined actions with each error code with a monitoring script that you can customize. You can find a sample of in-depth monitoring script in the following directory:  
`/etc/VRTSagents/ha/conf/Db2udb/sample_db2udb.`  
You must install the custom script in the `/opt/VRTSagents/ha/bin/Db2udb` directory to enable in-depth monitoring.
- You can enable the **AgentDebug** attribute to get more debugging information from the agent and the database.

## Updates to the Oracle agent

The Veritas High Availability Agent for Oracle introduces the following changes:

- **New monitoring option**—The basic monitoring option of the Oracle agent now allows health check monitoring in addition to the process check monitoring. You can choose the health check monitoring option for Oracle 10g and later.
- **Support for virtual fire drills**—VCS requires you to keep the configurations in sync with the underlying infrastructure on a cluster node. Virtual fire drills detect such discrepancies that prevent a service group from going online on a specific system.

Refer to the *Veritas Cluster Server User's Guide* for more information. The agent uses the Action entry point to support the virtual fire drill functionality.

## Updates to the Sybase agent

The Veritas High Availability Agent for Sybase introduces the following changes:

- The agent supports Sybase ASE 12.5.x and 15.
- The agent supports encrypted passwords.

## VCS system requirements

This section describes system requirements for VCS.

The following information applies to VCS clusters. The information does not apply to SF Oracle RAC installations.

VCS requires that all nodes in the cluster use the same processor architecture and run the same operating system version. However, the nodes can have different update levels for a specific RHEL or OEL version, or different service pack levels for a specific SLES version.

See “[Upgrading the operating system patch levels for VCS](#)” on page 77.

---

**Note:** The system from where you install VCS must run the same Linux distribution as the target systems.

---

See “[Supported hardware](#)” on page 30.

See “[Supported operating systems](#)” on page 30.

## Veritas Installation Assessment Service

The Veritas Installation Assessment Service (VIAS) utility assists you in getting ready for a Veritas Storage Foundation and High Availability Solutions installation or upgrade. The VIAS utility allows the preinstallation evaluation of a configuration, to validate it prior to starting an installation or upgrade.

<https://vias.symantec.com/>

## Supported hardware

The compatibility list contains information about supported hardware and is updated regularly. For the latest information on supported hardware visit the following URL:

<http://entsupport.symantec.com/docs/283161>

Before installing or upgrading Veritas Cluster Server, review the current compatibility list to confirm the compatibility of your hardware and software.

## Supported operating systems

VCS operates on the Linux operating systems and kernels distributed by Oracle, Red Hat, and SUSE.

Table 1-4 lists the supported operating system versions for SUSE Linux Enterprise Server (SLES). The table also lists the supported kernel versions and the architecture.

**Table 1-4** Supported Linux operating system and kernel versions

Operating System	Kernel	Architecture
SLES 11	2.6.27.19-5-default	x86 (32-bit) Intel Xeon (32-bit, 64-bit) AMD Opteron (32-bit,64-bit)

**Note:** If your system runs an older version of SUSE Linux Enterprise Server, you must upgrade the operating system before you attempt to install the VCS software. Refer to the SUSE documentation for more information on upgrading your system.

Symantec supports only Oracle, Red Hat, and SUSE distributed kernel binaries.

Symantec products operate on subsequent kernel and patch releases provided the operating systems maintain kernel ABI (application binary interface) compatibility.

Information about the latest supported Red Hat erratas and updates and SUSE service packs is available in the following TechNote. The TechNote also includes any updates to the supported operating systems and software. Read this TechNote before you install Symantec products.

<http://entsupport.symantec.com/docs/281993>

## Required Linux RPMs for VCS

Make sure you installed the following operating system-specific RPMs on the systems where you want to install or upgrade VCS. VCS will support any updates made to the following RPMs, provided the RPMs maintain the ABI compatibility.

[Table 1-5](#) lists the RPMs that VCS requires for a given Linux operating system.

**Table 1-5** Required RPMs

Operating system	Required RPMs
SLES 11	glibc-2.9-13.2 glibc-32bit-2.9-13.2 libgcc43-4.3.3_20081022-11.18 libgcc43-32bit-4.3.3_20081022-11.18 libstdc++43-4.3.3_20081022-11.18 libstdc++43-32bit-4.3.3_20081022-11.18

## Supported software

VCS supports the following volume managers and files systems:

- ext2, ext3, reiserfs, NFS, and bind on LVM2, Veritas Volume Manager (VxVM) 4.1 and 5.0, and raw disks.
- Veritas Volume Manager (VxVM) with Veritas File System (VxFS)
  - VxVM 4.1 with VxFS 4.1
  - VxVM 5.0 with VxFS 5.0  
(On RHEL and SLES only)
  - VxVM 5.0 MP1 with VxFS 5.0 MP1  
(On RHEL and SLES only)
  - VxVM 5.0 MP2 with VxFS 5.0 MP2
  - VxVM 5.0 MP3 with VxFS 5.0 MP3

---

**Note:** Veritas Storage Foundation 5.0 and later versions support only 64-bit architecture on Linux. See *Veritas Storage Foundation Release Notes* for more details.

---

## No longer supported

VCS no longer supports the following:

- CampusCluster agent
- Apache agent configuration wizard
- The updated Oracle agent does not support Oracle 8.0.x and Oracle 8.1.x.
- The updated DB2 Agent does not support DB2 7.2

- Cluster Management Console

The VCS 5.0 RU1 installer does not include the Cluster Management Console 5.0 cluster connector (VRTScmccc) and single cluster management console (VRTScmcs) components as part of the optional VCS RPMs.

However, if you already have a management server of VCS Management Console 5.5, you can use the direct connection to manage the newly configured VCS clusters. Symantec recommends that you install and configure the latest version 5.5 of VCS Management Console.

You can download VCS Management Console 5.5 from

[https://www4.symantec.com/Vrt/offer?a\\_id=61387](https://www4.symantec.com/Vrt/offer?a_id=61387).

- VCS documentation package (VRTSvcsdc)

The VCS documentation package (VRTSvcsdc) is deprecated. The software disc contains the documentation for VCS in Portable Document Format (PDF) in the *cluster\_server/docs* directory.

Symantec recommends copying pertinent documents from the disc to your system directory `/opt/VRTS/docs` for reference.

## Installation notes for VCS 5.0 RU1

The VCS 5.0 RU1 release supports only fresh installations of VCS on SLES 11 systems. See the *Veritas Cluster Server Installation Guide* for the procedures on installing, configuring, or uninstalling VCS 5.0 RU1.

The following topics in the *Veritas Cluster Server Installation Guide* are not relevant for VCS 5.0 RU1 and can be ignored.

- Information related to upgrading VCS.
- Supported operating systems  
Refer to the supported operating system information mentioned in this release notes.  
See “[Supported operating systems](#)” on page 30.
- Required Linux RPMs for VCS

Refer to the Linux RPMs for SLES 11 mentioned in this release notes.  
See [“Required Linux RPMs for VCS”](#) on page 31.

- Supported software  
Refer to the supported software information mentioned in this release notes.  
See [“Supported software”](#) on page 31.
- Information related to other architectures or versions of Linux

In the *Veritas Cluster Server Installation Guide*, the chapters "Adding and removing cluster nodes" and "Installing VCS on a single node" include the procedure for installing VCS RPMs manually on a node. Refer to the list of RPMs for SLES 11 given in this release notes.

See [“Veritas Cluster Server 5.0 Release Update 1 RPMs”](#) on page 33.

## Veritas Cluster Server 5.0 Release Update 1 RPMs

The VCS 5.0 RU1 required RPMs are listed as follows:

- VRTSatClient-4.3.34.4-4.i386.rpm
- VRTSspt-5.5.00.0-GA.noarch.rpm
- VRTSatServer-4.3.34.4-4.i386.rpm
- VRTSvcs-5.0.31.00-RU1\_SLES11.i686.rpm
- VRTSvcsag-5.0.31.00-RU1\_SLES11.i686.rpm
- VRTScscw-5.0.20.04-MP2\_GENERIC.noarch.rpm
- VRTSvcsdr-5.0.31.00-RU1\_SLES11.x86\_64.rpm
- VRTScutil-5.0-MP2\_GENERIC.noarch.rpm
- VRTSvcsmsg-5.0.31.00-RU1\_GENERIC.noarch.rpm
- VRTSgab-5.0.31.00-RU1\_SLES11.x86\_64.rpm
- VRTSicsco-1.3.28.0-0.i386.rpm
- VRTSvlic-3.02.51.0000-0.x86\_64.rpm
- VRTSjre15-1.5.3.5-5.i386.rpm
- VRTSvxfen-5.0.31.00-RU1\_SLES11.x86\_64.rpm
- VRTSllt-5.0.31.00-RU1\_SLES11.x86\_64.rpm
- VRTSweb-5.0.1-GA4\_GENERIC.noarch.rpm
- VRTSpbx-1.3.28.0-0.i386.rpm
- VRTSacclib-5.0.31.00-RU1\_GENERIC.noarch.rpm

- VRTSperl-5.10.0.0-SLES11.x86\_64.rpm

The VCS 5.0 RU1 optional RPMs are listed as follows:

- VRTSvcsmn-5.0.31.00-RU1\_GENERIC.noarch.rpm
- VRTScssim-5.0.31.00-RU1\_SLES11.i686.rpm
- VRTScscm-5.0.20.04-MP2\_GENERIC.noarch.rpm

---

**Note:** Some RPMs, for example VRTScscw-5.0.20.04-MP2\_GENERIC.noarch.rpm, have an older version name. As these packages are generic for different OS versions (SLES 9, 10, and 11), these RPMs work fine on SLES 11. You can ignore the older version names.

---

## Fixed issues

Refer to the following sections depending on the VCS version:

- See “[Issues fixed in VCS 5.0 RU1](#)” on page 34.
- See “[Issues fixed in VCS 5.0 MP3](#)” on page 35.
- See “[Issues fixed in VCS 5.0 MP1](#)” on page 39.
- See “[Issues fixed in VCS 5.0](#)” on page 41.

For a list of additional issues fixed in this release, see the following TechNote:

<http://entsupport.symantec.com/docs/285869>

### Issues fixed in VCS 5.0 RU1

[Table 1-6](#) lists the issues fixed in VCS 5.0 RU1.

**Table 1-6** VCS 5.0 RU1 fixed issues

Incident	Description
1634399	Mount agent now supports NFSv4 client mounts.
1539087	The agent framework leaked memory while logging. This issue is fixed.
1522568	The agent framework crashed while setting the dependent attribute's resource name. This issue is fixed.
1509742	Memberships to the GAB clients may not be formed if brought online before the Port a membership is formed.

**Table 1-6** VCS 5.0 RU1 fixed issues (*continued*)

Incident	Description
1507031	The LVMVolumeGroup monitor script now verifies the existence of Volume for all distributions correctly.
1469787	The file descriptor opened by HAD on /dev/llt now closes on exec.
1451717	hasys command displays an error message when non-existent attributes are specified with -display command.
1450300	NFS agent now supports export over multiple IP addresses.
1440459	Modified the init.d script of vxfen to ensure that the vxfen service starts after the vxvm-boot service, when the system boots up.
1425599	The setsockopt function is called with SO_BSDCOMPAT, only on linux kernel versions where it is supported.
1424929	Fixed the race condition while sending the GAB CONNECTS message.
1414709	After all the resources get offline, the IntentOnline attribute of the service group resets to 0.
1407418	Modified the logic such that the agent log files are now created when the environment variable VCS_LOG_MAXLEN is exported.
1404384	Global groups can now switch over to the target cluster when the Preswitch's attribute value is set to TRUE.
1403471	Reduced time for global cluster fault detection.
1386527	Removed the buffer overflow that occurred during CPU usage computation.
1369622	Steward process now starts as a daemon when invoked with 'steward -start'.

## Issues fixed in VCS 5.0 MP3

[Table 1-7](#) lists the fixed incidents for VCS 5.0 MP3.

**Table 1-7** VCS 5.0 MP3 fixed issues

Incident	Fix description
612587	The haclus -wait command does not hang now when cluster name is not specified.

**Table 1-7** VCS 5.0 MP3 fixed issues (*continued*)

Incident	Fix description
618961	On SUSE nodes, when the fencing driver calls the kernel panic routine, this routine could get stuck in sync_sys() call and cause the panic to hang. This allows both sides of the split-brain to remain alive. This issue is fixed so that the cluster node panics after split-brain.
797703	The output of the vxfenadm command with -d option had unwanted "^M" character attached to the RFSM state information of all nodes. The output of the vxfenadm command now does not display the unwanted "^M" characters.
805121	Partial groups go online erroneously if you kill and restart the VCS engine.
861792	Service groups are now listed in the groups table in the Recover Site wizard.
862507	GAB_F_SEQBUSY is now not set when the sequence request is not sent.
896781	The issue that caused systems to panic intermittently after you disable array side switch port is fixed.
900244	When a service group switches over, NFS clean is not called anymore.
914752	Optimized LLT to print "node inactive" messages less frequently so as to not flood the dmesg buffer.
926849	Fixed an issue that prevented service groups with IPMultiNIC resources from failing back.
989935	The clean and monitor functions of the Application agent can now detect the same process/application run by different users.
1016548	The issue that caused node panic with message "GAB: Port f halting system due to network failure" is fixed.
1032572	The vxfen-startup script is modified to use the xpg4 awk utility (/usr/xpg4/bin/awk).
1038373	Fixed an issue where LLT was causing panic because it was referencing freed memory.
1045128	Resolved an issue that caused gab to panic during initialization.
1050999	Resolved a HAD issue that caused the ShutdownTimeout value to not work correctly.

**Table 1-7** VCS 5.0 MP3 fixed issues (*continued*)

Incident	Fix description
1051193	The vxfen unconfigure command now uses the correct key to preempt/abort from now faulted paths.
1053377	/usr/bin:/bin:/usr/sbin:/sbin is added first in the PATH env variable so that 'df', 'uname', and so on are picked up from these paths.
1055379	vxfcntlsthw works without error when raw device file is not present .
1056559	Fixed an issue where the NFSRestart monitor threw a, “too many open files error.”
1057418	The I/O fencing component can now retrieve the serial number of LUNs from a Pillar Data array. I/O fencing can now start without any issues and port b comes up for PillarData Arrays.
1061056	Child process of the agents now do not make calls to the logging functions of the VCSAgLog object.
1067667	When the VCS engine is stopping with evacuation, even if resource faults for a group with OnlineRetryLimit greater than zero, the evacuation completes.
1096394	Fixed an issue where notifier blocked the IPM socket.
1099651	Fixed the issue where the Process agent flooded the log and message files with the V-16-1001-9004 error message.
1102457	The vxfen initialization code has been modified to properly initialize parameters and avoid dereferencing of null pointer.
1113667	Replaced a fork call with a safer one.
1133171	When new resources are added, the service threads in the corresponding agent will get created upto a maximum of NumThreads threads.
1133223	All the thread unsafe calls are replaced with thread safe calls.
1137118	The fencing driver retries startup for some time before deciding on a pre-existing split brain.
1156189	The Sybase resource can now come online even if -s appears in the path of the server name of the resource attribute definition.
1162291	Application agent now inherits user defined LANG parameter.

**Table 1-7** VCS 5.0 MP3 fixed issues (*continued*)

Incident	Fix description
1174520	The VCS engine now does not assert if a service group with single system in SystemList is unfreezed.
1174911	Group switch/failover logic now completes if parent group gets autodisabled.
1186414	The hastart command and the triggers now run on the locale specified by the LANG variable.
1187580	Issues with the ActionTimeout attribute are fixed.
1189542	Service Group state now does not turn from PARTIAL to ONLINE after killing the VCS engine. The issue is fixed to show the correct state of the service group.
1193697	The default heartbeating mechanism in LLT is now point-to-point and not broadcast heartbeating.
1205904	Mount agent's problem to monitor two Mount resources with same MountPoint but different BlockDevice is fixed.
1214464	The VCS agent for Sybase now uses getent passwd to check the user details defined in the Owner attribute.
1217482	Fixed the cluster_connector.sh script to use the correct signal to stop the Java process when the CMC group goes offline.
1218881	The Apache version was incorrectly parsed for IBMIHS.
1228409	With UmountVolumes attribute of DiskGroup agent set to 1, the resource can failover with open volumes outside the VCS control.
1228356	The VCS agent for DB2 now uses getent passwd to check the user details defined in the Owner attribute.
1230862	The nfs_postoffline trigger can now read the value of the NFS agent's Nservers attribute.
1241260	OnlineRetryCount, OnlineWaitCount, and OfflineWaitCount values are reset when a resource is flushed.
1247347	The Mount agent error message now indicates that there are trailing spaces in the BlockDevice or MountPoint attribute value. The user must remove these extra spaces for the resource to be correctly configured.

**Table 1-7** VCS 5.0 MP3 fixed issues (*continued*)

Incident	Fix description
1256313	While unfreezing a group, check if there exists concurrency violation. Fire a concurrency violation trigger to remove the concurrency.
1268550	The DiskGroup agent is enhanced to support large storage configurations.
1280144	Subroutines are added to set and reset locale in the ag_i18n_inc module.
1285439	The clean script of the VCS agent for Sybase now supports removal of the IPC resources that the Sybase processes allocate.
1296465	If the ClusterService group is online on the same node on which a global service group is also online and if the node goes down, then the service group is failed over to a remote site.
1298642	The Mount agent umounts all the bindfs filesystems associated with the mount point before taking the resource offline.
1379532	The online script of the VCS agent for Oracle is fixed to use the startup force command when the value of the StartUpOpt attribute is set to STARTUP_FORCE.

## Issues fixed in VCS 5.0 MP1

[Table 1-8](#) lists the fixed issues for VCS 5.0 MP1.

**Table 1-8** VCS 5.0 MP1 fixed issues

Incident	Fix description
830848	The hawizard command hangs.
784335	The Oracle agent cannot identify the shell when the /etc/passwd file has multiple occurrence of the \$Owner string.
702597	VCS ignores the value of the cluster-level attribute EngineShutdown while the system is shutting down.
702594	The Oracle agent does export SHLIB_PATH and other environment in CSH.
646372	The hatype <code>-modify ... -delete ...</code> command works incorrectly. The command deletes the first element of the keylist attribute.

**Table 1-8** VCS 5.0 MP1 fixed issues (*continued*)

Incident	Fix description
627647	The Action entry point for Oracle fails because <code>set_environment()</code> function prototype differs.
627568	The <code>STARTUP_FORCE</code> value needs to be added in the drop-down list of <code>StartUpOpt</code> values in the Oracle and RAC wizards as the default value for <code>StartUpOpt</code> .
625490	For the agent framework module, <code>ag_i18n_inc.sh</code> does not invoke <code>halog</code> when script entry points use the <code>VCSAG_LOGDBG_MSG</code> API, even if the debug tag is enabled.
620529	Cluster Management Console does not display localized logs. If you installed language packs on the management server and on VCS 5.0 cluster nodes, Cluster Management Console did not initially show localized logs.
619770	The <code>IcmpAgent</code> crashes intermittently.
619219	Running the <code>hastart</code> command twice causes an assertion to be displayed.
616964	In a secure environment, the <code>RemoteGroup</code> agent does not authenticate on a remote host for the first time.
616580	Importing resource types fails on Simulator on Windows systems.
615582	The <code>RefreshInfo</code> entry point for Mount agent generates erroneous messages.
609555	The Remote Group Agent wizard in the Java GUI rejects the connection information for the remote cluster with the domain type other than the local cluster. Fix: The RGA Wizard can now connect to all supported domain types irrespective of the domain type of local cluster.
608926	The template file for the DB2 agent does not contain the complete information for building a DB2 MPP configuration. The template does not include a service group required in the configuration.
598476	If you have a service group with the name <code>ClusterService</code> online on the last running node on the cluster, the <code>hasim -stop</code> command appears to hang.
570992	Cluster Management Console does not display some icons properly.
545469	The Monitor entry point does not detect an online when the Oracle instance is not started by the user defined in the Owner attribute.

**Table 1-8** VCS 5.0 MP1 fixed issues (*continued*)

Incident	Fix description
244988	Very large login name and password takes all the service groups offline. Fix: For group name, resource name, attribute name, type name, and VCS username and password, the string size is limited to 1024 characters.
243186	Assertion in VCS engine.

## Issues fixed in VCS 5.0

[Table 1-9](#) lists the fixed issues for VCS 5.0.

**Table 1-9** VCS 5.0 fixed issues

Incident	Issue description
n/a	The concurrency violation trigger could not offline a service group if the group had a parent online on the system with local firm dependency. The concurrency violation continued until the parent was manually taken offline.
n/a	The configuration page for the Symantec Web server (VRTSWeb) offered two Japanese locale options. Both options had UTF-8 encoding, and there were no functional difference between the two.
n/a	The agent for Oracle obtained its initialization parameters from the pfile. VCS could not monitor Oracle instances created from the spfile.
n/a	When installing Cluster Manager on a Windows XP system, the following error appeared: "The installer has insufficient privileges to access this directory: C:\Config.Msi."
314206	A known issue in Red Hat Enterprise Linux 4 could cause unmount to fail. When an NFS client does some heavy I/O, unmounting a resource in the NFS service group may fail while taking the service group offline. Refer to bugzilla id 154387 for more information.
584243	hares options do not filter correctly.
515644	hacf does not handle MAXARG values of vector/associative attributes in the main.cf.
426932	Indeterministic service thread cancellation.
271167	Provide finer control over the hastop -all command.

**Table 1-9** VCS 5.0 fixed issues (*continued*)

Incident	Issue description
254947	GAB and LLT device files have open permissions.
252347	Behavior of parent group is incorrect when groups are linked with online global firm and child group faults.
248069	Commands do not close socket after successful termination.
247698	Need to move logging activities out of single-threaded HAD.
246238	Information required when had is restarted either by hashadow or gab.

## Known issues

The following issues are open for this release of VCS.

### Operational issues for VCS

This section covers the operational issues for VCS.

#### **Volumes outside of VCS control that are mount locked cannot be unmounted without specifying the key**

If a VxFS file system has "mntlock=key" in its mount options, then you cannot unmount the file system without specifying the key. Groups having DiskGroup resources configured with UmountVolumes set, may fail to switch or failover if the volumes are mount locked. [1276594]

#### **Saving large configuration results in very large file size for main.cf**

If your service groups have a large number resources or resource dependencies, and if the PrintTree attribute is set to 1, saving the configuration may cause the configuration file to become excessively large in size and may impact performance. [616818]

Workaround: Disable printing of resource trees in regenerated configuration files by setting the PrintTree attribute to 0.

## AutoStart may violate limits and prerequisites load policy

The load failover policy of Service Group Workload Management may be violated during AutoStart when all of the following conditions are met: [251660]

- More than one autostart group uses the same Prerequisites.
- One group, G2, is already online on a node outside of VCS control, and the other group, G1, is offline when VCS is started on the node.
- The offline group is probed before the online group is probed.

In this scenario, VCS may choose the node where group G2 is online as the AutoStart node for group G1 even though the Prerequisites load policy for group G1 is not satisfied on that node.

Workaround: Persistently freeze all groups that share the same Prerequisites before using the `hastop -force` command to stop the cluster or node where any such group is online. This workaround is not required if the cluster or node is stopped without the force option.

## Trigger not invoked in REMOTE\_BUILD state

In some situations, VCS does not invoke the injeopardy trigger if the system is a REMOTE\_BUILD state. VCS fires the trigger when the system goes to the RUNNING state.

## The hagetcf script reports an error

Running the hagetcf script to gather information about the VCS cluster generates the following error:

```
tar: cannot stat ./var/VRTSvcS/log/*.A.log. Not dumped.
```

Workaround: This message may be safely ignored.

## Node cannot join cluster because port v is not ready for configuration

This behavior is observed when a node leaves a cluster and another node tries to join the cluster at the same time. If the GAB thread is stuck in another process, the new node cannot join the cluster and GAB logs the following warning:

```
GAB WARNING V-15-1-20126 Port v not ready  
for reconfiguration, will retry.
```

## Using the coordinator attribute

This release contains an attribute for disk groups called `coordinator`, which configures disks as coordinator disks by the I/O fencing driver. Setting the attribute prevents the coordinator disks from being reassigned to other disk groups. See the Veritas Volume Manager documentation for additional information about the `coordinator` attribute.

The attribute requires that the disk group contain an odd number of disks. Symantec recommends that you use only three coordinator disks. Using more (five or seven) disks may result in different subclusters.

## VCS controlled mount fails, while manual mount of volume succeeds

Security-enhanced Linux must be disabled, because the Security-enhanced (SE) Linux support is provided for evaluation purposes only and the Security policy files are not currently available for the Veritas product stack. Problems such as the mount issue in the subject title can result when Security-enhanced Linux is enabled.

Workaround: To disable SE Linux at boot time on both SLES 9 and RHEL 4, set the kernel boot parameter `selinux` to 0 (`selinux=0`) and reboot the machine. Assuming the system has been configured for booting from the machine `machine_name`, edit the file `/boot/machine_name/menu.lst` to include `selinux=0` on the kernel line. Then reboot the machine to ensure the setting takes effect.

## Network interfaces change their names after reboot

On SUSE systems, network interfaces change their names after reboot even with `HOTPLUG_PCI_QUEUE_NIC_EVENTS=yes` and `MANDATORY_DEVICES="..."` set.

Workaround: Use `PERSISTENT_NAME= ethX` where `X` is the interface number for all interfaces.

## Unloading DiskRes driver requires a reboot on RHEL 4

On systems running RHEL 4, you must reboot a system after if you are upgrading or replacing the DiskRes driver.

## Performance issues with LLT over UDP

LLT over UDP has the following performance issues:

- See “[Slow performance of LLT over UDP if a link goes down](#)” on page 45.
- See “[Slow performance of LLT over UDP on SLES 9](#)” on page 45.

## Slow performance of LLT over UDP if a link goes down

If LLT is configured over UDP and a link goes down, then you may encounter severe degradation in the performance over the remaining link.

Workaround: On all nodes in the cluster, set the LLT window size to small values. The default value is 400. Setting it to 100 can bring the performance close to normal.

To set window limit add this line in `/etc/llttab`:

```
set-flow          window:100
```

To change at runtime use `lltconfig(1m)`

```
$ lltconfig -F window:100
```

## Slow performance of LLT over UDP on SLES 9

LLT over UDP requires properly assigned IP addresses for the Ethernet interfaces used for the LLT private links. Using `ifconfig` to set up the IP addresses for Ethernet interfaces may not be reliable on SLES 9.

Workaround: The issue is not observed when IP addresses are set using YaST or YaST2.

---

**Note:** LLT over UDP might give problems on Red Hat Enterprise Linux. The systems might keep logging warnings, CPU usage might increase and the systems might hang.

---

## Unmount fails while taking service group offline

A known issue in Red Hat Enterprise Linux 4 could cause unmount to fail. When an NFS client does some heavy I/O, unmounting a resource in the NFS service group may fail while taking the service group offline. Refer to Red Hat's Bugzilla id 154387 for more information.

## Some alert messages do not display correctly

The following alert messages do not display correctly [612268]:

- |       |   |
|-------|---|
| 51033 | Global group %s is unable to failover within cluster %s and AutoFailOver is %s. Administrative action is required.  |
| 51032 | Parallel global group %s faulted on system %s and is unable to failover within cluster %s. However, group is still online/partial on one or more systems in the cluster |

51031	Unable to automatically fail over global group %s remotely because local cluster does not have Authority for the group.
51030	Unable to find a suitable remote failover target for global group %s. Administrative action is required
50916	Unable to automatically failover global group %s remotely due to inability to communicate with remote clusters. Please check WAN connection and state of wide area connector.
50914	Global group %s is unable to failover within cluster %s and ClusterFailOverPolicy is set to %s. Administrative action is required.
50913	Unable to automatically fail over global group %s remotely because clusters are disconnected and ClusterFailOverPolicy is set to %s. Administrative action is required.
50836	Remote cluster %s has faulted. Administrative action is required.
50761	Unable to automatically fail over global group %s remotely because ClusterList values for the group differ between the clusters. Administrative action is required.

## Offlining one IP resource fails other IP resources on the same node

When you plumb a new IP address on any interface, the IP address is marked as secondary if another IP address exists on the interface in the same subnet. If you remove the primary IP address from the interface, all the secondary IP addresses in the subnet are also removed. So, if you offline one IP resource, the other IP resources on the same node fail. [1205382]

Workaround: Configure the base IP address in the same subnet as that of the primary IP address.

## Issues related to the installer

This section covers the issues related to the installer.

### Installer may not discover all the aggregated interfaces

The product installer may not discover all the aggregated interfaces. So, during the product configuration you must choose the NICs or the aggregated interfaces that the installer discovers for private heartbeats. [1286021]

Workaround: If you want to choose aggregated interfaces that the installer did not discover for private heartbeats then you must manually edit the `/etc/llttab`

file to replace name of NICs with that of aggregated interfaces before you start VCS when the installer prompts after product configuration.

See *Veritas Cluster Server Installation Guide*.

## **Installer may throw error when aggregated interfaces are chosen for SLES**

If you chose to configure aggregated interfaces for private heartbeats for systems that run on SLES during the VCS configuration, the installer may throw error when verifying the NIC configuration. When the installer does not find “Persistent Network Interface Names” for the chosen aggregated interfaces, the installer throws an error with id CPI ERROR V-9-0-0. [1363800]

Workaround: Symantec recommends you to choose NICs and not aggregated interfaces for systems that run SLES during VCS configuration. Later when the installer prompts to start VCS after configuration, you must manually edit the `/etc/llttab` file to replace name of NICs with that of aggregated interfaces and then start VCS.

See *Veritas Cluster Server Installation Guide*.

## **Issues related to the VCS engine**

This section covers the issues related to the VCS engine.

### **CPUUsage should be computed as 'long long' value**

If System attribute CPUUsageMonitoring is set to monitor CPU Usage and the system is up and running for sufficiently long time, the CPUUsage is always computed as 100% even though there is no load on the system. [1365195]

Workaround: Freeze the system so that it is not considered as a target for failover. If there are groups online on this node, switch all the groups to another node in the cluster. Reboot the system. Unfreeze the system.

### **Resources in a parent service group may fail to come online if the AutoStart attribute for the resources is set to 0**

This issue occurs for service groups linked with online local firm dependency, where the AutoStart attribute for all the resources of the parent service group is set to 0 (false) and at least one of these resources is up and running outside VCS control before VCS comes up. The AutoStart attribute of the parent service group itself does not matter.

If you take the resources of the parent service group offline individually and then switch or fail over the child service group to another node in the cluster, the child

service group comes online on the node but the parent service group does not come online on that node. [1363506]

The following error is displayed in the VCS Engine logs for resources of the parent service group: "VCS WARNING V-16-1-10285 Cannot online: resource's group is frozen waiting for dependency to be satisfied"

Workaround: In such a scenario, while taking the parent service group resources offline, use the following command for the last resource:

```
hagrps -offline service_group -sys system_name -clus cluster_name
```

Here, *service\_group* is the name of the parent service group, *system\_name* is the name of the system on which the service group is brought offline, and *cluster\_name* is the name of the cluster to which the system belongs.

## Engine may hang in LEAVING state

When the `hares -online` command is issued for a parent resource when a child resource faults, and the `hares -online` command is followed by the `hastop -local` command on the same node, then the engine transitions to the leaving state and hangs.

Workaround: Issue the `hastop -local -force` command.

## Timing issues with AutoStart policy

Consider a case where the service group is offline and engine is not running on node 1. If you restart the engine on node 1 after HAD is killed on node 2 and before the engine is restarted on node 2, then VCS does not initiate the autostart policy of the group.

## Issues related to the VCS bundled agents

This section covers issues related to the VCS bundled agents.

### Application agent cannot monitor kernel processes

Application agent cannot monitor processes which have wildcard characters that give a special meaning to `grep` command. [1232043]

## RemoteGroup agent's monitor function may time out when remote system is down

If a RemoteGroup agent tries to connect to a system (specified as IpAddress) that is down, the monitor function of the RemoteGroup agent times out for the resource. [1397692]

## Problem in failing over the IP resource

When a system panics, the IP address remains plumbed to the system for a while. In such a case, VCS may not succeed in failing over the IP resource to another system. This can be observed when a system panics during I/O Fencing.

Workaround: Increase the value of the OnlineRetryLimit attribute for the IP resource type.

## DiskReservation might fault Mount resources

When the DiskReservation resource is brought online, the agent also does a BLKRRPART ioctl on the disks. This causes the block subsystem to see new block devices. Consequently, the OS launches the block hotplug agent to handle the events. The hotplug agent, as part of its work, unmounts any stale entries.[364315]

Because the hotplug agents are asynchronous, it is difficult to find whether all the hotplug agents have finished processing. So, the DiskReservation resource goes ONLINE even while the hotplug agents are running, which is fine with SCSI reservation as the disks are reserved. However, when the DiskReservation resource goes ONLINE, a dependent Mount resource could also come up. And it is possible that the hotplug agent does its unmount after the Mount agent does its mount and a monitor cycle. If the Monitor entry point of the Mount resource is called after the unmount, VCS will never see the Mount resource as online. If the Monitor is called before the unmount, the resource goes ONLINE, and then in the next Monitor cycle, goes to FAULTED state.

Workaround: To avoid this, the DiskReservation agent is hard coded so that the Monitor entry point of the DiskReservation resource is called HOTPLUG\_DELAY seconds after the Online entry point of the DiskReservation resource completes. HOTPLUG\_DELAY is hard-coded to 5 seconds so that the first monitor happens 5 seconds after the DiskReservation resource is brought online.

If the hotplug agent cannot complete within the default HOTPLUG\_DELAY time, set the OnlineRetryLimit and RestartLimit of the Mount type to 1.

## NFS Lock failover is not supported on SLES 11

VCS does not support NFS Lock failover on SLES 11 [1655702].

## No support for NFSv4 on SLES9

VCS does not support NFS v4 on SLES9.

## NFS cannot handle minor number greater than 255

NFS cannot handle minor numbers greater than 255. [292216]

Workaround: Ensure that minor number of the VxVM diskgroup is not greater than 255.

## NFS security feature

The NFS security feature does not work in a VCS environment. The NFSSecurity attribute is reserved for future use. [568498 ]

## LVMVolumeGroup agent error on SE-Linux

If the LVMVolumeGroup agent is configured for SE-Linux, you may notice that the following error is logged in the audit log every monitor cycle: [1056433]

```
msg=audit(1189772065.053:232113): avc:  
denied { search } for pid=29652  
comm="vgdisplay" name="LVMVolumeGroup" ...
```

Workaround: Use the following command to stop getting these messages.

```
# setsebool -P vcs_lvmagent_support true
```

## Issues related to the I/O fencing for VCS

This section covers the issues related to I/O fencing feature for VCS.

### The vxfstshdw script displays an error on SLES 11 systems

The vxfstshdw script requires a character device interface to write to the raw disks that it verifies. The Linux raw utility provides this required interface if the raw kernel module is loaded and configured. SLES 11 does not automatically configure the raw kernel module when you reboot the system. [1602658]

So, if you do not manually configure the raw module before using the vxfstshdw script, the script displays the following error message:

```
Cannot open master raw device '/dev/rawctl'  
(No such file or directory)
```

Workaround: To use the vxfstshdw script, you must manually configure the raw module after each system reboot using one of the following commands:

```
# modprobe raw
or
# rcraw start
```

After configuring the raw module, the vxfentshdw script does not display any error message.

## The vxfenclearpre script displays error messages

The vxfenclearpre script displays error messages if the `/etc/vxfentab` file is commented. [1512956]

The `/etc/vxfentab` file has the following comments:

```
#
# /etc/vxfentab
# DO NOT MODIFY this file it is generated by the
# VXFEN rc script from the file /etc/vxfendg
#
```

When you run the vxfenclearpre script, the following errors are displayed:

```
VXFEN vxfenadm ERROR V-11-2-1116 Cannot open:
# VXFEN vxfenadm ERROR V-11-2-1132 Open of file failed, errno =
-15344
VXFEN vxfenadm ERROR V-11-2-1205 READ_KEYS failed for:
# VXFEN vxfenadm ERROR V-11-2-1133 Error returned
VXFEN vxfenadm ERROR V-11-2-1116 Cannot open:
# VXFEN vxfenadm ERROR V-11-2-1132 Open of file failed, errno =
-15856
```

However, the vxfenclearpre script operation is successful.

**Workaround:** To avoid these error messages, delete the comments from the `/etc/vxfentab` file before you run the vxfenclearpre script.

## Preexisting split brain after rebooting nodes

If I/O fencing is configured in dmp mode, the fencing driver in VCS 5.0 uses Veritas DMP to handle SCSI commands to the disk driver. This allows fencing to use Veritas DMP for access to the coordinator disks. With certain disk arrays, when paths are failed over due to a path failure, the SCSI-3 persistent reservation keys for the previously active paths are not removed. If the nodes in a cluster are all rebooted at the same time, then the cluster will not start due to a `Preexisting split brain` message. [609407]

Workaround: Use the `vxfenclearpre` script to remove the keys from the coordinator disks as well as from the data disks.

## Stopping vxfen when the fencing module is being configured

Trying to stop the vxfen driver when the fencing module is being configured results in the following error.

```
VXFEN vxfenconfig ERROR V-11-2-1013 Unable to unconfigure vxfen
VXFEN vxfenconfig ERROR V-11-2-1022 Active cluster is currently fencing.
```

Workaround: This message may be safely ignored.

## The vxfen driver reports an error when stopping I/O fencing

If I/O fencing is started in disabled mode, and if you change the `/etc/vxfenmode` file later to `scsi3`, the vxfen driver throws the following spurious error when you stop vxfen:

```
ERROR: failed to stop vxfen
```

However, the actual I/O fencing stop operation is successful. [1301698]

Workaround: This error may be safely ignored.

## I/O fencing configuration fails if fencing module is running on another node

The `vxfenconfig -c` command fails if any of the following commands are running on other nodes in the cluster:

```
/sbin/vxfenconfig -U
/sbin/vxfenconfig -c
```

```
vxfenconfig -U
vxfenconfig -c
```

## Some vxfenadm options do not work with DMP paths

Some options of the vxfenadm utility do not work well with DMP paths such as `/dev/vx/rdmp/sdt3`.

Workaround: Use the `-a` option to register keys instead of `-m` option for DMP paths.

## Issues related to global service groups

This section covers the issues related to global service groups.

### Switching over a global service group can cause the VCS engine to crash

When the `hagrp -switch` command is invoked on a cluster node, VCS engine may crash if all of the following conditions apply [1404384]:

- The value of the `PreSwitch` attribute for the global group is true, and
- The target cluster has more than one node, and
- The `ClusterService` service group is not online on the target node

Workarounds: When you use the `switch` command, use the `-nopre` override. This override prevents the `PreSwitch` actions on the target cluster. Another option is to try to fail over the `ClusterService` service group on the target node in the remote cluster.

### Fault detection takes time in a global cluster running in secure mode

For global clusters running in secure mode, VCS may take a long time to detect a cluster fault on a remote cluster. [1403471]

### Setting up firedrill service group fails in a global cluster that runs in secure mode

In a global cluster that runs in secure mode, the `fdsetup` wizard fails to create a `firedrill` service group if Veritas Volume Replicator is used for replication. [1295115]

### Switch across clusters may cause concurrency violation

If you try to switch a global group across clusters while the group is in the process of switching across systems within the local cluster, then the group may go online on both the local and remote clusters. This issue affects only global groups. Local groups do not experience this behavior.

Workaround: Ensure that the group is not switching locally before attempting to switch the group remotely.

## Using LVM in a GCO environment may cause concurrency violation

Logical Volume Manager (LVM) on Linux operating system is not supported with all replication technologies. Before using LVM with a VCS replication agent, read the documentation for the agent and the late breaking news for the Agent Pack.

<http://support.veritas.com/docs/282004>.

## Global service group does not go online on AutoStart node

At cluster startup, if the last system where the global group is probed is not part of the group's AutoStartList, then the group does not AutoStart in the cluster. This issue affects only global groups. Local groups do not display this behavior.

Workaround: Ensure that the last system to join the cluster is a system in the group's AutoStartList.

## Declare cluster dialog may not display highest priority cluster as failover target

When a global cluster fault occurs, the Declare Cluster dialog enables you to fail groups over to the local cluster. However, the local cluster may not be the cluster assigned highest priority in the cluster list.

Workaround: To bring a global group online on a remote cluster, do one of the following:

- From the Java Console, right-click the global group in the Cluster Explorer tree or Service Group View, and use the Remote Online operation to bring the group online on a remote cluster.
- From the Web Console, use the Operations links available on the Service Groups page to bring the global group online on a remote cluster.

## Issues related to the VCS Agent for DB2

This section covers issues related to the VCS agent for DB2.

### All partitions fault even if there are errors on only one partition with the IndepthMonitor database

This issue occurs in an MPP environment when multiple partitions use the same database. If the Databasename attribute is changed to an incorrect value, all partitions using the database fault. [568887]

## Log message when running DB2 agent

When the Veritas agent for DB2 is run on a VCS system with ja\_JP.eucJP locale, VCS logs the following message:

```
Failed to open file /opt/VRTSvcs/messages/ja/HAD.bmcmmap.
```

Workaround: The agent is functioning correctly, and this message can be safely ignored.

## Issues related to the VCS Agent for Oracle

This section covers the issues related to the VCS agent for Oracle.

### NOFAILOVER action specified for certain Oracle errors

The Veritas High Availability agent for Oracle provides enhanced handling of Oracle errors encountered during detailed monitoring. The agent uses the reference file oraerror.dat, which consists of a list of Oracle errors and the actions to be taken.

See the *Veritas Cluster Server Agent for Oracle Installation and Configuration Guide* for a description of the actions.

Currently, the reference file specifies the NOFAILOVER action when the following Oracle errors are encountered:

```
ORA-00061, ORA-02726, ORA-6108, ORA-06114
```

The NOFAILOVER action means that the agent sets the resource's state to OFFLINE and freezes the service group. You may stop the agent, edit the oraerror.dat file, and change the NOFAILOVER action to another action that is appropriate for your environment. The changes go into effect when you restart the agent.

### Health check may not work

If you set MonitorOption to 1, health check monitoring may not function when the following message is displayed [589934]:

```
Warning message - Output after executing Oracle Health  
Check is: GIM-00105: Shared memory region is corrupted.
```

Workaround: Set MonitorOption to 0 to continue monitoring the resource.

## ASM instance does not unmount VxVM volumes after ASMDG resource is offline

In configurations where ASMInstance resource is part of a separate parallel service group, the ASM instance does not unmount the volumes even after the ASMDG resource is taken offline. Therefore, the Volume resource cannot be taken offline. This issue occurs when you use VxVM volumes as ASM disk groups. [918022]

Workaround: Configure the ASMInstance resource as part of the failover service group where ASMDG resource is configured.

## Issues related to the Cluster Manager (Java Console)

This section covers the issues related to the Cluster Manager (Java Console).

### Cluster Manager (Java Console) may display an error while loading templates

You can access the Template View in the Cluster Manager from the Tools > Templates menu. If you have Storage Foundation configured in a VCS cluster setup, the following error may occur while the Cluster Manager loads the templates. (1433844)

```
VCS ERROR V-16-10-65 Could not load :- /etc/VRTSvcs/Templates/DB2udbGroup.tf
```

Workaround: Ignore the error.

### VCS wizards fail on RHEL5

On RHEL5 VCS clusters, the VCS wizards fail to load because the JRE requirements are not met. To run the wizards, you must install the deprecated libxp packages. [974041]

Workaround: Install the following RPM.

```
# rpm -qlp xorg-x11-libXp-32bit-7.2-18.x86_64.rpm
```

```
/usr/lib/libXp.so.6
```

```
/usr/lib/libXp.so.6.2.0
```

### Cluster Manager (Java Console) hangs on Linux

The Cluster Monitor may hang while adding a new cluster panel and may fail to refresh the GUI. [527301]

Workaround: Kill the VCSGui process and restart the Cluster Manager (Java Console).

## Exception when selecting preferences

On Windows systems, selecting the Java (Metal) look and feel of the Java Console may cause a Java exception. [585532]

Workaround: After customizing the look and feel, close restart the Java Console.

## Java Console errors in a localized environment

When connected to cluster systems using locales other than English, the Java Console does not allow importing resource types or loading templates from localized directories. [585532]

Workaround: The workaround is to copy the types files or templates to directories with english names and then perform the operation.

## Printing to file from the VCS Java Console throws exception

VCS Java Console and Help throw an exception while printing to a file from a system that does not have a printer configured. Also, the content is not written to the file.

Workaround: Before printing, make sure at least one printer is configured on the system where the VCS Java Console is launched.

## Common system names in a global cluster setup

If both local and remote systems have a common system name in a global cluster setup, group operations cannot be performed on those systems using the Java console.

Workaround: Use command-line interface to perform group operations.

## Some Cluster Manager features fail to work in a firewall setup

In certain environments with firewall configurations between the Cluster Manager and the VCS cluster, the Cluster Manager fails with the following error message [1392406]:

```
V-16-10-13 Could not create CmdClient. Command Server  
may not be running on this system.
```

Workaround: You must open port 14150 on all the cluster nodes.

## Issues related to the VCS Management Console

This section covers the issues that are related to the VCS Management Console.

## Cluster Connector installation and configuration for fresh install of VCS 5.0 MP3 is not available

If you want to manage clusters that have VCS 5.0MP3, you must use the direct connection mode.

## Upgrading from VCS 4.x (with CC5.0) leaves the CMC group frozen

If a VCS 4.x cluster running Cluster Connector 5.0 is upgraded to VCS 5.0 MP3, the CMC service group and other groups ( except for ClusterService) are frozen and cannot come online after upgrading and rebooting the node. [1367670 ]

Workaround: The CMC group must be brought offline manually before upgrading from VCS 4.x (with CC 5.0) to VCS 5.0MP3.

## Upgrade of the Cluster Connector can make the cluster state UNKNOWN on Management Server

If Cluster Connector is upgraded to 5.0 MP3, the cluster may show the state as "UNKNOWN" on the Management Server. This is due to missing attribute values. [1361602, 1202222]

Workaround: Execute the following commands to restore the CMC\_ClusterConfig resource to the original state.

```
# haconf -makerw
# hagrps -offline CMC -any
# hares -modify CMC_ClusterConfig MSPort 14145
# hares -modify CMC_ClusterConfig ClusterType vcs
# haconf -dump -makero
# hagrps -online CMC -any
```

Restart the CMC group.

## MSPort attribute of CMC\_ClusterConfig is set to 0 after upgrading from VCS 4.x and 5.0 MP1 to 5.0 MP3

Cluster Connector cannot connect to Management Server after upgrading VCS from 4.x and 5.0 MP1 to 5.0 MP3. [1364500 ]

This is because the MSPort attribute of CMC\_ClusterConfig has a value of 0, instead of 14145. This issue is not observed if VCS is upgraded from version 5.0 to 5.0 MP3 directly.

### **The HostMonitor group is displayed in the GUI when connected to CMC (or) Java GUI**

The HostMonitor group (VCSHmg ) is displayed in the GUI when connected to CMC (or) Java GUI on clusters running 5.0MP3. This group is not displayed to the user using the command line interface on cluster nodes. [1315640 ]

### **VRTScmc directory still exists in /opt/ after uninstalling VCS**

After uninstalling VCS, the VRTScmc directory still exists in /opt/ even though the rpm is removed. This directory should be removed after the rpm is removed. [1315832]

The following directories are undeleted after uninstalling VCS.

/etc/VRTScmc

/opt/VRTScmc/bin

/opt/VRTScmc/conf

/opt/VRTSweb

### **Login issue for CMC on a secure cluster**

Entering any string in the Domain Name allows you to log into the Cluster Management Console for a cluster running in secure mode. [1208237]

### **Blank page is displayed on the cluster details page of the DR alert tab**

A blank page is displayed on DR alert tab of the cluster details page after multiple DR alerts are generated. [1194391]

When the cluster has only one DR alert, the alerts page is displayed properly.

### **Warning messages in the log file when running the installmp command**

The installmp command logs the following messages. [782798]

```
warning: user vcsbuild does not exist - using root
warning: group fcf does not exist - using root
```

```
warning: user vcsbuild does not exist - using root  
warning: group fcf does not exist - using root
```

Workaround: None. You may ignore these messages.

## Known issue for the Migrate Site task

The Migrate Site task starts the Migrate Site wizard that enables you to migrate one or more global service groups to one or more remote target clusters. The Cluster Management Console does not migrate a faulted service group. If you attempt to migrate a faulted service group, you may see an entry similar to the following in the management server log:

```
2006-11-20 10:38:33 INFO    Unable to use the -force option when  
the cluster that has Authority for the group is not completely  
down {vrts.vxcs.mcm.gui.web.actions.wizard.MigrateSiteLastPage  
lookupFinish() }
```

Workaround: In the Global Application Group Selection panel, select only service groups that are in the online or partial state. Do not select service groups that are in the faulted state.

## Erroneous output from `gares` command

The `gares` command returns a value for the Start attribute that is different from what the `hares` command returns. The local values are inverted (exchanged). For example, if `gares` returns 1, `hares` returns 0. [853969]

Workaround: This situation can result if the attribute values with local scope are missing for a newly-added system in the system list of a service group. Use the `switch` command for the `CMC_CC` service group (for configurations that use the cluster connector) or reconnect to the cluster (for configurations that use direct connection).

## Cluster Management Console displays fatal errors

CMC displays fatal errors when it encounters an invalid XML file for an agent. [595973]

Workaround: None. Make sure the XML files for custom agents are valid.

## The database fails to back up or restore to a path with Japanese characters

The database fails to back up or restore to the specified path with Japanese characters in it, when the command `gadb -backup` is run. [767796]

Workaround: Use English folder names when backing up, then copy the database file to the Japanese folder manually, if required.

## Cannot uninstall updates on Windows management server

On Windows, uninstalling the VCS 5.0 MP1 management server using Add or Remove Programs removes only the entry from the Add or Remove Programs list. No files are removed. You must perform a management server uninstallation using the original VCS 5.0 uninstallation program. You cannot revert a VCS 5.0 MP1 management server back to a VCS 5.0 management server. [841149]

## View displays incorrect version

After upgrading to the Cluster Management Console for VCS 5.0 MP1, the Admin:Management Server view (Admin -> Management Server) shows an incorrect version of 5.0.1136.0 and an incorrect installation history. The correct information is in the About box. [856103]

## Default SMTP and SNMP addresses in notification policies for Cluster Management Console

When you configure notification settings, the Edit SMTP Settings task asks you to provide default email or default SNMP console addresses. The policy configuration wizard uses these addresses only to populate the recipient lists during policy configuration. The wizard does not automatically configure policies with these addresses.

When you launch the Notification Policy Configuration wizard, the default email address you specified appears in the Notification Recipients dialog box.

If you add email addresses to this list, the wizard adds them to the policy along with the default address. However, if you delete all the addresses from the Email Recipients list, including the default email address, the wizard configures no email addresses in the policy.

Leave default email addresses in the recipients list to configure them into the policy.

The same behavior applies to specifying default SNMP addresses.

## Console displays logs in English and Japanese

If your management server is configured to run in the Japanese locale, but the managed cluster does not have the Japanese language pack installed, the management server displays a mix of logs in English and Japanese. [778176]

Workaround: Make sure the managed cluster has the Japanese language pack installed.

## Some Cluster Management Console controls not immediately active

In some versions of Internet Explorer, you may need to click Flash-based screens, popups, and wizards once before the controls become active. Controls that require this activating click show the following message when you roll over them with your mouse pointer [603415]:

```
Press SpaceBar or Click to activate this Control
```

## Login screen may not display after inactivity timeout

If your Cluster Management Console is inactive and the session times out, your next action in the console should return you to the login screen. However, if your next action is to request a sort or a new page, the console will not sort the data or load the page.

Workaround: Use the browser refresh feature and the login screen will display.

## Very large clusters may not load into Cluster Management Console

Very large clusters may not load into Cluster Management Console. [493844]

Workaround: To accommodate very large clusters, increase the value of the `loadClusterQueryTimeout` property in the management server configuration file, `/opt/VRTScmc/conf/ManagementServer.conf`. The management server generates this file upon startup.

### To load large clusters into Cluster Management Console

- 1 Stop the Cluster Management Server web console:

```
/opt/VRTSweb/bin/stopApp cmc
```

- 2 Add the following line to the file `/opt/VRTScmc/conf/ManagementServer.conf`:

```
loadClusterQueryTimeout=60000
```

Adjust the value as needed to allow complete initial load of your cluster information.

- 3 Start the Cluster Management Server web console:

```
/opt/VRTSweb/bin/startApp cmc ../VERITAS
```

## Log entries in the Management Server:Logs view

The Management Server:Logs view might contain log entries for the management server and for the cluster. [610333]

Management server log entries have the value site in the Object Type column. Cluster log entries have the value cluster in the Object Type column.

## Cannot install if VxAT 4.3 is installed

If you have installed Symantec Product Authentication Services on a system using the 4.3 client/server installer, install of Cluster Management Console will not succeed because the path to the AT binaries is not in the path. Since this path is not present, the custom action DLL in our MSI will not be able to run certain AT-related commands. [617861]

Workaround: Add the path for the AT binaries before attempting a Cluster Management Console install.

## Windows management server uninstall using Add or Remove Programs does not remove folder

After using Add or Remove Programs to remove (uninstall) the Windows management server, an empty Cluster Management Console folder remains:

The default path is C:\Program Files\VERITAS.

Workaround: Delete the empty folder after the uninstall.

## Windows cluster monitor uninstall does not remove folder

After a Windows cluster monitor uninstall, an empty folder remains:

The default path is C:\Program Files\VERITAS.

Workaround: Delete the empty folder after the uninstall.

## Uninstalling Cluster Connector does not remove entry from Add\Remove Programs on Windows

After you uninstall cluster connector on Windows cluster nodes, the Add or Remove Programs control panel continues to show an entry for cluster connector. This persistent entry prevents any reinstallation of cluster connector. [599424]

Workaround: Remove the Veritas Cluster Management Console entry from the list using Windows Installer Cleanup Utility. Run the utility to remove the entry on each node. If you do not have the utility, you may download it from the Microsoft support site.

## Windows install over Terminal Services needs Service Pack 4

Per Microsoft, Windows 2000 without at least Service Pack 4 has problems installing multiple MSI files that alter the same registry key over Terminal Services.

Workaround: If you want to install to a Windows 2000 host using Terminal Services, first ensure that the system has Windows 2000 Service Pack 4 installed.

## Removing the CMC\_SERVICES domain

Uninstalling the management server in multi-cluster environments does not remove the *CMC\_SERVICES* domain. [612176]

You can verify the existence of this domain using the following command:

```
vssat showpd --pdrtype ab --domain CMC_SERVICES
```

You must manually remove the *CMC\_SERVICES* domain using the command line. To manually remove all the peripherals in the *CMC\_SERVICES* domain, enter the following command:

```
vssat deleteprpl --pdrtype ab --domain  
CMC_SERVICES --prplname principalname
```

Enter the following command to remove the domain:

```
vssat deletepd --pdrtype ab --domain CMC_SERVICES@hostname
```

You can determine the host name using the following command:

```
vssat showpd
```

## Issues related to VCS Simulator

This section covers the issues related to VCS Simulator.

### Simulator clusters with Windows configurations fail to start on UNIX host platforms

The following clusters are affected: *Win\_Exch\_2K3\_primary*, *Win\_Exch\_2K3\_secondary*, *Win\_Exch\_2K7\_primary*, *Win\_Exch\_2K7\_secondary*, *WIN\_NTAP\_EXCH\_CL1*, *WIN\_NTAP\_EXCH\_CL2*, *Win\_SQL\_Exch\_SiteA*, *Win\_SQL\_Exch\_SiteB*, *WIN\_SQL\_VVR\_C1*, *WIN\_SQL\_VVR\_C2*. [1363167]

Workaround: For each of these clusters, there is a separate directory named after the cluster under the VCS Simulator installation directory

C:\Program Files\VERITAS\VCS Simulator on Windows

/opt/VRTScssim on Unix

Perform the following steps:

- Navigate to the conf/config directory under this cluster specific directory.
- Open the types.cf file in an editor and change all instances of the string "i18nstr" to "str".
- Open the SFWTypes.cf file in an editor if it exists in this directory and change all instances of the string "i18nstr" to "str".
- Repeat these steps for the following files if they exist: MSearchTypes.cf, SQLServer2000Types.cf, ExchTypes.cf, SRDFTypes.cf.

### **Error in LVMVolumeNFSGroup template for AIX**

In the VCS Simulator, the AIX\_NFS cluster gives error while loading the LVMVolumeGroupNFS template. [1363967]

This problem can also affect real AIX clusters if they try to load this template.

Workaround: For the Simulator, navigate to the Templates/aix directory under the VCS Simulator installation directory (C:\Program Files\VERITAS\VCS Simulator on Windows, /opt/VRTScssim on Unix). Open the LVMVolumeNFSGroup.tf file and look for all instances of the MajorNumber = "". Remove the empty double-quotes and set the correct integer value for MajorNumber.

For real clusters, make identical changes to /etc/VRTSvcs/Templates/LVMVolumeNFSGroup.tf.

## **Issues related to VCS in Japanese locales**

This section covers the issues that apply to VCS 5.0 in a Japanese locale.

### **Installer does not create user account and password**

The product installer does not ask for a VCS user account and password in a Japanese locale. Only the English installer provides this function.

Workaround: Use the hauser command to create VCS user accounts after installation is complete.

### **Symantec Web Server (VRTSWeb) requires restart after installing language packs**

Cluster Management Console does not list Japanese as a language option after installing the language pack. [588560]

Workaround: Restart Symantec Web Server.

### **Error running CmdServer in Japanese eucjp locale**

The command servers displays an unsupported encoding error when you run the Java Console in the Japanese eucjp locale. The error does not appear when you run the console in the Japanese UTF-8 locale. [533291]

### **Remote system log displays in English in Japanese locale**

Log messages in the Java Console from remote systems display in English in the Japanese locale. [859457]

### **The perform check option in the virtual fire drill wizard does not work in Japanese locale**

Running the perform check command in the virtual fire drill wizard in the Japanese locale results in the following error message [865446]:

```
No fire drill found for type <typename> of resource.
```

Workaround: Change the locale to English, when you run fire drill wizard with the perform check option.

## **Other known issues**

This section covers other known issues.

### **Rebooting may fail due to disk reservation conflict**

If a shared disk is reserved by one node, the other node may not boot up [315015]. During reboot, when the VxVM is coming up, the VM tries to read the private region data for all disks it can see, including the one reserved by the DiskReservation on some other node. The read goes through Dynamic Multipathing, which propagates only the EIO. Consequently, the rest of VM does not realize that a RESERVATION\_CONFLICT has occurred, and retries the private region read. The rebooted node comes up only after the VM has done all the retries.

Workaround: Use vxdiskadm utility to remove all disks from VM that the DiskReservation uses. Reboot each node on which you remove the disks.

## **Software limitations**

The following limitations apply to this release.

## DB2 RestartLimit value

When multiple DB2 resources all start at the same time with no dependencies, they tend to interfere or race with each other. This is a known DB2 issue.

The default value for the DB2 agent RestartLimit is 3. This higher value spreads out the re-start of the DB2 resources (after a resource online failure), which lowers the chances of DB2 resources all starting simultaneously. [1231311]

## Cluster address for global cluster requires resolved virtual IP

The virtual IP address must have a DNS entry if virtual IP is used for heartbeat agents.

## Limitation when you use the installer from a remote system

If you use the installer from a remote system, then the remote system must have the same operating system and architecture as that of the target systems where you want to install VCS. [589334]

## Systems in a cluster must have same system locale setting

VCS does not support clustering of systems with different system locales. All systems in a cluster must be set to the same locale.

## VCS deletes user-defined VCS objects that use the HostMonitor object names

If you had defined the following objects in the main.cf file using the reserved words for the HostMonitor daemon, then VCS deletes these objects when the VCS engine starts [1293092]:

- Any group that you defined as VCShmg along with all its resources.
- Any resource type that you defined as HostMonitor along with all the resources of such resource type.
- Any resource that you defined as VCShm.

## No support for NIC names larger than 8 characters

VCS does not support NIC names that are longer than eight characters. [605163]

## GAB panics the systems while VCS gets diagnostic data

On receiving a SIGABRT signal from GAB, VCS engine forks off `vcs_diag` script. When VCS engine fails to heartbeat with GAB, often due to heavy load on the system, the `vcs_diag` script does a `sys req` to dump the stack trace of all processes in the system to collect diagnostic information. The dump of stack trace is intended to give useful information for finding out which processes puts heavy load. However, the dumping puts extra load on the system that causes GAB to panic the system in such heavy loads. See *Veritas Cluster Server User's Guide* for more information. [383970]

Workaround: Disable the `vcs_diag` script. To disable, rename the file `/opt/VRTSvcs/bin/vcs_diag` to `/opt/VRTSvcs/bin/vcs_diag.backup`.

## Using agents in NIS

Programs using networked services (for example, NIS, NFS, RPC, or a TCP socket connection to a remote host) can hang if the host is disconnected from the network. If such a program is used as an agent entry point, a network disconnect can cause the entry point to hang and possibly time out. For example, if the host is configured to use NIS maps as a client, basic commands such as `ps -ef` can hang if there is network disconnect. Symantec recommends creating users locally. To reflect local users, configure:

```
/etc/nsswitch.conf
```

## Fire drill does not support volume sets

The fire drill feature for testing fault readiness of a VCS configuration supports only regular Volume Manager volumes. Volume sets are not supported in this release.

## Limitations with DiskGroupSnap agent

The DiskGroupSnap agent has the following limitations:

- The DiskGroupSnap agent does not support layered volumes. [1368385]
- If you use the Bronze configuration for the DiskGroupSnap resource, you could end up with inconsistent data at the secondary site in the following cases [1391445]:
  - After the fire drill service group is brought online, a disaster occurs at the primary site during the fire drill.
  - After the fire drill service group is taken offline, a disaster occurs at the primary while the disks at the secondary are resynchronizing.

Symantec recommends that you use the Gold configuration for the DiskGroupSnap resource.

## VxVM site for the diskgroup remains detached after node reboot in campus clusters with fire drill

When you bring the DiksGroupSnap resource online, the DiskGroupSnap agent detaches the site from the target diskgroup defined. The DiskGroupSnap agent invokes VCS action entry points to run VxVM commands to detach the site. These commands must be run on the node where the diskgroup is imported, which is at the primary site.

If you attempt to shut down the node where the fire drill service group or the diskgroup is online, the node goes to a LEAVING state. The VCS engine attempts to take all the service groups offline on that node and rejects all action entry point requests. Therefore, the DiskGroupSnap agent cannot invoke the action to reattach the fire drill site to the target diskgroup. The agent logs a message that the node is in a leaving state and then removes the lock file. The agent's monitor function declares that the resource is offline. After the node restarts, the diskgroup site still remains detached. [1272012]

Workaround:

You must take the fire drill service group offline using the `hagrps -offline` command before you shut down the node or before you stop VCS locally.

If the node has restarted, you must manually reattach the fire drill site to the diskgroup that is imported at the primary site.

## Manually removing VRTSat package erases user credentials

Symantec recommends saving user credentials before manually removing the VRTSat package. If you need the credentials again, you can restore them to their original locations.

### To save user credentials

- 1 Run the `vssat showbackuplist` command. The command displays the data files and backs them up into the SnapShot directory `/var/VRTSatSnapShot`. Output resembles the following:

```
vssat showbackuplist
B| /var/VRTSat/.VRTSat/profile/VRTSatlocal.conf
B| /var/VRTSat/.VRTSat/profile/certstore
B| /var/VRTSat/RBAuthSource
B| /var/VRTSat/ABAuthSource
B| /etc/vx/vss/VRTSat.conf
Quiescing ...
Snapshot Directory :/var/VRTSatSnapShot
```

- 2 Move the credentials to a safe location. Preserving the directory structure makes restoring the files easier.

### To restore user credentials

- 1 Navigate to the SnapShot directory or the safe location where you previously saved credentials:

```
cd /var/VRTSatSnapShot/
```

- 2 Restore the files:

```
cp ABAuthSource /var/VRTSat/
cp RBAuthSource /var/VRTSat/
cp VRTSat.conf /etc/vx/vss/
cd /var/VRTSatSnapShot/
cp -rp profile /var/VRTSat/.VRTSat/
```

## Using the KDE desktop

Some menus and dialog boxes on Cluster Manager (Java Console) may appear misaligned or incorrectly sized on a KDE desktop. To ensure the proper appearance and functionality of the console on a KDE desktop, use the Sawfish window manager. You must explicitly select the Sawfish window manager even if it is supposed to appear as the default window manager on a KDE desktop.

## System reboot after panic

If the VCS kernel module issues a system panic, a system reboot is required [293447]. The supported Linux kernels do not automatically halt (CPU) processing.

Set the Linux “panic” kernel parameter to a value other than zero to forcibly reboot the system. Append the following two lines at the end of the `/etc/sysctl.conf` file:

```
force a reboot after 60 seconds
kernel.panic = 60
```

## Security-Enhanced Linux is not supported on RHEL 4, SLES 9, SLES 10, and SLES 11

VCS does not support Security-Enhanced Linux (SELinux) on RHEL 4, SLES 9, SLES 10, and SLES 11. [1056433]

To disable SELinux at boot time on RHEL 4, SLES 9, SLES 10, or SLES 11 distributions, set the kernel boot parameter `selinux` to 0 (`selinux=0`) and reboot the machine.

For example, if the system is configured to boot from the grub, then do the following:

- Edit the file `/boot/grub/menu.lst` to include `selinux=0` on the kernel line.
- Reboot the machine to ensure the setting takes effect.

## Bundled agent limitations

This section covers the software limitations for VCS 5.0 bundled agents.

### Volume agent clean may forcibly stop volume resources

When the attribute `FaultOnMonitorTimeouts` calls the Volume agent clean entry point after a monitor time-out, the `vxvol -f stop` command is also issued. This command forcibly stops all volumes, even if they are still mounted.

### NFS failover

If the NFS share is exported to the world (\*) and the NFS server fails over, NFS client displays the following error, “Permission denied”.

Workaround: Upgrade `nfs-utils` to the package version “`nfs-utils-1.0.6-103.28`”.

### False concurrency violation when using PidFiles to monitor application resources

The PID files created by an application contain the PIDs for the processes that are monitored by Application agent. These files continue to exist even after a node

running the application crashes. On restarting the node, the operating system may assign the PIDs listed in the PID files to other processes running on the node.

Thus, if the Application agent monitors the resource using the `PidFiles` attribute only, the agent may discover the processes running and report a false concurrency violation. This could result in some processes being killed that are not under VCS control.

## Networking agents do not support IPv6 protocol

The bundled IP, NIC, IPMultiNIC, and MultiNICA agents for VCS 5.0 do not support the IPv6 enhanced IP protocol.

## VCS does not provide a bundled agent for volume sets

VCS 5.0 does not provide a bundled agent to detect Volume Manager volume sets, Problems with volumes and volume sets can only be detected at the DiskGroup and Mount resource levels.

Workaround: Set `StartVolumes` and `StopVolumes` attributes of the DiskGroup resource that contains volume set to 1. If a file system is created on the volume set, use a Mount resource to mount the volume set.

## Mount agent

The Mount agent mounts a block device at only one mount point on a system. After a block device is mounted, the agent cannot mount another device at the same mount point.

## Share agent

To ensure proper monitoring by the Share agent, verify that the `/var/lib/nfs/etab` file is clear upon system reboot. Clients in the Share agent must be specified as fully qualified host names to ensure seamless failover.

## Driver requirements for DiskReservation agent

The DiskReservation agent has a reserver module in the kernel mode that reserves disks persistently. Any driver that works correctly with the `scsiutil` utility shipped with the `VRTSvcsdr` package is supported. Refer to the manual page for `scsiutil` functionality.

## Cluster Management Console limitations

This section covers the software limitations for Cluster Management Console.

## **Cluster connector not supported on some OS versions**

Cluster Management Console does not support cluster connector on AIX 5.1, Solaris 7, and RHEL 3.0. If your cluster runs on any of these platforms, you must use direct connection to manage the cluster from a management server.

## **Limited peer management server support**

Peer management server support is limited to a configuration of two management servers in an enterprise. An enterprise of three or more management servers is not supported in this release.

## **Management server cannot coexist with GCM 3.5 Master**

The Cluster Management Console management server should not be installed on the same system with a GCM 3.5 Master. These two products will conflict with each other and are not supported running on the same system.

## **Agent info files needed for Agent Inventory report**

By design, the Agent Inventory report requires agent info files that supply the information reported on individual agents. These files are shipped with agents in VCS.

## **Global clusters must be CMC-managed clusters**

All clusters forming a global cluster (using the VCS 4.0 Global Cluster Option) must be managed clusters in order for Veritas Cluster Management Console views to display correct and consistent information. Managed clusters are running the cluster connector or have a direct connection with the management server.

## **Windows Active Directory installation requires NetBIOS**

If you install Cluster Management Console management server in a Windows Active Directory domain, NetBIOS must be turned on. A native (non-NetBIOS) Active Directory environment is not supported in this release.

## **Remote root broker not supported on Windows**

If you set up a management server on a Windows system, you must configure a root broker on the management server system. This release does not support specifying a remote root broker during management server install [841739].

The root broker can be changed after install using the configureRemoteRoot.exe installed in C:\Program Files\VERITAS\Cluster Management Console\bin (default install directory).

## Cluster Manager (Java console) limitations

This section covers the software limitations for Cluster Manager (Java Console).

### Use the VCS 5.0 Java Console to manage clusters

Cluster Manager (Java Console) from previous VCS versions cannot be used to manage VCS 5.0 clusters. Symantec recommends using the latest version of Cluster Manager.

See the *Veritas Cluster Server Installation Guide* for instructions on upgrading Cluster Manager.

### Run Java Console on a non-cluster system

Symantec recommends not running Cluster Manager (Java Console) for an extended period on a system in the cluster. The Solaris version of the Java Virtual Machine has a memory leak that can gradually consume the host system's swap space. This leak does not occur on Windows systems.

### Cluster Manager and wizards do not work if the hosts file contains IPv6 entries

VCS Cluster Manager and Wizards fail to connect to the VCS engine if the `/etc/hosts` file contains IPv6 entries.

Workaround: Remove IPv6 entries from the `/etc/hosts` file.

### VCS Simulator does not support I/O fencing

When running the Simulator, be sure the `UseFence` attribute is set to the default, "None."

## Undocumented commands, command options, and libraries

VCS contains undocumented commands and command options intended for development use only. Undocumented commands are not supported.

## Documentation errata

### Veritas Cluster Server Installation Guide

This section covers the additions or corrections to the *Veritas Cluster Server Installation Guide* for 5.0 MP3.

## Installing the Cluster Manager (Java Console)

In the Installation Guide, the details and the procedure to install VCS Cluster Manager (Java Console) on Linux are incorrect. Refer to this section for correct details.

The `installvcs` program installs the VCS Java Console RPM only if you choose to install all the RPMs. If you chose to install only the required RPMs, then perform the following procedure to install the Cluster Manager (Java Console) on Linux.

---

**Note:** If you want to install the VCS Java Console on a Windows workstation, you must do it after you install and configure VCS. Refer to the "Installing the Java Console on a Windows workstation" topic in the guide.

---

### To install the Cluster Manager (Java Console) on Linux

- 1 Insert the VCS software disc into a drive on the system.

The software automatically mounts the disc on `/mnt/cdrom`.

- 2 If the disc does not get automatically mounted, then enter:

```
# mount -o ro /dev/cdrom /mnt/cdrom
```

- 3 Navigate to the folder that contains the RPMs.

```
# cd /mnt/cdrom/dist_arch/cluster_server/rpms
```

Where *dist* is `rhel4`, `rhel5`, `sles9`, or `sles10`, and *arch* is `i686` or `x86_64` for RHEL and `i586` or `x86_64` for SLES.

- 4 Install the RPM using the `rpm -i` command.

```
#rpm -i VRTScscm-5.0.30.00-MP3_GENERIC.noarch.rpm
```

## Upgrading the VCS Simulator

The procedure given to upgrade VCS Simulator is incorrect.

Upgrade the VCS Simulator using the following procedure:

- Uninstall the old version of VCS Simulator.  
Before uninstalling, make sure to back up the configuration, in case you have modified it.
- Install the latest version of VCS Simulator.

Manually copy the configuration of which you had taken a backup.  
See *Veritas Cluster Server User's Guide* for installation instructions.

## Corrections to the Installation Guide

The following corrections apply to the *Veritas Cluster Server Installation Guide*:  
[1389741]

- *Topic: Preparing to configure the clusters in secure mode*  
Issue: The prerequisites information has a typo.  
Read the following para:  
The system clocks of the rook broker and authentication brokers must be in sync.  
As:  
The system clocks of the root broker and authentication brokers must be in sync.
- *Topic: Setting up /etc/llttab*  
Issue: The name of the sample file is incorrect.  
Replace the following text:  
The order of directives must be the same as in the sample file  
/opt/VRTSllt/llttab.  
With:  
The order of directives must be the same as in the sample file  
/opt/VRTSllt/sample-llttab.
- *Topic: Configuring I/O fencing*  
Issue: In step 6 of the procedure, the sample command to check the updated  
/etc/vxfenmode configuration is incorrect.  
Replace the following command:  

```
# more /etc/vxfenmode galaxy
```

  
With:  

```
galaxy> # more /etc/vxfenmode
```

## Creating a single-node cluster manually

In the chapter "Installing VCS on a single node," one of the tasks in Table 9-2 is to create and modify the VCS configuration files. The following reference topic "Configuring VCS" is missing in the *Veritas Cluster Server Installation Guide*.

## Upgrading the operating system patch levels for VCS

VCS nodes can have different update levels for a specific RHEL or OEL version, or different service pack levels for a specific SLES version. Use the following procedure to upgrade the patch levels of an operating system on VCS nodes.

See “[Supported operating systems](#)” on page 30.

### To upgrade the operating system patch levels on VCS nodes

- 1 Switch the service groups from the node where you want to upgrade the patch level to a different node in the cluster.

```
# hagr -switch servicegroup -to nodename
```

- 2 If you plan to upgrade the patch levels on more than one VCS node, repeat steps 3 to 7 on each of those nodes.

- 3 Stop VCS.

```
# hastop -local
```

- 4 Stop VCS command server.

```
# killall CmdServer
```

- 5 Stop I/O fencing, GAB, and LLT.

```
# /etc/init.d/vxfen stop  
# /etc/init.d/gab stop  
# /etc/init.d/llt stop
```

- 6 Upgrade the patch level for the operating system to one of the supported patch levels.

- 7 Reboot the upgraded node.

- 8 Switch back the service groups to the upgraded node.

## Veritas Cluster Server User's Guide

This section covers the additions or corrections to the *Veritas Cluster Server User's Guide* for 5.0 MP3.

### Logging in to VCS non-interactively using the LDAP credentials

User's guide does not include the procedure to log in to VCS non-interactively using the LDAP credentials. [1382394]

If you do not have root privileges, VCS prompts for your VCS user name and password when you execute haxxx commands. You can use the halogin command to save the authentication information so that you do not have to enter your credentials every time you run a VCS command.

#### To store the LDAP credentials

- 1 Set the following environment variables:
  - VCS\_HOST—Node where VCS is running to which the user must connect (can be a remote host)
  - VCS\_DOMAIN—Name of the LDAP domain to which the user belongs
  - VCS\_DOMAINTYPE—Type of VxSS domain: ldap
- 2 Log on to VCS using the halogin command:

```
# halogin vcsusername password
```

#### To run haxxx commands non-interactively using the LDAP credentials you stored

- 1 Set the VCS\_HOST environment variable.
- 2 Unset the VCS\_DOMAIN and VCS\_DOMAINTYPE environment variables if these are already set. After unsetting if you run the haxxx commands, VCS does not prompt for the password.

## Corrections for I/O fencing utilities and procedures

Replace the following topics in the *Veritas Cluster Server User's Guide* for 5.0 MP3 with the information in this Release Notes.

### About I/O fencing utilities

The I/O fencing feature provides the following utilities that are available through the VRTSvxfen package:

vxfeststhdw	Tests hardware for I/O fencing Path: /opt/VRTSvcs/vxfen/bin/vxfeststhdw
vxfenconfig	Configures and unconfigures I/O fencing Checks the list of coordinator disks used by the vxfen driver. Path: /sbin/vxfenconfig
vxfenadm	Displays information on I/O fencing operations and manages SCSI-3 disk registrations and reservations for I/O fencing Path: /sbin/vxfenadm

vxfcntlpre	Removes SCSI-3 registrations and reservations from disks Path: /opt/VRTSvcs/vxfen/bin/vxfcntlpre
vxfenswap	Replaces coordinator disks without stopping I/O fencing Path: /opt/VRTSvcs/vxfen/bin/vxfenswap
vxfindisk	Generates the list of paths of disks in the diskgroup. This utility requires that Veritas Volume Manager is installed and configured. Path: /opt/VRTSvcs/vxfen/bin/vxfindisk

Refer to the corresponding manual page for more information on the commands.

### Removing and replacing a failed disk

If a disk in the coordinator disk group fails verification, remove the failed disk or LUN from the vxencoorddg disk group, replace it with another, and retest the disk group.

#### To remove and replace a failed disk

- 1 Use the vxdiskadm utility to remove the failed disk from the disk group.  
Refer to the *Veritas Volume Manager Administrator's Guide*.
- 2 Add a new disk to the node, initialize it, and add it to the coordinator disk group.  
See the *Veritas Cluster Server Installation Guide* for instructions to initialize disks for I/O fencing and to set up coordinator disk groups.  
If necessary, start the disk group.  
See the *Veritas Volume Manager Administrator's Guide* for instructions to start the disk group.
- 3 Retest the disk group.

### Removing preexisting keys

If you encountered a split brain condition, use the vxfcntlpre utility to remove SCSI-3 registrations and reservations on the coordinator disks as well as on the data disks in all shared disk groups.

You can also use this procedure to remove the registration and reservation keys created by another node from a disk.

### To clear keys after split brain

- 1 Stop VCS and I/O fencing on all nodes.

```
# hastop -all
```

Make sure that the port `h` is closed on all the nodes. Run the following command to verify that the port `h` is closed:

Enter the following command on each node:

If you have any applications that run outside of VCS control that have access to the shared storage, then shut down all other nodes in the cluster that have access to the shared storage. This prevents data corruption.

- 2 Start the script:

```
# cd /opt/VRTSvcs/vxfen/bin
# ./vxfenclearpre
```

- 3 Read the script's introduction and warning. Then, you can choose to let the script run.

```
Do you still want to continue: [y/n] (default : n) y
```

```
Cleaning up the coordinator disks...
```

```
Cleaning up the data disks for all shared disk groups...
```

```
Successfully removed SCSI-3 persistent registration and
reservations from the coordinator disks as well as the
shared data disks.
```

```
Reboot the server to proceed with normal cluster startup...
#
```

- 4 Restart all nodes in the cluster.

### Replacing I/O fencing coordinator disks when the cluster is online

Review the procedures to add, remove, or replace one or more coordinator disks in a cluster that is operational.

---

**Warning:** The cluster might panic if any node leaves the cluster membership before the `vxfenswap` script replaces the set of coordinator disks.

---

## To replace a disk in a coordinator diskgroup when the cluster is online

- 1 Make sure system-to-system communication is functioning properly.
- 2 Make sure that the cluster is online.

```
# vxfenadm -d
I/O Fencing Cluster Information:
=====
Fencing Protocol Version: 201
Fencing Mode: SCSI3
Fencing SCSI3 Disk Policy: dmp
Cluster Members:
  * 0 (galaxy)
  1 (nebula)
RFSM State Information:
  node 0 in state 8 (running)
  node 1 in state 8 (running)
```

- 3 Import the coordinator disk group.

The file `/etc/vxfendg` includes the name of the disk group (typically, `vxfencoordg`) that contains the coordinator disks, so use the command:

```
# vxdg -tfc import `cat /etc/vxfendg`
```

where:

-t specifies that the disk group is imported only until the node restarts.

-f specifies that the import is to be done forcibly, which is necessary if one or more disks is not accessible.

-C specifies that any import locks are removed.

- 4 To remove disks from the disk group, use the VxVM disk administrator utility `vxdiskadm`.

You may also destroy the existing coordinator disk group. For example:

- Verify whether the coordinator attribute is set to on.

```
# vxdg list vxfencoordg | grep flags: | grep coordinator
```

- If the coordinator attribute value is set to on, you must turn off this attribute for the coordinator disk group.

```
# vxdg -g vxfencoordg set coordinator=off
```

- Destroy the disk group.

```
# vxvg destroy vxencoorddg
```

- 5 Add the new disk to the node, initialize it as a VxVM disk, and add it to the vxencoorddg disk group.

See the *Veritas Cluster Server Installation Guide* for detailed instructions.

Note that though the diskgroup content changes, the I/O fencing remains in the same state.

- 6 Make sure that the `/etc/vxfenmode` file is updated to specify the correct disk policy.

See the *Veritas Cluster Server Installation Guide* for more information.

- 7 From one node, start the vxfenswap utility. You must specify the diskgroup to the utility.

Do one of the following:

- If you use ssh for communication:

```
# /opt/VRTSvcs/vxfen/bin/vxfenswap -g diskgroup
```

- If you use rsh for communication:

```
# /opt/VRTSvcs/vxfen/bin/vxfenswap -g diskgroup -n
```

The utility performs the following tasks:

- Backs up the existing `/etc/vxfentab` file.
  - Creates a test file `/etc/vxfentab.test` for the diskgroup that is modified on each node.
  - Reads the diskgroup you specified in the vxfenswap command and adds the diskgroup to the `/etc/vxfentab.test` file on each node.
  - Verifies that the serial number of the new disks are identical on all the nodes. The script terminates if the check fails.
  - Verifies that the new disks can support I/O fencing on each node.
- 8 If the disk verification passes, the utility reports success and asks if you want to commit the new set of coordinator disks.

```
Do you wish to commit this change? [y/n] (default: n) y
```

- 9 Review the message that the utility displays and confirm that you want to replace the diskgroup. Else skip to step 10.

If the utility successfully commits, the utility moves the `/etc/vxfentab.test` file to the `/etc/vxfentab` file.

If you specified a diskgroup different to that in the `/etc/vxfendg` file, the utility also updates the `/etc/vxfendg` file.

- 10 If you do not want to replace the diskgroup, answer n.

The `vxfsnwap` utility rolls back the disk replacement operation.

You must manually restore the old diskgroup using the VxVM disk administrator utility.

## Corrections for troubleshooting I/O fencing procedures

Replace the following topics in the *Veritas Cluster Server User's Guide* for 5.0 MP3 with the information in this Release Notes.

### How `vxfsn` driver checks for pre-existing split-brain condition

The `vxfsn` driver functions to prevent an ejected node from rejoining the cluster after the failure of the private network links and before the private network links are repaired.

For example, suppose the cluster of system 1 and system 2 is functioning normally when the private network links are broken. Also suppose system 1 is the ejected system. When system 1 restarts before the private network links are restored, its membership configuration does not show system 2; however, when it attempts to register with the coordinator disks, it discovers system 2 is registered with them. Given this conflicting information about system 2, system 1 does not join the cluster and returns an error from `vxfsnconfig` that resembles:

```
vxfsnconfig: ERROR: There exists the potential for a preexisting
split-brain. The coordinator disks list no nodes which are in
the current membership. However, they also list nodes which are
not in the current membership.
```

I/O Fencing Disabled!

Also, the following information is displayed on the console:

```
<date> <system name> vxfsn: WARNING: Potentially a preexisting
<date> <system name> split-brain.
<date> <system name> Dropping out of cluster.
<date> <system name> Refer to user documentation for steps
<date> <system name> required to clear preexisting split-brain.
```

```
<date> <system name>
<date> <system name> I/O Fencing DISABLED!
<date> <system name>
<date> <system name> gab: GAB:20032: Port b closed
```

However, the same error can occur when the private network links are working and both systems go down, system 1 restarts, and system 2 fails to come back up. From the view of the cluster from system 1, system 2 may still have the registrations on the coordinator disks.

### To resolve actual and apparent potential split brain conditions

- ◆ Depending on the split brain condition that you encountered, do the following:

- |   |  |
|---|--|
| Actual potential split brain condition—system 2 is up and system 1 is ejected | <ol style="list-style-type: none"> <li>1 Determine if system1 is up or not.</li> <li>2 If system 1 is up and running, shut it down and repair the private network links to remove the split brain condition.</li> <li>3 Restart system 1.</li> </ol> |
|---|--|

- |   |   |
|---|---|
| Apparent potential split brain condition—system 2 is down and system 1 is ejected | <ol style="list-style-type: none"> <li>1 Physically verify that system 2 is down. Verify the systems currently registered with the coordinator disks. Use the following command:</li> </ol> |
|---|---|

```
# vxfsadm -g all -f /etc/vxfentab
```

The output of this command identifies the keys registered with the coordinator disks.

- |  |
|--|
| <ol style="list-style-type: none"> <li>2 Clear the keys on the coordinator disks as well as the data disks using the <code>vxfsenclearpre</code> command.</li> <li>3 Make any necessary repairs to system 2.</li> <li>4 Restart system 2.</li> </ol> |
|--|

### Replacing defective disks when the cluster is offline

If the disk becomes defective or inoperable and you want to switch to a new diskgroup in a cluster that is offline, then perform the following procedure.

In a cluster that is online, you can replace the disks using the `vxfsenswap` utility.

Review the following information to replace coordinator disk in the coordinator disk group, or to destroy a coordinator disk group.

Note the following about the procedure:

- When you add a disk, add the disk to the disk group `vxfencoorddg` and retest the group for support of SCSI-3 persistent reservations.
- You can destroy the coordinator disk group such that no registration keys remain on the disks. The disks can then be used elsewhere.

### To replace a disk in the coordinator disk group when the cluster is offline

- 1 Log in as superuser on one of the cluster nodes.
- 2 If VCS is running, shut it down:

```
# hastop -all
```

Make sure that the port `h` is closed on all the nodes. Run the following command to verify that the port `h` is closed:

```
# gabconfig -a
```

- 3 Stop I/O fencing on each node:

This removes any registration keys on the disks.

- 4 Import the coordinator disk group. The file `/etc/vxfendg` includes the name of the disk group (typically, `vxfencoorddg`) that contains the coordinator disks, so use the command:

```
# vxdg -tfc import `cat /etc/vxfendg`
```

where:

-t specifies that the disk group is imported only until the node restarts.

-f specifies that the import is to be done forcibly, which is necessary if one or more disks is not accessible.

-C specifies that any import locks are removed.

- 5 To remove disks from the disk group, use the VxVM disk administrator utility, `vxdiskadm`.

You may also destroy the existing coordinator disk group. For example:

- Verify whether the coordinator attribute is set to on.

```
# vxdg list vxfencoorddg | grep flags: | grep coordinator
```

- If the coordinator attribute value is set to on, you must turn off this attribute for the coordinator disk group.

```
# vxdg -g vxfencoorddg set coordinator=off
```

- Destroy the disk group.

```
# vxdg destroy vxfencoordg
```

- 6 Add the new disk to the node, initialize it as a VxVM disk, and add it to the vxfencoordg disk group.
- 7 Test the recreated disk group for SCSI-3 persistent reservations compliance.
- 8 After replacing disks in a coordinator disk group, deport the disk group:  

```
# vxdg deport `cat /etc/vxfendg`
```
- 9 On each node, start the I/O fencing driver:
- 10 If necessary, restart VCS on each node:

```
# hstart
```

### Incorrect I/O fencing tunable parameter name mentioned

The Veritas Cluster Server User's Guide mentions `vxfen_debug_sz` as one of the tunable parameters for I/O fencing. Replace `vxfen_debug_sz` with:

`dbg_log_size`

### User's Guide does not mention about the OfflineWaitLimit attribute

The Appendix titled 'VCS Attributes' of the *Veritas Cluster Server User's Guide* does not mention about the OfflineWaitLimit attribute. VCS 5.0 MP3 includes a new resource type level attribute OfflineWaitLimit:

OfflineWaitLimit  
(user-defined)

**Note:** This attribute can be overridden.

Description: Number of monitor intervals to wait for the resource to go offline after completing the offline procedure. Increase the value of this attribute if the resource is likely to take a longer time to go offline.

Type and dimension: integer-scalar

Default: 0

## Veritas Cluster Server Bundled Agents Reference Guide

This section covers the additions or corrections to the *Veritas Cluster Server Bundled Agents Reference Guide* for 5.0 MP3.

## Phantom agent

Replace the agent's description with the following text:

The Phantom agent enables VCS to determine the state of parallel service groups that do not include OnOff resources.

Do not use the Phantom resource in failover service groups.

---

**Note:** Do not attempt manual online or offline operations on the Phantom resource at the resource level. Do not use `hares` commands on the Phantom resource at the resource level. Unpredictable behavior results when you try a manual online or offline procedure or a `hares` command on a Phantom resource. You can run the commands at the service group level that contains the Phantom resource.

---

## ProcessOnOnly agent

Replace the agent's description with the following text:

The ProcessOnOnly agent starts and monitors a process that you specify. You can use the agent to make a process highly available or to monitor it. This resource's Operation value is OnOnly. VCS uses this agent internally to mount security processes in a secure cluster.

Replace the text under the Dependency heading with the following text:

No child dependencies exist for this resource.

Remove or ignore figure 5-4 under the Dependency header, it is incorrect.

# Veritas Cluster Server Centralized Management Guide

This section covers the corrections to the *Veritas Cluster Server Centralized Management Guide* for 5.0. Numbers in parentheses indicate the page number of the Centralized Management Guide where this information appears.

## Backing up the database

Backing up the database (page 158) is necessary so that crucial configuration and historical information can be recovered in the event of a failure. You can back up the database using the Cluster Management Console or the CLI. During the backup task, an archived copy of the database file and the associated transaction log file are backed up to a physically separate location. This location can be a tape drive or a disk drive. [703139]

### To backup the database to a file

- 1 In the **Administration: Management Server Database** view, in the **Operations** task panel, click **Backup database to a file**.
- 2 In the **Enter a valid directory or tape drive on the server** dialog box, enter an existing directory path on the management server.

If the directory path you specify does not exist, the database backup command does not create it.

- 3 Click **OK**.

### To backup the database to a file using the command line

- ◆ Enter the following command to back up the database:

```
gadb -backup -to archive
```

This command creates an archive backup file that contains both the database and transaction log. The database archive file is created in the directory path specified by `archive`. The database archive file name is of the form:

```
CCAvailDbBackUp@yyyy-mm-dd_hh_mi_ss.1
```

The timestamp portion is in GMT.

## Creating custom reports

The section on accessing the database information contains references to `$ms_host`, which is a variable. Read `$ms_host` as `ms_host`.

When configuring ODBC, replace `ms_host` with the name of the management server host. Do not include the `$` sign in the host name.

## Manual pages errata

The man page for `haremajor(1m)` includes AIX related information. Refer to the man page in the release notes for correct information on Linux.

### haremajor

`haremajor` - Change the major numbers for disk partitions or volumes.

#### SYNOPSIS

```
haremajor -sd major_number  
haremajor -vx major_number_vxio major_number_vxspec  
haremajor -atf major-number
```

## AVAILABILITY

VRTSvcs

## DESCRIPTION

The `haremajor` command can be used to reassign major numbers of block devices such as disk partitions or Veritas Volume Manager volumes. NFS clients know the major and minor numbers of the block device containing the file system exported on the NFS server. Therefore, when making the NFS server highly available, it is important to make sure that all nodes in the cluster that can act as NFS servers have the same major and minor numbers for the block device. The `haremajor` command can be used to change major numbers used by a system when necessary. Use the `-sd` option to reassign a major number for a disk partition managed by the SD driver. Minor numbers will automatically be the same on both systems. Use the `-vx` option to reassign the major number for the Volume Manager volume device driver (`vxio`) as well as the `vxspec` device used by the Volume Manager process `vxconfigd`. Currently assigned major numbers can be determined by entering the command:

```
grep '^vx' /etc/name_to_major
```

Note that minor numbers for volumes can be changed using the `reminor` option of the `vxldg` command; see the manual page for `vxldg(1M)`. Use the `-atf` option to reassign the major number for the ATF (Application Transparent Failover) driver on a system.

## OPTIONS

- `-sd majornumber`  
Reassign the major number used by the SD driver on the system to *major\_number*.
- `-vx major_number vxio`  
Reassign the major numbers used by the Volume Manager device drivers.
- `-atf major_number`  
Reassign a major number used by ATF driver to *major\_number*.

## SEE ALSO

`vxldg(1M)`

## COPYRIGHTS

Copyright © 2008 Symantec.

All rights reserved.

## VCS documentation

The software disc contains the documentation for VCS in Portable Document Format (PDF) in the *cluster\_server/docs* directory.

You can access the VCS 5.0 MP3 documentation online at the following URL:

<http://www.symantec.com/business/support/overview.jsp?pid=15107>

## VCS documentation set

[Table 1-10](#) lists the documents that VCS includes.

**Table 1-10** VCS documentation

Title	File name
<i>Veritas Cluster Server Installation Guide</i>	vcs_install.pdf
<i>Veritas Cluster Server Release Notes</i>	vcs_notes.pdf
<i>Veritas Cluster Server User's Guide</i>	vcs_users.pdf
<i>Veritas Cluster Server Bundled Agents Reference Guide</i>	vcs_bundled_agents.pdf
<i>Veritas Cluster Server Agent Developer's Guide</i>	vcs_agent_dev.pdf

[Table 1-11](#) lists the documentation for the VCS component - Symantec Product Authentication Service.

**Table 1-11** Documentation for VCS components

Title	File name
<i>Symantec Product Authentication Service Installation Guide</i>	at_install.pdf
<i>Symantec Product Authentication Service Administrator's Guide</i>	at_admin.pdf

## VCS manual pages

The manual pages for VCS packages are installed in */opt/VRTS/man*. Manual pages are divided into sections 1, 1m, 3n, 4, and 4m. Edit the *man(1)* configuration file */etc/man.config* to view these pages.

### To edit the man(1) configuration file

- 1 If you use the man command to access manual pages, set LC\_ALL to “C” in your shell to ensure that the pages are displayed correctly.

```
export LC_ALL=C
```

See incident 82099 on the Red Hat Linux support website for more information.

- 2 Add the following line to /etc/man.config:

```
MANPATH /opt/VRTS/man
```

where other man paths are specified in the configuration file.

- 3 Add new section numbers. Change the line:

```
MANSECT          1:8:2:3:4:5:6:7:9:tcl:n:l:p:o
```

to

```
MANSECT          1:8:2:3:4:5:6:7:9:tcl:n:l:p:o:3n:1m
```

## Documentation feedback

Your feedback on product documentation is important to us. Send suggestions for improvements and reports on errors or omissions to [clustering\\_docs@symantec.com](mailto:clustering_docs@symantec.com). Include the title and document version (located on the second page), and chapter and section titles of the text on which you are reporting.

