

Enterprise Vault™ Classification using the Microsoft File Classification Infrastructure

15.1

Enterprise Vault™: Classification using the Microsoft File Classification Infrastructure

Last updated: 2024-09-02.

Legal Notice

Copyright © 2024 Veritas Technologies LLC. All rights reserved.

Veritas, the Veritas Logo, Enterprise Vault, Compliance Accelerator, and Discovery Accelerator are trademarks or registered trademarks of Veritas Technologies LLC or its affiliates in the U.S. and other countries. Other names may be trademarks of their respective owners.

This product may contain third-party software for which Veritas is required to provide attribution to the third party ("Third-party Programs"). Some of the Third-party Programs are available under open source or free software licenses. The License Agreement accompanying the Software does not alter any rights or obligations you may have under those open source or free software licenses. Refer to the Third-party Legal Notices document accompanying this Veritas product or available at:

<https://www.veritas.com/about/legal/license-agreements>

The product described in this document is distributed under licenses restricting its use, copying, distribution, and decompilation/reverse engineering. No part of this document may be reproduced in any form by any means without prior written authorization of Veritas Technologies LLC and its licensors, if any.

THE DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID. VERITAS TECHNOLOGIES LLC SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH THE FURNISHING, PERFORMANCE, OR USE OF THIS DOCUMENTATION. THE INFORMATION CONTAINED IN THIS DOCUMENTATION IS SUBJECT TO CHANGE WITHOUT NOTICE.

The Licensed Software and Documentation are deemed to be commercial computer software as defined in FAR 12.212 and subject to restricted rights as defined in FAR Section 52.227-19 "Commercial Computer Software - Restricted Rights" and DFARS 227.7202, et seq. "Commercial Computer Software and Commercial Computer Software Documentation," as applicable, and any successor regulations, whether delivered by Veritas as on-premises or hosted services. Any use, modification, reproduction release, performance, display or disclosure of the Licensed Software and Documentation by the U.S. Government shall be solely in accordance with the terms of this Agreement.

Veritas Technologies LLC, 2625 Augustine Drive, Santa Clara, CA 95054

<https://www.veritas.com>

Technical Support

Technical Support maintains support centers globally. All support services will be delivered in accordance with your support agreement and the then-current enterprise technical support policies. For information about our support offerings and how to contact Technical Support, visit our website:

<https://www.veritas.com/support>

You can manage your Veritas account information at the following URL:

<https://my.veritas.com>

If you have questions regarding an existing support agreement, please email the support agreement administration team for your region as follows:

Worldwide (except Japan)

CustomerCare@veritas.com

Japan

CustomerCare_Japan@veritas.com

Before you contact Technical Support, run the Veritas Quick Assist (VQA) tool to make sure that you have satisfied the system requirements that are listed in your product documentation. You can download VQA from the following article on the Veritas Support website:

https://www.veritas.com/support/en_US/vqa

Documentation

Make sure that you have the current version of the documentation. Each document displays the date of the last update on page 2. The latest documentation is available on the Veritas website:

<https://www.veritas.com/docs/100040095>

Documentation feedback

Your feedback is important to us. Suggest improvements or report errors or omissions to the documentation. Include the document title, document version, chapter title, and section title of the text on which you are reporting. Send feedback to:

evdocs@veritas.com

You can also see documentation information or ask a question on the Veritas community site:

<https://www.veritas.com/community>

Contents

Chapter 1	About this guide	7
	Introducing this guide	7
	Relationship between FCI classification and other classification methods	8
	Where to get more information about Enterprise Vault	9
	Enterprise Vault training modules	11
Chapter 2	Getting started	12
	About classification	12
	Overview of the procedure for setting up classification	13
	Prerequisites for classification	15
	Roles-based administration (RBA) and the classification feature	15
	How Enterprise Vault caches the items that it submits for classification	16
	Limits on the size of classification files	16
	Checking the cache location on the Enterprise Vault storage servers	17
	Configuring Enterprise Vault to keep the classification files in the cache folder	18
Chapter 3	Setting up the classification properties	20
	About the Enterprise Vault classification properties	20
	Setting up the Enterprise Vault classification properties manually	23
	Checking the Folder Usage classification property	24
	How classification property values and retention categories interact	26
	Setting up new values for the Enterprise Vault classification properties	28
	Points to note on setting retention categories	30
Chapter 4	Configuring your classification rules	33
	About classification rules	33
	About the example classification rules	34
	Importing the example rule set	37

	Creating or changing classification rules	38
	Supported configuration parameters for rules that use the Veritas Information Classifier method	41
Chapter 5	Defining and applying classification policies	46
	About classification policies	46
	Defining classification policies	48
	About the PowerShell cmdlets for working with classification policies	49
	Associating classification policies with retention plans	50
	About the PowerShell cmdlets for working with retention plans	52
	Applying retention plans to your Enterprise Vault archives	53
Chapter 6	Running classification in test mode	56
	About classification test mode	56
	Implementing classification test mode	57
	About the PowerShell cmdlets for running classification in test mode	58
	Understanding the classification test mode reports	58
Chapter 7	Publishing classification properties and rules across your site	60
	How to publish the classification properties and rules	60
Chapter 8	Using classification with smart partitions	62
	About smart partitions	62
	How Enterprise Vault determines whether to archive an item to a smart partition	63
	Setting up smart partitions	64
	Verifying that Enterprise Vault has archived items to smart partitions	65
Appendix A	Enterprise Vault properties for use in classification rules	66
	About the Enterprise Vault properties	66
	System properties	67
	Attachment properties	70
	Custom Enterprise Vault properties	71
	Custom Enterprise Vault properties for File System Archiving items	72

	Custom Enterprise Vault properties for SharePoint items	73
	Custom Enterprise Vault properties for Compliance	
	Accelerator-processed items	74
	Custom properties for use by policy management software	75
	Custom properties for Enterprise Vault SMTP Archiving	75
Appendix B	PowerShell cmdlets for use with classification	
	77
	About the classification cmdlets	77
	Disable-EVClassification	78
	Get-EVClassificationFCITags	79
	Get-EVClassificationPolicy	81
	Get-EVClassificationStatus	84
	Get-EVClassificationTestMode	85
	Import-EVClassificationFCIRules	86
	New-EVClassificationPolicy	89
	Publish-EVClassificationFCIRules	94
	Remove-EVClassificationPolicy	97
	Set-EVClassificationPolicy	98
	Set-EVClassificationTestMode	102
Appendix C	Monitoring and troubleshooting	103
	Auditing	103
	Checking the classification performance counters	104
	Troubleshooting classification	105

About this guide

This chapter includes the following topics:

- [Introducing this guide](#)
- [Where to get more information about Enterprise Vault](#)

Introducing this guide

This guide describes the classification feature that first appeared in Enterprise Vault 12. This feature uses the File Classification Infrastructure (FCI) that is built into recent Windows Server editions to assign classification values to all new and existing archived content. After the classification feature has assigned the required values to items, users of applications such as Enterprise Vault Search, Compliance Accelerator, and Discovery Accelerator can use them to filter the items when they conduct searches and reviews.

The classification feature can also control the retention of items by applying specific retention categories to them. When users manually delete items or Enterprise Vault automatically expires them, the items can be reclassified to ensure that they are still safe to delete.

[Table 1-1](#) summarizes the contents of this guide.

Table 1-1 Contents of this guide

Chapter	Function
1	Introduces this guide and describes how to obtain more information about Enterprise Vault.
2	Gives an overview of the classification feature and the procedure for setting it up. See “About classification” on page 12.

Table 1-1 Contents of this guide (*continued*)

Chapter	Function
3	Leads you through the process of setting up the classification properties in which Enterprise Vault stores a classification value for each item. See “About the Enterprise Vault classification properties” on page 20.
4	Explains how to configure rules for defining the criteria that an item must match to be awarded a specific classification value. See “About classification rules” on page 33.
5	Describes how to define policies that specify the range of classification features that you want to implement. The chapter also describes how to associate these policies with one or more retention plans, which you can apply to the Enterprise Vault archives in which classification is to occur. See “About classification policies” on page 46.
6	Outlines how to test the classification feature before you put it into effect. See “About classification test mode” on page 56.
7	Shows you how to publish the required classification settings throughout your Enterprise Vault site. See “How to publish the classification properties and rules” on page 60.
8	Describes how to archive different items to different <i>smart</i> partitions, depending on how Enterprise Vault has classified the items. See “About smart partitions” on page 62.

This guide assumes that you are familiar with a number of Enterprise Vault features, including the Administration Console and PowerShell Management Shell, and with Microsoft technologies such as the File Server Resource Manager.

Relationship between FCI classification and other classification methods

Enterprise Vault 15.1 includes the next generation of our Veritas Information Classifier engine for classifying all new and existing archived content. The new engine provides multifaceted classification through advanced proximity searches, regular expressions, default keywords and patterns, and checksum validation. It can also classify content by confidence level and hit rate.

You can use the new Veritas Information Classifier in addition to or as an alternative to FCI classification. However, not only are the classification options in the Veritas Information Classifier more sophisticated than those in FCI classification but they

are easier to implement. For this reason, the Veritas Information Classifier is the recommended way to classify archived content.

For more information on the Veritas Information Classifier, see the *Classification using the Veritas Information Classifier* guide. This guide includes instructions on how to convert FCI classification rules for use with the Veritas Information Classifier.

Where to get more information about Enterprise Vault

[Table 1-2](#) lists the documentation that accompanies Enterprise Vault. This documentation is also available in PDF and HTML format in the [Veritas Documentation Library](#).

Table 1-2 Enterprise Vault documentation set

Document	Comments
Veritas Enterprise Vault Documentation Library	Includes all the following documents in Windows Help (.html) format so that you can search across them all. It also includes links to the guides in Acrobat (.pdf) format. You can access the library in several ways, including the following: <ul style="list-style-type: none"> ■ In Windows Explorer, browse to the Documentation\language\Administration Guides subfolder of the Enterprise Vault installation folder, and then open the EVAdmin_intro.htm file from the EV_Help folder. ■ On the Help menu in the Administration Console, click Help on Enterprise Vault.
<i>Introduction and Planning</i>	Provides an overview of Enterprise Vault functionality.
<i>Deployment Scanner</i>	Describes how to check the required software and settings before you install Enterprise Vault.
<i>Installing and Configuring</i>	Provides detailed information on setting up Enterprise Vault.
<i>Upgrade Instructions</i>	Describes how to upgrade an existing Enterprise Vault installation to the latest version.
<i>Setting up Domino Server Archiving</i>	Describes how to archive items from Domino mail files and journal databases.
<i>Setting up Exchange Server Archiving</i>	Describes how to archive items from Microsoft Exchange user mailboxes, journal mailboxes, and public folders.

Table 1-2 Enterprise Vault documentation set (*continued*)

Document	Comments
<i>Setting up File System Archiving</i>	Describes how to archive files that are held on network file servers.
<i>Setting up IMAP</i>	Describes how to configure IMAP client access to Exchange archives and Internet Mail archives.
<i>Setting up SharePoint Server Archiving</i>	Describes how to archive documents from Microsoft SharePoint servers.
<i>Setting up Skype for Business Archiving</i>	Describes how to archive Skype for Business sessions.
<i>Setting up SMTP Archiving</i>	Describes how to archive SMTP messages from other messaging servers.
<i>Setting up Microsoft Teams Archiving</i>	Describes how to archive Microsoft Teams data.
<i>Classification using the Veritas Information Classifier</i>	Describes how to use the Veritas Information Classifier to evaluate all new and archived content against a comprehensive set of industry-standard classification policies. If you are new to classification with Enterprise Vault, we recommend that you use the Veritas Information Classifier rather than the older and less intuitive File Classification Infrastructure engine.
<i>Administrator's Guide</i>	Describes how to perform day-to-day administration procedures.
<i>PowerShell Cmdlets</i>	Describes how to perform various administrative tasks by running the Enterprise Vault PowerShell cmdlets.
<i>Auditing</i>	Describes how to collect auditing information for events on Enterprise Vault servers.
<i>Backup and Recovery</i>	Describes how to implement an effective backup strategy to prevent data loss, and how to provide a means for recovery in the event of a system failure.
<i>Reporting</i>	Describes how to implement Enterprise Vault Reporting, which provides reports on the status of Enterprise Vault servers, archives, and archived items. If you configure FSA Reporting, additional reports are available for file servers and their volumes.

Table 1-2 Enterprise Vault documentation set (*continued*)

Document	Comments
<i>NSF Migration</i>	Describes how to import content from Domino and Notes NSF files into Enterprise Vault archives.
<i>PST Migration</i>	Describes how to migrate content from Outlook PST files into Enterprise Vault archives.
<i>Utilities</i>	Describes Enterprise Vault tools and utilities.
<i>Registry Values</i>	A reference document that lists the registry values with which you can modify many aspects of Enterprise Vault behavior.
<i>Help for Administration Console</i>	The online Help for the Enterprise Vault Administration Console.
Help for Enterprise Vault Operations Manager	The online Help for Enterprise Vault Operations Manager.

For the latest information on supported devices and versions of software, see the Enterprise Vault [Compatibility Charts](#).

Enterprise Vault training modules

Veritas Education Services provides comprehensive training for Enterprise Vault, from basic administration to advanced topics and troubleshooting. Training is available in a variety of formats, including classroom-based and virtual training.

For more information on Enterprise Vault training, curriculum paths, and certification options, see <https://www.veritas.com/services/education-services>.

Getting started

This chapter includes the following topics:

- [About classification](#)
- [Overview of the procedure for setting up classification](#)
- [Prerequisites for classification](#)
- [Roles-based administration \(RBA\) and the classification feature](#)
- [How Enterprise Vault caches the items that it submits for classification](#)

About classification

The Enterprise Vault classification feature works in combination with Microsoft's File Classification Infrastructure to assign classification values to the metadata properties of all new and existing archived content. The File Classification Infrastructure is a classification framework that is built into recent Windows Server editions. You control the File Classification Infrastructure through the File Server Resource Manager interface.

Rules

The File Server Resource Manager provides the means to define the *classification rules* that specify what you want to search for, and the property values that you want to assign to any matching items. For example, a rule may search for items whose contents include a credit card number and assign a property value of "PII" (for "personally identifiable information") to any that do.

After the classification feature has applied the classification property values to items, users of applications like Enterprise Vault Search, Compliance Accelerator, and Discovery Accelerator can use the values to filter items when they conduct searches and reviews.

Enterprise Vault comes with a set of example classification rules, which you can use as a starting point to create your own set of rules. Most of the example rules search for strings and regular expression patterns in items. For more advanced functionality, you can integrate third-party classification providers into the File Classification Infrastructure.

Note: The example rules are for test purposes only and may not deliver the required results in a production environment.

Policies

You choose the classification options that you want to implement in your Enterprise Vault site by defining one or more *classification policies*. The policy options let you choose to do the following:

- Send items for classification and tag them with the results at the same time that Enterprise Vault indexes and archives them. This is also the case if you perform an index rebuild of an archive or index volume, which causes Enterprise Vault to reclassify the associated items. (This process does not affect users, as the old index volumes remain searchable during the rebuild.)
- Update the retention category of items when users manually delete them or Enterprise Vault automatically expires them—or optionally when Enterprise Vault indexes and archives the items.

After you have chosen the required policy options, you associate the classification policy with a *retention plan* and then apply the plan to one or more Enterprise Vault archives.

Test mode

Before you put your classification infrastructure into effect, you can identify and resolve any issues with it by running it in test mode. Classification does still occur in test mode, but Enterprise Vault writes the classification properties, their values, and any resulting retention changes to a report rather applying the changes to the archived items.

Overview of the procedure for setting up classification

[Table 2-1](#) lists a series of steps with which you can set up classification with Enterprise Vault.

Table 2-1 Steps in the setup procedure

Step	Action	More information
Step 1	Ensure that the Enterprise Vault storage servers in your site meet the requirements for classification.	See “Prerequisites for classification” on page 15.
Step 2	Check that a suitable cache location exists on each Enterprise Vault storage server.	See “How Enterprise Vault caches the items that it submits for classification” on page 16.
Step 3	Familiarize yourself with the metadata properties of items in which Enterprise Vault stores classification values.	See “About the Enterprise Vault classification properties” on page 20.
Step 4	Ensure that the built-in Folder Usage classification property is correctly set.	See “Checking the Folder Usage classification property” on page 24.
Step 5	Set up the required classification property values.	See “Setting up new values for the Enterprise Vault classification properties” on page 28.
Step 6	Define the required classification rules.	See “About classification rules” on page 33.
Step 7	Configure one or more classification policies.	See “About classification policies” on page 46.
Step 8	Assign the classification policies to your archives by associating the policies with retention plans.	See “Associating classification policies with retention plans” on page 50.
Step 9	Verify the classification rules by running them in test mode.	See “About classification test mode” on page 56.
Step 10	Publish the classification properties and rules to other Enterprise Vault storage servers.	See “How to publish the classification properties and rules” on page 60.
Step 11	Consider setting up <i>smart</i> partitions so that you can archive different items to different partitions, depending on how Enterprise Vault has classified the items.	See “About smart partitions” on page 62.

Prerequisites for classification

To implement classification using the Microsoft File Classification Infrastructure (FCI), you require all the following on all the Enterprise Vault storage servers in your site:

- Windows Server 2012 or 2012 R2.
For performance reasons, we strongly recommend that you run Windows Server 2012 R2 on all Enterprise Vault servers, and not Windows Server 2012 Original Release.
- The File Server Resource Manager service and the associated tools feature (`fsrm.msc`).
These components let you administer the Windows FCI, so that you can create and edit classification rules and properties.
In the Enterprise Vault Install Launcher, the Prepare My System facility automatically enables the File Server Resource Manager service and tools.
- The Microsoft Data Classification Toolkit.
To deploy the classification properties and rules across your Enterprise Vault site, you use Enterprise Vault PowerShell cmdlets, which work in combination with this toolkit. You can download it from the following page of the Microsoft website:
<https://msdn.microsoft.com/library/hh204743.aspx>

For classification using the Veritas Information Classifier, all the required components are installed when you install Enterprise Vault.

You also require a license for the Enterprise Vault retention feature to manage classification using either the Microsoft FCI or the Veritas Information Classifier. Classification operates in test mode if you have yet to install a license for the retention feature, or the existing license has expired.

Roles-based administration (RBA) and the classification feature

To administer the Enterprise Vault classification feature, you require one or more of the following RBA roles in the Vault Administration Console:

- Domino Administrator
- Exchange Administrator
- Extension Content Provider Administrator
- File Server Administrator
- NSF Administrator
- Power Administrator
- PST Administrator
- SharePoint Administrator
- SMTP Administrator

For more information on RBA, see the *Administrator's Guide*.

How Enterprise Vault caches the items that it submits for classification

At the start of the classification process, Enterprise Vault stores a plain-text version of each item that it is classifying in a nominated cache location on the storage server. Enterprise Vault then invokes the File Classification Infrastructure to perform immediate classification and retrieve the classification properties and their values. By default, Enterprise Vault deletes the plain-text files from the cache folder as soon as it has finished classification, but this behavior is configurable.

See [“Configuring Enterprise Vault to keep the classification files in the cache folder”](#) on page 18.

The name of each plain-text file has the following form:

```
EV$ + transaction_id + ~ + random_number + .txt
```

For example:

```
EV$60C32915D60F4FDFD748EE048DDAFCF1~01462D48.txt
```

The contents of each file comprise a number of the properties and associated values with which Enterprise Vault has indexed the item, in the form *name:value*. For instance, the following is a typical example of a classification file:

```
rtdn:Mike Smith
rtea:mike_smith@yourcompany.com
audn:Sean Gallagher
auea:sean_gallagher@yourcompany.com
msgc:IPM.Document.Outlook.File.eml.15
impo:1
sens:0
prio:0
size:19
dtyp:EML
natc:0
```

Indexed items can have a large number of properties, but only a subset is of interest for classification purposes. These are the properties and associated values that Enterprise Vault stores in the plain-text files and that you can configure your classification rules to search for.

See [“About the Enterprise Vault properties”](#) on page 66.

Limits on the size of classification files

By default, the File Classification Infrastructure can classify files that are up to 25 MB in size. When a text file exceeds this limit, Enterprise Vault automatically splits it into files that are approximately 25 MB in size, and classification then proceeds

across the set of files. To determine where to split the files, Enterprise Vault operates as follows:

- If any single line in a text file causes the file to exceed the limit, Enterprise Vault places the line in a new text file. For example, the *cont* property line holds the content of an item and is usually the lengthiest line in the text file. In cases where this line and its predecessors exceed the limit, Enterprise Vault splits the file immediately before the line and creates a new file for the *cont* property.
- If the contents of a single line still exceed the limit, Enterprise Vault searches back from the limit until it finds a space character, and then splits the contents there. If Enterprise Vault cannot find a space character within 300 characters, it splits the file precisely at the limit.

You can change the 25-MB limit by setting a registry entry, `MaxTextFilterBytes`. The following article on the Microsoft website describes this registry entry:

<https://msdn.microsoft.com/library/ms692103.aspx>

You may want to increase the limit if you have a complex rule that fails to match items because different parts of it match different files in the set. For example, this issue can arise if you have a rule that searches for both of the words *fraud* and *corruption*, when the first word is in one text file and the second word is in another.


Checking the cache location on the Enterprise Vault storage servers

On each storage server that is to perform classification, Enterprise Vault stores a plain-text copy of each item that it is classifying in a subfolder of the nominated cache location. You may want to check that you have correctly configured this location.

To check the cache location on an Enterprise Vault storage server

- 1 In the Administration Console, expand the Enterprise Vault site until the **Enterprise Vault Servers** container is visible.
- 2 Expand the **Enterprise Vault Servers** container.
- 3 Right-click the appropriate server and then, on the shortcut menu, click **Properties**.
- 4 In the **Computer Properties** dialog box, click the **Cache** tab.
- 5 Under **Cache Location**, ensure that a suitable local path is specified.

How Enterprise Vault caches the items that it submits for classification



The classification feature stores the files that it is classifying in a `Classification` subfolder of the specified cache location; for example, `D:\EVStorage\Cache\Classification`.

To ensure optimum performance, it is important to create the cache folder on fast, locally-attached storage. We recommend creating the folder on a drive other than the operating system drive.

Configuring Enterprise Vault to keep the classification files in the cache folder

The plain-text files that Enterprise Vault stores in the cache folder may contain sensitive data, so by default Enterprise Vault deletes them at the first opportunity. If you want to examine the contents of these files because, for example, Enterprise Vault does not classify them as you expect, you can configure it to stop them from being automatically deleted.

To configure Enterprise Vault to keep the classification files in the cache folder

- 1 In the left pane of the Administration Console, expand the vault site.
- 2 Expand the **Enterprise Vault Servers** container.

- 3 Right-click the server whose settings you want to modify and then click **Properties**.
- 4 In the **Computer Properties** dialog box, click the **Advanced** tab.
- 5 In the **List settings from** list, select **Storage**.
- 6 Double-click **Keep classification files** and then set it to **On**.
- 7 Click **OK** to save the change that you have made.

If you later turn off this setting, the files that Enterprise Vault has previously placed in the cache folder remain there until you restart the Storage service on the server. However, you can manually delete them if you want to get rid of them immediately.

Setting up the classification properties

This chapter includes the following topics:

- [About the Enterprise Vault classification properties](#)
- [Setting up the Enterprise Vault classification properties manually](#)
- [Checking the Folder Usage classification property](#)
- [How classification property values and retention categories interact](#)
- [Setting up new values for the Enterprise Vault classification properties](#)
- [Points to note on setting retention categories](#)

About the Enterprise Vault classification properties

When an item matches a classification rule that you have defined, Enterprise Vault records the fact in the metadata properties of the item. The chosen property and the value that Enterprise Vault assigns to it determine what Enterprise Vault does with the item. As [Table 3-1](#) explains, Enterprise Vault can process the classification values that are stored in four predefined properties.

Caution: Enterprise Vault can assign classification values to the four predefined properties only, and not to any other properties that you might set up in File Server Resource Manager.

Table 3-1 Enterprise Vault classification properties

Property	Description
evtag.category	<p>This property assigns one or more category values to an item when the item is added to Enterprise Vault. For example, some of the example classification rules check the contents of items for credit card numbers and assign the category value "PII" (for "personally identifiable information") to those that do.</p> <p>You can search for the assigned property values in applications such as Enterprise Vault Search, Compliance Accelerator, and Discovery Accelerator.</p>
evtag.exclusion	<p>In environments where you use Compliance Accelerator, this property instructs the random sampling feature of that application to ignore any item that Enterprise Vault has classified with the property. (Where appropriate, however, Compliance Accelerator users can still add these items to their review sets by conducting searches for them.)</p> <p>For example, the example classification rules use this property to exclude auto-generated news feeds, charity solicitations, and other unimportant items from Compliance Accelerator review sets.</p> <p>You can search for the assigned property values in applications such as Enterprise Vault Search, Compliance Accelerator, and Discovery Accelerator.</p>
evtag.inclusion	<p>In environments where you use Compliance Accelerator, this property instructs the random sampling feature of that application to capture any item that Enterprise Vault has classified with the property. For the best results, use this property selectively to prevent Compliance Accelerator from randomly sampling an excessive number of items.</p> <p>For example, the example classification rules use this property to include Company Confidential items and items that contain financial or legal data in Compliance Accelerator review sets.</p> <p>You can search for the assigned property values in applications such as Enterprise Vault Search, Compliance Accelerator, and Discovery Accelerator.</p>

Table 3-1 Enterprise Vault classification properties (*continued*)

Property	Description
evaction.discard	<p>By assigning the name of a retention category to this property of an item, you can mark the item for deletion. For example, one of the example classification rules uses this property to delete automated out-of-office messages.</p> <p>The way in which Enterprise Vault handles such items depends on the point at which it classifies them.</p> <ul style="list-style-type: none"> ■ During indexing. If an item is classified when Enterprise Vault indexes it, Enterprise Vault sets the retention category of the item to the evaction.discard property value. You can no longer search for the item, but, for a limited number of days, you may be able to recover it. This is the case even if, in the archive settings for your Enterprise Vault site, you have chosen to disable the recovery of user-deleted items. ■ During automatic expiry. If an item is classified because its retention period has expired, Enterprise Vault immediately deletes the item. ■ During user deletion. If an item is classified because a user has tried to delete it then, depending on how you have configured the archive settings for your Enterprise Vault site, the item is either immediately deleted or temporarily recoverable. <p>This property overrides the other classification properties, such as evtag.inclusion. So, if one classification rule marks an item for deletion then it is deleted, even if a second rule tags the item for inclusion in a Compliance Accelerator review set.</p> <p>Some items may not be eligible for deletion because, for example, they are on legal hold. Where this is the case, the classification feature updates the item's retention category but does not delete the item.</p>

All four properties are of type Multiple Choice List: you can assign several values to them. For example, an email that the example classification rules have processed could have two values assigned to its evtag.category property, "Many attachments" and "Personal", to indicate that it has ten or more attachments and that its author has assigned a sensitivity level of Personal to it. The evaction.discard property differs slightly because although it too is a Multiple Choice List property, Enterprise Vault uses the first assigned value only.

Setting up the Enterprise Vault classification properties manually

Enterprise Vault automatically sets up the four Enterprise Vault classification properties when you import the example rule set.


See [“Importing the example rule set”](#) on page 37.

If you do not import the rule set, you can still set up the properties manually.

To set up the Enterprise Vault classification properties manually

- 1 In the left pane of the File Server Resource Manager, expand the **Classification Management** container.
- 2 Right-click the **Classification Properties** node, and then click **Create Local Property**.

The **Create Local Classification Property** dialog box appears.



- 3 Type the name and description of the new property.

The required names and suggested descriptions are as follows:

evtag.category	Assigns one or more categories to an item when the item is added to Enterprise Vault. The property values are searchable and retrievable.
evtag.exclusion	Stops Compliance Accelerator from sampling an item that has this property. The property values are searchable and retrievable.
evtag.inclusion	Requires Compliance Accelerator to sample an item that has this property. The property values are searchable and retrievable.
evaction.discard	Marks an item for deletion if the name of a retention category is assigned to the property.

Caution: Enterprise Vault can assign classification values to these four properties only, and not to any other properties that you might set up in File Server Resource Manager.

- 4 Set the property type to **Multiple Choice List**.
- 5 Add the values that your classification rules may assign to the property.
- 6 Click **OK** to save the classification property.
- 7 Repeat steps 2 through 6 for each of the other Enterprise Vault classification properties.


Checking the Folder Usage classification property

The Folder Usage property is a built-in classification property that tells the File Server Resource Manager about the purpose of certain folders on the local server and the kind of files that are stored in them. When you install Enterprise Vault and start the Storage service, it automatically adds an entry to the Folder Usage list that specifies the location of the classification cache folder. If you want to check that this entry is correct, you can do so by following the procedure below.


To check the Folder Usage classification property

- 1 In the left pane of the File Server Resource Manager, expand the **Classification Management** container.
- 2 Click the **Classification Properties** node to display the list of configured properties at the right.
- 3 Right-click the **Folder Usage** property, and then click **Edit Local Property**. The **Edit Local Classification Property** dialog box appears.

- 4 Check the list at the bottom of the dialog box. If there is no **Enterprise Vault** value in the list, you must add one.



- 5 Click **OK** to save any changes that you have made and close the dialog box.
- 6 In the **Actions** pane at the right of the File Server Resource Manager, click **Set Folder Management Properties**.
- 7 In the **Property** list, choose **Folder Usage**.
- 8 In the **Folders with the selected property** area, ensure that there is an **Enterprise Vault** value and that it is mapped to the `Classification` subfolder of the server's Enterprise Vault cache location. For example:



- 9 Add the **Enterprise Vault** value and the associated folder path, if necessary.

How classification property values and retention categories interact

If both of the following conditions apply, Enterprise Vault updates the retention category of an item when the item matches a classification rule:

- You have configured the classification policy to set the retention category of items.
 See [“About classification policies”](#) on page 46.
- The classification property value that the rule assigns to the item matches the name of an existing retention category. For example, if both the property value and the retention category are named "Financial", this is the retention category that Enterprise Vault tries to assign when it classifies the item.
 For instructions on how to create retention categories, see the *Administrator's Guide*.

An item may sometimes match several classification rules, all of which are competing to assign a retention category to it. Where this is the case, the classification feature selects the winning retention category as follows:


- If you use retention categories to mark items as *records*, for the purposes of implementing Capstone or an equivalent records management system, then those retention categories that mark items as records take precedence over those that do not. Retention categories that mark items as permanent records take precedence over those that mark them as temporary records, and these take precedence over retention categories that mark items as any other type of record.

For more information on using Enterprise Vault for records management, see the *Administrator's Guide*.

- If the competing retention categories want to retain the item for exactly the same duration, the winner is the retention category that you created first. For example, suppose that the retention categories "Customer Accounts" and "Legal" both have a retention period of five years. If you created the "Customer Accounts" category before you created the "Legal" category, a rule that assigns the "Customer Accounts" category overrides one that assigns the "Legal" category.
- If the durations vary, the default behavior is to assign the retention category that retains the item for the longest duration. For example, a retention category that retains items for 7 years normally overrides one that retains them for 5 years. However, you can change this behavior if you prefer to assign the retention category with the shortest duration.

To configure a classification policy to assign the retention category with the shortest duration

- 1 In the left pane of the Administration Console, expand your Enterprise Vault site.
- 2 Expand the **Policies** container, and then expand the **Retention & Classification** container.
- 3 Click the **Classification** container.
- 4 In the right pane, right-click the classification policy that you want to modify, and then click **Properties**.
- 5 On the **Advanced** tab, set the **Retention category selection** option to **Shortest**.




Setting up new values for the Enterprise Vault classification properties

You must configure the Enterprise Vault classification properties to receive the range of values that you want your classification rules to assign to those properties. For example, a rule that searches for instances of bad language in items may need to assign the value "Profanity" to the `evtag.category` property of any matching items. Before this can happen, you must add "Profanity" as a possible value for the `evtag.category` property.


To set up a new value for an Enterprise Vault classification property

- 1 In the left pane of the File Server Resource Manager, expand the **Classification Management** container.



- 2 Click the **Classification Properties** node, and then double-click the Enterprise Vault property for which you want to set up one or more new values.

The **Edit Local Classification Property** dialog box appears. For example, in the case of the `evtag.category` property, the dialog box looks like this:




- 3 Click **Insert** to add a new value and description. To delete an unwanted value, click it and then click **Delete**. You cannot delete a value if it is in use in one or more classification rules.
- 4 Click **OK** to save the changes that you have made.

Points to note on setting retention categories

The following are some important points to note when you use the classification feature to set the retention categories of items:

- Suppose that you configure a retention category to prevent users from manually deleting items to which the category is assigned. Or you configure the retention category to prevent the automatic deletion of expired items with this category.



If the classification feature assigns this retention category to an item when a user tries to delete it or Enterprise Vault tries to expire it, the action is blocked.

- By default, Enterprise Vault updates the retention categories of archived items when users perform actions that cause the retention categories to change. For example, users may move archived items between folders to which you have applied different retention categories, or change the retention categories of items in Enterprise Vault Search, if permitted. Both actions can cause the retention categories of the items to change, potentially overriding the retention categories that the classification feature has set. However, you can choose to prevent user actions from updating retention categories when you define a classification policy.

See [“About classification policies”](#) on page 46.

If you do not use the classification policy to prevent user actions from updating retention categories, the updates proceed subject to the options that you choose on the **Archive Settings** tab of the **Site Properties** dialog box.

- If an application such as Discovery Accelerator has placed an item on legal hold, Enterprise Vault does not submit the item for classification when a user tries to delete it or Enterprise Vault tries to expire it. In consequence, the classification feature cannot update the retention categories of such items. However, the classification feature can update the retention categories of such items when it indexes and archives them.

- When the classification feature classifies an item that Enterprise Vault has archived to a WORM storage device, it may apply a new retention category that changes the item's expiry date. In this case, Enterprise Vault expires the item on the later of the two dates.
For example, if the classification feature applies a retention category that sets a later expiry date, it is this new, later date that Enterprise Vault honors. On the other hand, if the new retention category sets an earlier expiry date, it is the original, later date that Enterprise Vault honors.

Configuring your classification rules

This chapter includes the following topics:

- [About classification rules](#)
- [About the example classification rules](#)
- [Importing the example rule set](#)
- [Creating or changing classification rules](#)
- [Supported configuration parameters for rules that use the Veritas Information Classifier method](#)

About classification rules

A classification rule defines the criteria that an item must match to be awarded a specific classification value. For example, a rule that looks for emails that the sender has marked as unimportant may assign the value "Low importance" to those that it finds.

Enterprise Vault comes with a set of example classification rules, which you can import into the File Server Resource Manager and use as a starting point to create your own set of rules. Alternatively, you can create your own rules from the beginning.

About the example classification rules

Note: The example rules are for test purposes only and may not deliver the required results in a production environment.

The example rules are in a single XML file, `Example Rules.xml`, which is in the `Classification` subfolder of the Enterprise Vault program folder; for example, `C:\Program Files (x86)\Enterprise Vault\Classification\Example Rules.xml`.

The example rules have the following features in common:

- They have a scope of "Enterprise Vault": they classify items in the Enterprise Vault classification cache folder only.
See ["Checking the Folder Usage classification property"](#) on page 24.
- They use the Veritas Information Classifier method to search for strings and regular expression patterns in items.
See ["Creating or changing classification rules"](#) on page 38.
- When the rules find a match, they assign an appropriate value to one of the four Enterprise Vault classification properties on the matching item: `evtag.category`, `evtag.exclusion`, `evtag.inclusion`, or `evaction.discard`.
See ["About the Enterprise Vault classification properties"](#) on page 20.
For example, some of the rules search for strings in the form of credit card numbers. If the rules find an item that contains such a string, they assign the value "PII" to the item's `evtag.category` property, to indicate that the item contains personally identifiable information.

[Table 4-1](#) describes the classification rules in the example rule set.

Table 4-1 Example classification rules

Rule name	Description	Property used	Assigned value
American Express Card	Detects items that may contain American Express credit card numbers.	<code>evtag.category</code>	PII
Auto-generated News Feeds	Detects items from the email domains of known news and research providers (alerts.yahoo.com, cnn.com, news.google.com, and so on).	<code>evtag.exclusion</code>	Auto-generated

Table 4-1 Example classification rules (*continued*)

Rule name	Description	Property used	Assigned value
Auto-Reply	Detects out-of-office messages.	evaction.discard	Default Retention Category
Charity Solicitations	Detects items containing terms and phrases that are commonly associated with charitable solicitations.	evtag.exclusion	Charity solicitations
Company Confidential	Detects items that were tagged in Microsoft Outlook as being Company Confidential.	evtag.inclusion	Company Confidential
CPF Number (Brazil)	Detects items that may contain Brazilian CPF numbers and associated words or phrases.	evtag.category	PII
Current Retention Category Name	Detects items that had an Enterprise Vault retention category named "1 Month" when they were submitted for classification.	evtag.category	Short retention
Date range	Detects items that were sent within a specified date range.	evtag.inclusion	Sensitive project
Discover Card	Detects items that may contain Discover Card credit card numbers.	evtag.category	PII
Driving License (UK)	Detects items that may contain UK driving license numbers.	evtag.category	PII
Email Containers (Attachments)	Detects items that have an attachment of type PST or NSF.	evtag.category	Email containers
Faxes (Attachments)	Detects fax attachments.	evtag.category	Fax
Financial Data	Detects items containing terms and phrases that are commonly associated with financial transactions.	evtag.inclusion	Financial

Table 4-1 Example classification rules (*continued*)

Rule name	Description	Property used	Assigned value
Identity Card (Germany)	Detects items that may contain current identity card numbers (issued in Germany since 2010).	evtag.category	PII
Large Items	Detects items that are 1000 KB or larger.	evtag.category	Large item
Large Number of Attachments	Detects items that have 10 or more attachments.	evtag.category	Many attachments
Legal	Detects items containing terms and phrases that are commonly associated with legal documents.	evtag.inclusion	Legal
Low Importance	Detects items that were tagged in Microsoft Outlook as being of low importance.	evtag.exclusion	Low importance
MasterCard	Detects items that may contain MasterCard credit card numbers.	evtag.category	PII
Message Sent to External Domain	Detects items that were sent to an external recipient.	evtag.inclusion	Sent externally
Message Sent to Specific External Domain	Detects items that were sent externally to a specific domain.	evtag.inclusion	Sent externally
National Insurance Number (UK)	Detects items that may contain UK national insurance numbers.	evtag.category	PII
National Registry Identification Number (Singapore)	Detects items that may contain Singaporean national registry identification numbers.	evtag.category	PII
Partial Content	Detects items for which Enterprise Vault was only able to supply partial content for classification (because, for example, their content was encrypted).	evtag.category	Partial content

Table 4-1 Example classification rules (*continued*)

Rule name	Description	Property used	Assigned value
Permanent Account Number (India)	Detects items that may contain Indian permanent account numbers and associated words or phrases.	evtag.category	PII
Personal	Detects items that were tagged in Microsoft Outlook as being Personal.	evtag.category	Personal
Productivity Documents	Detects items that have attachments in Microsoft Word or Excel format.	evtag.category	Productivity documents
Sensitive Project Code Names	Detects items that contain the user-defined code name of a project that is considered sensitive.	evtag.inclusion	Sensitive project
Social Security Number (US)	Detects items that may contain US social security numbers.	evtag.category	PII
VAT/TVA number (France)	Detects items that may contain French VAT/TVA numbers.	evtag.category	PII
Visa Card	Detects items that may contain Visa credit card numbers.	evtag.category	PII
Web Links	Detects items that include web links.	evtag.category	Web links

Importing the example rule set

If you decide to use the example rule set as the basis for your own classification rules, you can import it into the File Server Resource Manager on a selected Enterprise Vault storage server. Then, after you have configured the rules appropriately, you can publish them to the other storage servers in your environment.

To import the example rule set

- 1 Make sure that you have a copy of the example rule set file, `Example Rules.xml`. The file is installed in the `Classification` subfolder of the Enterprise Vault program folder.

- 2 Start the Enterprise Vault Management Shell.

PowerShell opens and loads the Enterprise Vault snap-in. The cmdlets are now available in the shell.

- 3 Run the cmdlet `Import-EVClassificationFCIRules` to import the rules.

See [“Import-EVClassificationFCIRules”](#) on page 86.

For example, you might type the following:

```
Import-EVClassificationFCIRules -ImportRulesFile "c:\Program Files (x86)\Enterprise Vault\Classification\Example Rules.xml" -Servers localhost
```

The cmdlet stops the Enterprise Vault Storage service on the server and then, after it has imported the classification properties and rules, it restarts the service.

Creating or changing classification rules

The following procedure guides you through the process of creating or changing a classification rule with the File Server Resource Manager. Each rule sets the value for a single classification property.

Caution: The simpler the rule, the more quickly Enterprise Vault classifies the matching items. Avoid overly complex rules, where possible.


To create or change a classification rule

- 1 In the left pane of the File Server Resource Manager, expand the **Classification Management** container.
- 2 Do one of the following:
 - To create a new rule, right-click the **Classification Rules** node and then click **Create Classification Rule**.
 - To change an existing rule, click the **Classification Rules** node and then double-click the rule.

A dialog box appears in which you can set the properties of the rule.

- 3 On the **General** tab, enter the following information:

- **Rule name.** Type a name for the rule.
 - **Enabled.** This rule is only applied if the **Enabled** box is selected. To disable the rule, clear this box.
 - **Description.** Type an optional description for this rule.
- 4 On the **Scope** tab, in the first box, select **Enterprise Vault** to specify that you want to include the Enterprise Vault classification cache folder.
- 5 On the **Classification** tab, enter the following information:
- In the **Classification method** section, choose the method with which you want to assign an Enterprise Vault classification property to items.



The classification methods that are listed are as follows:

- **Content Classifier.** This method provides string and regular expression matching against the items.
- **Folder Classifier.** This method does not work with the Enterprise Vault classification feature, so do not choose it.
- **Windows PowerShell Classifier.** This method lets you write rules using PowerShell.


- **Veritas Information Classifier.** This method provides string, regular expression, and word proximity matching against items.

Note: We recommend that you use the Veritas Information Classifier method rather than the alternative classification methods, as it has been expressly designed to process rules in the most efficient way: Processing multiple rules in parallel, ordering rules by average execution time and, for rules that contain multiple clauses, evaluating the quickest clause first. The Veritas Information Classifier also lets you target particular parts of messages only, such as their subject lines, so there is no need to search across the entire contents of items. The consequence of all these enhancements is drastically to reduce the overall rule processing time.

Veritas Information Classifier has an additional advantage over other, similar methods, such as Content Classifier: You can export a set of rules that use the Veritas Information Classifier method from a server that is running one language version of Windows, such as English, and import them without problem into a server that is running another language version, such as Japanese. This is not the case when you export and import rules that use the Content Classifier method.

The list may also include third-party classification methods, if you have installed any.

- In the **Property** section, choose the Enterprise Vault classification property to assign to items, and set the value of the property.
See [“About the Enterprise Vault classification properties”](#) on page 20.
- In the **Parameters** section, click **Configure** to specify the content for which the rule is to search. For example:

Supported configuration parameters for rules that use the Veritas Information Classifier method

For classification rules that use the Veritas Information Classifier method, you can specify a range of name and value parameters.

See [“Supported configuration parameters for rules that use the Veritas Information Classifier method”](#) on page 41.

- 6 Click **OK** without selecting any of the options on the **Evaluation Type** tab. Enterprise Vault does not take account of the settings on this tab.

Supported configuration parameters for rules that use the Veritas Information Classifier method

When you create a rule that uses the Veritas Information Classifier method, you must specify one or more additional configuration parameters. These parameters define the text strings or regular expressions for which you want to search in items. Each parameter consists of a *name* and a corresponding *value*.

You can specify multiple configuration parameters for the same rule. For example, you may want to create a rule that searches the subject lines of items for one word and their message bodies for a second word. Where this is the case, an item must

Supported configuration parameters for rules that use the Veritas Information Classifier method

match all the parameters for the rule to match; the Veritas Information Classifier links the parameters together with Boolean AND operators rather than OR operators.

Note: To simulate the effect of linking multiple parameters with Boolean OR operators, create multiple rules that assign the same value to the same classification property. For example, you might create two rules that assign the same value to the `evtag.category` property: one rule that searches the subject lines of items for a word and a second rule that searches their message bodies for a different word.

Supported values for Name

The values that you type in the **Name** column of the **Classification Parameters** dialog box set the scope of the configuration parameter: they specify the properties of an item that you want to search.

You can search an individual property by typing its name in the **Name** column. For example, you might type `cont` to search the message body of an item or `rbea` to search the email addresses of its recipients. Indexed items can have a large number of properties, but only a subset is of interest for classification purposes. These are the properties and associated values that Enterprise Vault stores in the plain-text files in the classification cache folder.

See [“About the Enterprise Vault properties”](#) on page 66.

If you want to classify the items in one archive only, the `archiveid` property lets you specify the unique identifier of this archive. For example, by specifying an `archiveid` property value in one configuration parameter and a `cont` property value in a second configuration parameter, you can limit classification to the items in the nominated archive that have particular words in their message bodies.

A number of composite properties are also available with which you can search multiple properties of items at once. [Table 4-2](#) describes these values.

Table 4-2 Composite properties

Name	Description
Attachment	Searches all the attachment-related properties: content, file name, size, type, and dates.
Author	Searches the author properties.
Content	Searches both the subject line and content of items and their attachments.
Item	Searches the item in its entirety: subject line, content, and all the classifiable properties of items and their attachments.

Supported configuration parameters for rules that use the Veritas Information Classifier method**Table 4-2** Composite properties (*continued*)

Name	Description
Recipient	Searches the recipient list properties.
Subject	Searches the subject lines of items and their attachments.

You can combine multiple properties in a single Name value by separating them with a pipe symbol (|). For example, the following Name value is equivalent to the composite value *Subject* because it lets you search the subject lines of an item (*subj*) and its attachments (*a_subj*).

```
subj|a_subj
```

The next example searches the subject lines of an item and its attachments (*Subject*) and the content of those attachments (*a_cont*).

```
Subject|a_cont
```

Supported values for Value

In the **Value** column of the **Classification Parameters** dialog box, you specify what to search for: a word or phrase, for example, or a regular expression.

By default, the values that you enter are case-insensitive. So, the value *Fraud* matches not just *Fraud* but *fraud* and *FRAUD* as well. However, you can make a value case-sensitive by preceding it with *(?-i)*. For example, *(?-i)Fraud* matches *Fraud* only.

Specify date and time values as Coordinated Universal Time (UTC) values in the ISO 8601 format. According to ISO 8601, a combined date and time value has the following format:

```
yyyy-mm-ddThh:mm:ssZ
```

For example, 2016-07-12T13:00:00Z.

[Table 4-3](#) describes the types of values that the Veritas Information Classifier supports.

Table 4-3 Supported values in the Value column

Value	Description
A string	Searches for the specified word or phrase, such as <i>fraud</i> or <i>cover up</i> .

Table 4-3 Supported values in the Value column (*continued*)

Value	Description
A regular expression	<p>Searches for the specified regular expression. A regular expression is a pattern of text that consists of ordinary characters (for example, letters <i>a</i> through <i>z</i>) and special characters, called <i>metacharacters</i>. The pattern describes one or more strings to match when searching text. For example, the following regular expression matches the sequence of digits in all Visa card numbers:</p> <pre data-bbox="559 517 905 539">\b4[0-9]{12}(?:[0-9]{3})?\b</pre> <p>The regular expression <i>docx?</i> matches both <i>doc</i> and <i>docx</i>, so it is useful if you want to search for Microsoft Word documents.</p> <p>Your regular expressions must conform to the .NET Framework regular expression syntax. For more information on this syntax, see the following articles on the Microsoft website:</p> <p>https://msdn.microsoft.com/library/az24scfc.aspx</p> <p>http://go.microsoft.com/fwlink/?LinkId=180327</p> <p>For many illustrations of regular expression syntax, see the example classification rules.</p> <p>See “About the example classification rules” on page 34.</p>
A proximity search	<p>Searches for words or regular expressions that are within the specified number of characters of each other. Punctuation and space characters count as normal characters. The syntax is as follows:</p> <pre data-bbox="559 1046 1213 1069">NEAR[proximity, regular_expression, regular_expression]</pre> <p>For example, type the following to find <i>fraud</i> and <i>cover up</i> within 100 characters of each other:</p> <pre data-bbox="559 1164 861 1187">NEAR[100, fraud, cover up]</pre> <p>Type the following to find <i>fraud</i> and either <i>cover up</i> or <i>write off</i> within 150 characters of each other:</p> <pre data-bbox="559 1282 1016 1305">NEAR[150, fraud, (cover up write off)]</pre>

Table 4-3 Supported values in the Value column (*continued*)

Value	Description
A list of strings or regular expressions	<p>Searches for multiple words, phrases, or regular expressions. The syntax is as follows:</p> <pre>LIST[string_or_regular_expression string_or_regular_expression ...]</pre> <p>For example, to find <i>cost of sales</i>, <i>earnings per share</i>, or <i>financial expenses</i>, type the following:</p> <pre>LIST[cost of sales earnings per share financial expenses]</pre> <p>If you want to enter a list that contains many hundreds of words or phrases, you may be able to maximize performance with the following, alternative syntax:</p> <pre>LARGELIST[string1 string2 string3 ...]</pre> <p>LARGELIST uses a different method for evaluating the list against the item properties. You can further enhance performance by placing the words or phrases that are most likely to find a match at the start of the list.</p> <p>Note: Unlike LIST, LARGELIST does not support regular expressions.</p>
A date range	<p>For use with date-type properties only, such as <i>adat</i>, <i>date</i>, and <i>mdat</i>. Searches for items with a date property value that falls within the specified date range. Ranges can be open-ended. The syntax is as follows:</p> <ul style="list-style-type: none"> ■ <code>YYYY-MM-DD..YYYY-MM-DD</code> For example, <code>2016-01-20..2016-06-19</code> finds items between these two dates. ■ <code>YYYY-MM..YYYY-MM</code> For example, <code>2015-01..2016-07</code> finds items between these two months. ■ <code>YYYY..YYYY</code> For example, <code>2015..2016</code> finds items between these two years. ■ <code>YYYY-MM-DD..</code> For example, <code>2016-01-20..</code> finds items after this date. ■ <code>..YYYY-MM-DD</code> For example, <code>..2016-01-20</code> finds items before this date. <p>The dates are in the current time zone on the Enterprise Vault storage server.</p>

Defining and applying classification policies

This chapter includes the following topics:

- [About classification policies](#)
- [Defining classification policies](#)
- [About the PowerShell cmdlets for working with classification policies](#)
- [Associating classification policies with retention plans](#)
- [About the PowerShell cmdlets for working with retention plans](#)
- [Applying retention plans to your Enterprise Vault archives](#)

About classification policies

A classification policy specifies the range of classification features that you want to implement in your Enterprise Vault site. With a classification policy, you can choose to do the following:

- **Classify items during archiving/indexing.** If you choose to do this, Enterprise Vault sends items for classification and tags them with the results at the same time that it archives or indexes them. Enterprise Vault tags the items with `evtag.category`, `evtag.exclusion`, and `evtag.inclusion` values according to the classification rules. Users of applications like Compliance Accelerator and Discovery Accelerator can then use the classification values to filter the items when they conduct searches and reviews.

Exactly when Enterprise Vault classifies the items is determined by whether you are archiving the classified items to smart partitions rather than standard vault store partitions, as follows:

- If you have chosen to use smart partitions, Enterprise Vault classifies the items at archiving time.
- If you have not chosen to use smart partitions, Enterprise Vault classifies the items at indexing time.

In both cases, if you perform an index rebuild of an archive or index volume, Enterprise Vault discards the classification tags that it previously applied and applies new ones in their place. This process does not affect users, as the old index volumes continue to be searchable during the rebuild.

Note: If you have chosen to archive classified items to smart partitions, reclassifying the items does not cause them to move from one smart partition to another. These items remain on the smart partition to which Enterprise Vault originally archived them.

For example, suppose that you have associated the classification tag "PII" with one smart partition and the tag "Credit-Card" with another smart partition. An item that Enterprise Vault archived to the partition that is associated with the "PII" tag remains on this partition, even if Enterprise Vault subsequently reclassifies the item with the "Credit-Card" tag.

- **Set the retention category of items.** If you choose to do this, the classification feature can update the retention categories of items. To determine which retention category to assign, Enterprise Vault examines the property values that the classification rules have assigned to the item. When the name of a property value matches that of one of the site's retention categories, Enterprise Vault assigns this retention category to the item.

See ["How classification property values and retention categories interact"](#) on page 26.

- **Prevent user actions from updating retention categories.** By default, Enterprise Vault updates the retention categories of archived items when users perform actions that cause the retention categories to change. For example, users may move archived items between folders to which you applied different retention categories, or change the retention categories of items in Enterprise Vault Search, if permitted. Both actions can cause the retention categories of the items to change, potentially overriding the retention categories that the classification feature has set. With a classification policy, however, you can prevent such retention category updates in the archives to which you apply the policy.

You can choose to prevent retention category updates in all instances or, if you use the Enterprise Vault records management feature, you can allow them in instances where this also causes the record types of the items to change.

- If you choose to classify items during archiving/indexing, the classification feature assigns retention categories to the items when it archives and indexes them. In these circumstances, the classification feature's retention category overrides that of the retention plan. The following additional options provide finer control over how the classification feature sets the retention category of items:
 - **During user deletion.** If you choose to implement this option, the classification feature classifies an item when a user tries to delete it. In some instances this may prevent the item from being discarded, because the classification feature assigns a retention category that blocks the action.
 - **During automatic expiry.** If you choose to implement this option, the classification feature classifies an item when its retention period has elapsed. As with user deletion, this may prevent the item from being discarded, because the classification feature assigns a retention category that either blocks deletion or extends the item's retention period.

Defining classification policies

Enterprise Vault comes with a default classification policy, which you can modify as necessary, but you can also define one or more custom policies. This may be a requirement if you want to implement different classification policies for different content sources. For example, your classification requirements for File System items may be different from those for Exchange mailbox items. Where this is the case, you can define a classification policy for each content source and then associate the two policies with different retention plans: one targeted at File System archives and the other targeted at Exchange mailbox archives.


The following procedure describes how to use the Administration Console to define a classification policy. However, you can also perform the same activity with PowerShell cmdlets.

See [“About the PowerShell cmdlets for working with classification policies”](#) on page 49.

To view and modify the properties of the default classification policy

- 1 In the left pane of the Administration Console, expand your Enterprise Vault site.
- 2 Expand the **Policies** container, and then expand the **Retention & Classification** container.
- 3 Click the **Classification** container.
- 4 In the right pane, right-click **Default Classification Policy** and then click **Properties**.

- 5 Modify the settings, if necessary.



- 6 Click **OK** to save any changes that you have made.

To define a custom classification policy

- 1 In the left pane of the Administration Console, expand your Enterprise Vault site.
- 2 Expand the **Policies** container, and then expand the **Retention & Classification** container.
- 3 Right-click the **Classification** container, and then point to **New** and click **Policy**. The **New Classification Policy** wizard appears.
- 4 Follow the on-screen instructions.

About the PowerShell cmdlets for working with classification policies

Enterprise Vault comes with a number of PowerShell cmdlets with which you can create or modify classification policies. These cmdlets perform the same functions as the equivalent facilities in the Administration Console.

Table 5-1 PowerShell cmdlets for creating or modifying classification policies

Cmdlet	Description
<code>Get-EVClassificationPolicy</code>	Returns a list of all the classification policies that you have configured in an Enterprise Vault site. See “Get-EVClassificationPolicy” on page 81.
<code>New-EVClassificationPolicy</code>	Creates a classification policy. See “New-EVClassificationPolicy” on page 89.
<code>Remove-EVClassificationPolicy</code>	Removes the specified classification policy, if it is not in use. See “Remove-EVClassificationPolicy” on page 97.
<code>Set-EVClassificationPolicy</code>	Sets or updates the properties of an existing classification policy. See “Set-EVClassificationPolicy” on page 98.

Associating classification policies with retention plans

A retention plan provides the means to assign a classification policy to your Enterprise Vault archives. You associate each classification policy with one or more retention plans and apply each plan to one or more archives. Enterprise Vault then processes the items in the archives according to the associated classification policy. For instructions on how to set up retention plans, see the *Administrator's Guide*.


The following procedure describes how to use the Administration Console to associate a classification policy with a retention plan. However, you can also perform the same activity with PowerShell cmdlets.

See [“About the PowerShell cmdlets for working with retention plans”](#) on page 52.


To associate a classification policy with a retention plan

- 1 In the left pane of the Enterprise Vault Administration Console, expand the tree view until the **Policies** container is visible.
- 2 Expand the **Policies** container and then expand the **Retention & Classification** container.
- 3 Do one of the following:
 - If you have yet to create any retention plans, right-click the **Plans** container, and then point to **New** and click **Plan**.

The **New Retention Plan** wizard appears. As part of the procedure for creating the plan, you must select the **Classify items** option and then select the required classification policy.



- To associate a classification policy with an existing retention plan, click the **Plans** container and then double-click the required plan at the right. The **Retention Plan Properties** dialog box appears. The options to classify items and select the required classification policy are on the **Archive Defaults** tab of this dialog box.



In both cases, the classification feature overrides the retention plan when it comes to assigning retention categories to items.

About the PowerShell cmdlets for working with retention plans

Enterprise Vault comes with a number of PowerShell cmdlets with which you can create or modify retention plans—and at the same time change the classification options that are associated with those plans. These cmdlets perform the same function as the equivalent facilities in the Administration Console.

Table 5-2 PowerShell cmdlets for creating or modifying retention plans

Cmdlet	Description
<code>Get-EVRetentionPlan</code>	Returns a list of all the retention plans that you have configured in an Enterprise Vault site. You can filter the list by various properties, including the classification policies that you have associated with the plans.
<code>New-EVRetentionPlan</code>	Creates a retention plan and specifies the classification policy to associate with it.
<code>Remove-EVRetentionPlan</code>	Removes the specified retention plan, if it is not in use.

Table 5-2 PowerShell cmdlets for creating or modifying retention plans
(continued)

Cmdlet	Description
<code>Set-EVRetentionPlan</code>	Sets or updates the properties of an existing retention plan, including its associated classification policy.

See the *PowerShell Cmdlets* guide for more information on these cmdlets.

Applying retention plans to your Enterprise Vault archives

After you have defined a classification policy and associated it with a retention plan, you can apply the plan to one or more archives. The Administration Console provides many different ways to do this, as you can associate a retention plan with any of the following features:

- An Exchange, Domino, or IMAP provisioning group
- An Exchange journal archive, Domino journal archive, or SMTP archive
- An FSA volume or folder policy
- A public folder target
- A SharePoint target or site collection
- Mailboxes that you manually enable for archiving by running the Enable Mailbox wizard

The documentation for each of these features describes how to apply a retention plan to it. You can also apply a retention plan to a selected archive with the PowerShell cmdlet `Set-EVArchive`. See the *PowerShell Cmdlets* guide for more information.

After you have associated the retention plan with the required feature, you must run the appropriate archiving task to apply it to the target archives. For instance, this is the Client Access Provisioning task in the case of an IMAP provisioning group or the SharePoint Archiving task in the case of a SharePoint site collection.


As an example, the following procedure describes how to choose a retention plan when you set up a new Exchange provisioning group.

To associate a retention plan with an Exchange provisioning group


- 1 In the left pane of the Administration Console, expand the hierarchy until the **Targets** container is visible.
- 2 Expand the Exchange domain.
- 3 Right-click the **Provisioning Groups** container, and then point to **New** and click **Provisioning Group**.

The **New Provisioning Group** wizard appears.

- 4 Work through the wizard until you reach the page that prompts you for the required retention category or retention plan.



- 5 Click **Select** to open the **Retention Selection** dialog box.



- 6 Select the required retention plan, or click **New** to create a new one.
- 7 Work through the remaining pages of the wizard.
- 8 Run the Exchange Provisioning task to apply the retention plan to the target archives.
- 9 Synchronize the mailboxes. To do this, open the properties dialog box for the Exchange Mailbox Archiving task and then, on the **Synchronization** tab, click **Synchronize**.

Running classification in test mode

This chapter includes the following topics:

- [About classification test mode](#)
- [Implementing classification test mode](#)
- [About the PowerShell cmdlets for running classification in test mode](#)
- [Understanding the classification test mode reports](#)

About classification test mode

By running the classification feature in test mode, you can identify and resolve any issues with your classification rules before you put them into effect. Classification does still occur in test mode, but in the following ways:

- When Enterprise Vault indexes items, it does so without applying the classification properties, their values, and any resulting retention changes to the archived items. However, the classification information is stored, and you can review it in a test mode report.
- When a user manually deletes an archived item, or Enterprise Vault automatically deletes an item whose retention period has expired, the item is deleted as normal. However, the test mode report indicates whether the action would have been blocked as the result of classification. For example, this might be the case if classification were to apply a retention category that extends the item's retention period or blocks manual deletion or automatic expiry.

The test mode report may help you to identify any rules that do not work as you expect. Where this is the case, you can amend the rules and rerun the tests until you are satisfied with the outcome.

Implementing classification test mode


You implement classification test mode on individual archives. Only archives to which you have assigned a retention plan that has an associated classification policy are eligible for test mode.

The following procedure describes how to use the Administration Console to implement classification test mode on an archive. However, you can also perform the same activity with PowerShell cmdlets.

See [“About the PowerShell cmdlets for running classification in test mode”](#) on page 58.

To implement classification test mode

- 1 In the left pane of the Administration Console, expand the hierarchy until the **Archives** container is visible.
- 2 Locate and then right-click an archive in which you want to implement classification test mode.
- 3 In the properties dialog box for the archive, click the **Classification** tab.
- 4 Select **Use test mode for this archive**.



- 5 Click **OK** to save the change that you have made.

- 6 Go back to the **Classification** tab and click **View Report** to open the report in your default web browser. You can use the facilities in your browser to save the report, if necessary.
- 7 If you turn off test mode for an archive and want to reclassify the archived items, use the Rebuild wizard to rebuild the index volume. (This process does not affect users, as the old index volumes remain searchable during the rebuild.) So long as you have configured the classification policy to classify items during indexing, Enterprise Vault reclassifies the items as part of the index rebuild. For more information on the Rebuild wizard, see the *Administrator's Guide*.

 The report data persists in the vault store database after you turn off test mode or dissociate the archive from a classification policy. To remove it, click **Clear Data** in the **Classification** tab.

About the PowerShell cmdlets for running classification in test mode

Enterprise Vault comes with two PowerShell cmdlets for running classification in test mode. These cmdlets perform the same functions as the equivalent facilities in the Administration Console.

Table 6-1 PowerShell cmdlets for running classification in test mode

Cmdlet	Description
Get-EVClassificationTestMode	Reports on whether the classification feature is operating in test mode in the nominated archive. See "Get-EVClassificationTestMode" on page 85.
Set-EVClassificationTestMode	Enables or disables classification test mode in the nominated archive. See "Set-EVClassificationTestMode" on page 102.

Understanding the classification test mode reports

As [Table 6-2](#) indicates, a classification test mode report contains several sections.

Table 6-2 Contents of a classification test mode report

This section	Shows
Classification Summary	The number of items that Enterprise Vault classified when the archive was in test mode. The summary also shows the number of items that Enterprise Vault failed to classify.
Rule Matches	The classification rules that the items match, and the number of items in each case.
Proposed Tag Application	The classification property values that Enterprise Vault would assign to the items, and the number of items in each case.
Smart Partitions	The smart partitions to which Enterprise Vault would archive the items, and the number of items in each case.
Retention Category	The number of items that match a classification rule whose assigned property value is the same as that of a retention category—and hence to which Enterprise Vault would apply the category.
Proposed Changes to Retention	<p>The number of items whose retention period Enterprise Vault would modify, extend, or reduce. Note that the number of modified items may not be the same as the sum of items with an extended or reduced retention period. For example, some items may acquire a new retention category that sets the same retention period as the original retention category.</p> <p>This section also shows the number of items that would be eligible for expiry if Enterprise Vault were to classify them now.</p>
Blocked Deletions	The number of items that Enterprise Vault would block from automatic expiry or user deletion because it would reevaluate their retention categories during classification. The report omits this section if there are no blocked deletions.

Publishing classification properties and rules across your site

This chapter includes the following topics:

- [How to publish the classification properties and rules](#)

How to publish the classification properties and rules

When you are satisfied that your classification properties and rules work as expected, you can publish them to the other storage servers in your Enterprise Vault environment. To do this, run the PowerShell cmdlet

```
Import-EVClassificationFCIRules OR Publish-EVClassificationFCIRules.
```

See [“Import-EVClassificationFCIRules”](#) on page 86.

See [“Publish-EVClassificationFCIRules”](#) on page 94.

These two cmdlets perform a similar function. The difference is that `Publish-EVClassificationFCIRules` first exports the classification properties and rules to an XML file before it publishes them to the target servers;

`Import-EVClassificationFCIRules` uses an existing XML file to perform the import part of the operation only.

For example, the following exports the classification properties and rules to the file `RulesFile.xml`, which it then publishes to all the Enterprise Vault servers in the specified site:

```
Publish-EVClassificationFCIRules -StagingServer SERVERXYZ  
-ExportRulesPath c:\Data\RulesFile.xml -SiteId 13E...EV.example.com
```

Other methods for publishing the classification properties and rules are available, such as running the PowerShell cmdlets that come with the Microsoft Data Classification Toolkit. However, these methods do not automatically turn off the Enterprise Vault Storage services on the target servers while they install the new classification properties and rules. As this can lead to classification errors, we recommend that you use the Enterprise Vault classification cmdlets instead. These cmdlets do stop the Storage service before they begin the installation, and then restart it afterwards.

Using classification with smart partitions

This chapter includes the following topics:

- [About smart partitions](#)
- [How Enterprise Vault determines whether to archive an item to a smart partition](#)
- [Setting up smart partitions](#)
- [Verifying that Enterprise Vault has archived items to smart partitions](#)

About smart partitions

Earlier versions of Enterprise Vault archived all items to a single, open vault store partition on a storage device. In Enterprise Vault 12.3 and later, you can archive different items to different partitions, depending on how Enterprise Vault has classified the items. For example, if you have configured the classification engine to detect and tag items that contain personally identifiable information (PII), you can choose to archive these items to one partition. Other types of items, such as bids and business proposals, can be archived to a different partition.

These classification-related partitions are called *smart* partitions. They are identical to standard vault store partitions except in the following ways:

- Using the Vault Administration Console, you can associate a smart partition with one or more classification tags that you have defined in your chosen classification engine (Veritas Information Classifier or Microsoft File Classification Infrastructure). Only items to which the classification engine has assigned the chosen tags are archived to the smart partition.

How Enterprise Vault determines whether to archive an item to a smart partition

- Multiple smart partitions can be open for archiving at the same time. This is not true of standard vault store partitions, which are limited to one open partition for each vault store.
- You can configure a standard vault store partition so that Enterprise Vault automatically rolls over to the next available partition when certain criteria are met. This rollover capability is not available for smart partitions.

As with standard vault store partitions, you can create smart partitions on any storage device that Enterprise Vault supports.

How Enterprise Vault determines whether to archive an item to a smart partition

Your environment can contain both standard vault store partitions and smart partitions. When any of the following conditions apply, Enterprise Vault archives an item to the open, standard vault store partition rather than any smart partition:

- You have not enabled classification for the target archive.
- You have chosen to run classification in test mode for the target archive.
- The classification engine has not assigned any tags to the item.
- The classification engine has assigned tags to the item, but none matches the tags that you have associated with an open smart partition.

When none of these conditions applies, Enterprise Vault archives the item to the appropriate smart partition. If there is a straightforward match between the tags that the classification engine has assigned to the item and those that you have associated with a single, open smart partition, Enterprise Vault archives the item to this partition. For example, if an item has been classified with the tag "PII", and you have associated the tag with a smart partition, then Enterprise Vault archives the item to this partition.

The situation is more complicated if you have multiple, open smart partitions, each of which is a potential recipient of the item. For example, suppose that an item has been classified with the tags "PII" and "Credit-Card" and that you have associated each tag with a different smart partition. When you configure the partitions, you can set a ranking for each tag that you associate with them. If the "PII" tag has a higher rank than the "Credit-Card" tag, Enterprise Vault archives the item to the partition that you have associated with the "PII" tag.

Setting up smart partitions

The procedure for setting up a smart partition is almost identical to that for setting up a standard vault store partition. The only significant difference is that, when setting up a smart partition, you must choose one or more classification tags to associate with it.

To set up a smart partition

- 1 In the left pane of the Administration Console, expand the Enterprise Vault site hierarchy until the **Vault Store Groups** container is visible.
- 2 Expand the **Vault Store Groups** container to show the existing vault store groups.
- 3 Expand the vault store group that contains the vault store for which you want to set up a smart partition.
- 4 Expand the vault store in which you want to set up the smart partition.
- 5 Right-click the **Smart Partitions** container, and then click **New > Smart Partition**.

The New Smart Partition wizard starts.

- 6 Follow the on-screen instructions. You must provide the following information:
 - A name and description for the smart partition
 - Whether to set the initial state of the smart partition as open or closed
 - The classification tags to associate with the smart partition
 - The type of storage device on which to create the partition
 - The location on the storage device for the new partition
 - The storage settings to use for the storage device
 - For partitions on Dell EMC Centera devices, whether to enable device-level sharing
 - Whether to create the smart partition with security ACLs in the partition folders
 - How to check that the data in the smart partition has been backed up
 - Whether to use file collection software to combine many smaller files into larger collection files

Verifying that Enterprise Vault has archived items to smart partitions

You can verify that Enterprise Vault has successfully archived items to your smart partitions by reviewing a usage report in the Vault Administration Console.

To verify that Enterprise Vault has archived items to smart partitions

- 1 In the left pane of the Administration Console, expand the Enterprise Vault site hierarchy until the **Vault Store Groups** container is visible.
- 2 Expand the **Vault Store Groups** container to show the existing vault store groups.
- 3 Expand the vault store group that contains the vault store for which you want to view usage information.
- 4 Right-click the required vault store, and then click **Reporting**.
The **Vault Store detailed usage information** page appears.
- 5 Click **View usage report by Partition**.

The report provides the following information:

Name	Shows the name of the partition.
Is Smart	Shows whether the partition is a smart partition (True) or a standard vault store partition (False).
Item Count	Shows the number of items in the partition.
Total Size	Shows the total size of the items in the partition.

The report also provides the following information:

- The total number of items in the vault store.
- The total space that all the archived items occupy in the vault store.
- The average space that each archived item occupies in the vault store.

Enterprise Vault properties for use in classification rules

This appendix includes the following topics:

- [About the Enterprise Vault properties](#)
- [System properties](#)
- [Attachment properties](#)
- [Custom Enterprise Vault properties](#)
- [Custom Enterprise Vault properties for File System Archiving items](#)
- [Custom Enterprise Vault properties for SharePoint items](#)
- [Custom Enterprise Vault properties for Compliance Accelerator-processed items](#)
- [Custom properties for use by policy management software](#)
- [Custom properties for Enterprise Vault SMTP Archiving](#)

About the Enterprise Vault properties

When Enterprise Vault indexes an item, it populates a number of the item's metadata properties with information about the item. Some examples of such information include the display name and email address of the message author, the number of attachments, and the file size of the item.

Indexed items can have a large number of properties, but only a subset is of interest for classification purposes. These are the properties and associated values that

Enterprise Vault passes to the File Classification Infrastructure for classification. When you create a rule that uses the Veritas Information Classifier method, you can configure it to search the values of these individual properties.

See [“Supported configuration parameters for rules that use the Veritas Information Classifier method”](#) on page 41.

System properties

[Table A-1](#) lists the system properties defined in Enterprise Vault.

Table A-1 Enterprise Vault system properties

Property	Type	Description
adat	Date	The date on which the item was archived.
archiveid	String	The ID of the archive in which the item is stored. You can use the PowerShell cmdlet <code>Get-EVArchive</code> to obtain the required ID.
audn	String	The display names of the author and, if appropriate, of the person on whose behalf the item has been sent.
aua	String	The email addresses of the author and, if appropriate, of the person on whose behalf the item has been sent.
cend	Date	The end date of an event, such as a calendar meeting.
clcn	String	The current location of the item. A sequence of folders.
clon	String	The location of an event, such as a calendar meeting.
cntp	String	The conversation tracking topic. This is currently populated for MAPI and SMTP items only.

Table A-1 Enterprise Vault system properties (*continued*)

Property	Type	Description
comr	String	The reason for missing content. The options are as follows: <ul style="list-style-type: none"> ■ 0. No reason available. ■ 1. Content does not exist. ■ 2. Content could not be obtained. ■ 3. Content is (or appears to be) corrupt. ■ 4. Not possible to convert content to suitable format. ■ 5. Conversion of content failed (converter error). ■ 6. Conversion of content timed out. ■ 7. Content requires conversion but its data format is excluded from conversion. ■ 8. Content requires conversion but conversion bypass has been set. ■ 9. Content is encrypted. ■ 10. Content requires conversion but converters are not available, or have not been initialized. ■ 11. Unable to add content to index. ■ 12. Converters did not recognize the file type. ■ 13. Conversion excluded for large files. ■ 14. Conversion excluded for codepages we cannot detect.
cont	String	The content of the item, up to the limit that the Windows File Classification Infrastructure imposes. See " Limits on the size of classification files " on page 16.
cpnm	String	The name of the extension content provider.
crcn	String	The current retention category name. May reflect the value that various Enterprise Vault features, such as classification, retention plans, and retention folders, have applied to the item.
crrc	Integer	Calendar recurrence exception.
crrp	String	Calendar recurrence pattern.
crrt	Integer	Calendar recurrence type.
csrt	Date	The start date of an event, such as a calendar meeting.
date	Date	The created, sent, received, or archived date.

Table A-1 Enterprise Vault system properties (*continued*)

Property	Type	Description
dtyp	String	The data type of the item. For example, DOCX, XLSX, or MSG.
flag	String	The message flag status.
impo	String	The message importance, expressed as a numeric value. 0 = Low, 1 = Normal, and 2 = High.
keys	String	Categories/keywords.
locn	String	The original location of the item. A sequence of folders.
mdat	Date	The last-modified date of the item.
msgc	String	The item's original MAPI message class (for example, IPM.Note).
natc	Number	The number of attachments.
nrcp	Number	The number of recipients. This property counts a distribution list as one recipient, regardless of how many members the distribution list has.
nrea	Number	The number of recipient email addresses. If you have configured Enterprise Vault to expand distribution lists then, for items in journal archives, this property counts each member of a distribution list as one recipient.
prio	String	The message priority, expressed as a numeric value. -1 = Low, 0 = Normal, and 1 = High.
rbdn	String	The display names of the BCC recipients.
rbea	String	The email addresses of the BCC recipients.
rcdn	String	The display names of the CC recipients.
rcea	String	The email addresses of the CC recipients.
rsdt	Date	The retention start date/time. Not supported by queries that target 32-bit volumes.
rtdn	String	The display names of the TO recipients.
rtea	String	The email addresses of the TO recipients.

Table A-1 Enterprise Vault system properties (*continued*)

Property	Type	Description
sens	String	The message sensitivity, expressed as a numeric value. 0 = Normal, 1 = Personal, 2 = Private, and 3 = Confidential.
size	Number	The size of the item in KB.
subj	String	The subject/title.
tcddt	Date	The completion date of a task.
tddt	Date	The due date of a task.
tsts	Number	The status of a task. 0 = Not started, 1 = In progress, 2 = Completed, 3 = Paused, and 4 = Deferred.

Attachment properties

When an item that Enterprise Vault has passed for classification has one or more attachments, multiple properties of those attachments are also available for classification. You can distinguish these attachment properties by their *a_* prefixes: *a_cont*, *a_subj*, and so on. [Table A-2](#) lists a typical set of attachment properties that Enterprise Vault passes for classification.

Table A-2 Enterprise Vault attachment properties

Property	Type	Description
a_comr	String	The reason for missing content (encrypted content, converter error, and so on). See the description of the <i>comr</i> property for more details. See "System properties" on page 67.
a_cont	String	The content of the attachment, up to the limit that the Windows File Classification Infrastructure imposes. See "Limits on the size of classification files" on page 16.
a_date	Date	The created, sent, received, or archived date of the attachment.
a_dtyp	String	The data type of the attachment. For example, DOCX, XLSX, or MSG.
a_mdat	Date	The last-modified date of the attachment.

Table A-2 Enterprise Vault attachment properties (*continued*)

Property	Type	Description
a_size	Number	The size of the attachment in KB.
a_subj	String	The file name of the attachment or, if it is a message, the subject.

The classification feature always treats attachments as files. So, even if an attachment is an email message, its sender information and recipient information are not available for classification.

Custom Enterprise Vault properties

[Table A-3](#) lists the custom properties that are defined in Enterprise Vault.

Table A-3 Custom Enterprise Vault properties

Property	Type	Description
Vault.CopiedFrom	String	Provides the following details for an item that Enterprise Vault's Move Archive feature has copied: <ul style="list-style-type: none">■ The date and time at which the item was copied.■ The identifier of the source archive.■ The saveset identifier of the source item. The format is as follows: <i>UTC_datetime_of_copy,source_archive_ID,source_item_Saveset_ID</i> If an archive has been moved several times, there is a value for each move.
Vault.JournalType	String	For journal messages, the journal type. The options are as follows: <ul style="list-style-type: none">■ E2003■ E2007■ E2007ClearText■ E2007RMS

Table A-3 Custom Enterprise Vault properties (*continued*)

Property	Type	Description
Vault.MsgDirection	String	The message direction. The options are as follows: <ul style="list-style-type: none"> ■ 0 - undefined ■ 1 - internal (sender and all recipients are internal) ■ 2 - external-in (sender is external, one or more recipients are internal) ■ 3 - external-out (sender is internal, one or more recipients are external)
Vault.MsgType	String	The message type. The options are as follows: <ul style="list-style-type: none"> ■ Bloomberg ■ DXL ■ EXCH ■ FAX.vendor ■ IM.vendor ■ SMTP

Custom Enterprise Vault properties for File System Archiving items

[Table A-4](#) lists the custom properties that are defined in Enterprise Vault for File System Archiving items.

Table A-4 Custom Enterprise Vault properties for File System Archiving items

Property	Type	Description
EVFSADLMImport.DLM	String	An indicator that the item was imported from the legacy archiving application, Veritas Data Lifecycle Management (DLM). This is currently only populated with the string "Imported".
EVFSA.OriginalFileName	String	The original name of the file at the point that Enterprise Vault archived it.

Custom Enterprise Vault properties for SharePoint items

Table A-5 lists the custom properties that are defined in Enterprise Vault for SharePoint items.

Some of these properties are similar to certain Enterprise Vault system properties. For example, the SharePoint property, "EVSP.Title", is similar to the Enterprise Vault system property, "subj". However, the Enterprise Vault system property may not hold the expected information for some SharePoint items, such as social content items. For this reason, you should use the custom SharePoint index properties instead of the equivalent Enterprise Vault system properties when searching SharePoint archives.

Table A-5 Custom Enterprise Vault properties for SharePoint items

Property	Type	Description
EVSP.AttachmentName	String	A list of names of all the attachments to this item. This property applies to social content only, except for Wikis.
EVSP.Comment	String	The check-in comment.
EVSP.Created	String	The date of creation of the item. This property applies to social content only.
EVSP.CreatedBy	String	The domain name (Windows account name) of the document author.
EVSP.DocId	String	The identifier of the SharePoint document.
EVSP.Editor	String	The display name of the document editor.
EVSP.Modified	String	The date on which the item was last modified. This property applies to social content only.
EVSP.ModifiedBy	String	The domain name (Windows account name) of the document editor.
EVSP.ProgId	String	The program identifier for the item.
EVSP.Site	String	The name of the SharePoint site.
EVSP.SiteId	String	The identifier of the SharePoint site.
EVSP.SiteUrl	String	The URL of the SharePoint site.
EVSP.Title	String	The title of the SharePoint document.

Table A-5 Custom Enterprise Vault properties for SharePoint items
(continued)

Property	Type	Description
EVSP.Uniqueld	String	The GUID that uniquely identifies the item.
EVSP.Version	String	The version of the SharePoint document.
EVSP.Attachments	String	Whether the item has attachments: true or false. This property applies to social content only, except for Wikis.
EVSP. <i>display_name</i>	String	The display name of the archived item.
EVSP. <i>SharePoint_property_name</i>	String	Customer configurable properties. Any SharePoint property.

Custom Enterprise Vault properties for Compliance Accelerator-processed items

[Table A-6](#) lists the custom properties that are defined in Enterprise Vault for the items that Compliance Accelerator has randomly sampled.

Table A-6 Custom Enterprise Vault properties for Compliance Accelerator-processed items

Property	Type	Description
KVSCA.Department	String	Combines the values of properties KVSCA.DeptAuthor and KVSCA.DeptRecips.
KVSCA.DeptAuthor	String	The set of Compliance Accelerator Department IDs of which the item's author is a member.
KVSCA.DeptRecips	String	The set of Compliance Accelerator Department IDs of which the item's recipients are members.
Vault.PolicyAction	String	The overall action that should be taken on an item; the sum result of all the applied policies. The defined values are as follows: <ul style="list-style-type: none"> ■ NOACTION ■ EXCLUDE ■ INCLUDE

Custom properties for use by policy management software

[Table A-7](#) lists the custom properties that certain policy management applications, such as Enterprise Vault Data Classification Services, may use.

(Data Classification Services is an older, add-on classification technology that combines various components of Veritas Enterprise Vault and Symantec Data Loss Prevention. It is different from the classification feature that is described here.)

Table A-7 Custom properties for use by policy management software

Property	Type	Description
evtag.category	String	Policies that do not affect capture either way; they only categorize items.
evtag.exclusion	String	Policies that either preclude capture or advocate non-capture in the review set.
evtag.inclusion	String	Policies that either demand or suggest capture.
evtag.sentiment	Number	Sentiment score of an item.

Custom properties for Enterprise Vault SMTP Archiving

[Table A-8](#) lists the custom properties that third-party applications can add to SMTP messages to override the policy and target settings in Enterprise Vault SMTP Archiving. For more information on these properties, see the *Setting up SMTP Archiving* guide.

Table A-8 Custom properties for Enterprise Vault SMTP Archiving

Property	Type	Description
EVXHDR.X-Kvs-ArchiveId	String	The identifier of the archive in which to store the message.
EVXHDR.X-Kvs-IndexData	String	One or more properties for Enterprise Vault to index.

Table A-8 Custom properties for Enterprise Vault SMTP Archiving
(continued)

Property	Type	Description
EVXHDR.X-Kvs-MessageType	String	The message type. This overrides the value of the Vault.MsgType property, which Enterprise Vault SMTP Archiving sets to SMTP.mail by default.
EVXHDR.X-Kvs-OriginalLocation	String	The folder in the content source where the message resides.
EVXHDR.X-Kvs-RetentionCategory	String	The ID of the retention category to assign to the message.

PowerShell cmdlets for use with classification

This appendix includes the following topics:

- [About the classification cmdlets](#)
- [Disable-EVClassification](#)
- [Get-EVClassificationFCITags](#)
- [Get-EVClassificationPolicy](#)
- [Get-EVClassificationStatus](#)
- [Get-EVClassificationTestMode](#)
- [Import-EVClassificationFCIRules](#)
- [New-EVClassificationPolicy](#)
- [Publish-EVClassificationFCIRules](#)
- [Remove-EVClassificationPolicy](#)
- [Set-EVClassificationPolicy](#)
- [Set-EVClassificationTestMode](#)

About the classification cmdlets

This chapter describes the PowerShell cmdlets with which you can manage various features of Enterprise Vault classification. For the most part, these cmdlets duplicate facilities that are available in the Administration Console.

The *PowerShell Cmdlets* guide provides more information on using PowerShell to manage Enterprise Vault and describes many other cmdlets.

Disable-EVClassification

`Disable-EVClassification` lets you disable the File Classification Infrastructure engine or Veritas Information Classifier engine. This cmdlet does not let you disable both engines. Run the cmdlet on an Enterprise Vault server.

If you disable a classification engine and later want to reenable it, you can do so using one of the following cmdlets:

- For the File Classification Infrastructure engine, use `Import-EVClassificationFCIRules` Or `Publish-EVClassificationFCIRules`.
- For the Veritas Information Classifier engine, use `Initialize-EVClassificationVIC`.

`Disable-EVClassification` is provided by the snap-in `Symantec.EnterpriseVault.PowerShell.AdminAPI.dll`.

Syntax

```
Disable-EVClassification [-FCI <SwitchParameter>] [-VIC  
<SwitchParameter>] [-SiteId <String>] [<CommonParameters>]
```

Parameters

Table B-1 Disable-EVClassification parameters

Parameter	Description
-FCI	If specified, disables classification using the File Classification Infrastructure engine.
-VIC	If specified, disables classification using the Veritas Information Classifier engine.
-SiteId	The ID of the Enterprise Vault site in which to disable the specified classification engine. If you omit this parameter, <code>Disable-EVClassification</code> checks the registry to determine the ID of the current site. You can use <code>Get-EVSite</code> to obtain the site ID.

Examples

- `Disable-EVClassification -FCI`

Disables classification using the File Classification Infrastructure engine. As no site ID is specified, the cmdlet checks the registry to determine the ID of the current site.

- `Disable-EVClassification -VIC -SiteId 198...example.com`
Disables classification using the Veritas Information Classifier engine in the specified Enterprise Vault site.

Output

This cmdlet returns an object of type

`Symantec.EnterpriseVault.PowerShell.Commands.ClassificationEngine`, which has the following properties.

Table B-2 Disable-EVClassification properties

Name	Type	Description
<code>SiteName</code>	String	The name of the Enterprise Vault site in which you have disabled the classification engine.
<code>FCIEnabled</code>	Boolean	Whether classification using the File Classification Infrastructure engine is enabled.
<code>VICEnabled</code>	Boolean	Whether classification using the Veritas Information Classifier engine is enabled.
<code>VICPoliciesPath</code>	String	The path to the folder in which Veritas Information Classifier engine keeps policy information. This path is blank if you have disabled the engine.

Get-EVClassificationFCITags

Note: This cmdlet is only for use with the classification feature that was introduced in Enterprise Vault 12. This feature uses the Microsoft File Classification Infrastructure (FCI) to classify archived content. The cmdlet is not designed for use with the later, Veritas Information Classifier method of classification.

For the specified plain-text (`.txt`) file in the classification cache folder, `Get-EVClassificationFCITags` returns details of the classification properties and property values with which Enterprise Vault has tagged the file.

By default, Enterprise Vault empties the cache folder at the first opportunity. However, you can configure it to retain the cache contents by choosing a setting in the Administration Console.

See [“Configuring Enterprise Vault to keep the classification files in the cache folder”](#) on page 18.

`Get-EVClassificationFCITags` is provided by the snap-in `Symantec.EnterpriseVault.PowerShell.Snapin.dll`.

Syntax

```
Get-EVClassificationFCITags [-File] <String>
```

Parameters

Table B-3 Get-EVClassificationFCITags parameters

Parameter	Description
<code>-File</code> (required)	The path to the plain-text file for which to return the classification details. Only <code>.txt</code> files are eligible. Enclose file names that contain a dollar sign (\$) in single quotation marks (').

Examples

- `Get-EVClassificationFCITags -File E:\EVCache\Classification\ClassificationFile.txt`
Returns the classification details for the file `ClassificationFile.txt`.
- `Get-EVClassificationFCITags -File 'E:\EVCache\Classification\EV$9...EDB8.txt'`
Returns the classification details for a file that has a dollar sign in its name. For this reason, the entire path is enclosed in single quotation marks.

Output

This cmdlet returns an array of objects of type

`Symantec.EnterpriseVault.PowerShell.Commands.ClassificationProperty`, which have the following properties.

Table B-4 Get-EVClassificationFCITags properties

Name	Type	Description
<code>PolicyName</code>	String	The classification rule or policy that matched.
<code>Category</code>	String	The <code>evtag.category</code> values that matched.

Table B-4 Get-EVClassificationFCITags properties (*continued*)

Name	Type	Description
Inclusion	String	The evtag.inclusion values that matched.
Exclusion	String	The evtag.exclusion values that matched.
Discard	Boolean	Whether the item would be discarded.
RetentionCategories	String	The retention categories that matched.

Get-EVClassificationPolicy

`Get-EVClassificationPolicy` returns a list of all the Enterprise Vault classification policies that are configured in a site. You can also return the properties of a specific classification policy using the `-Name` parameter.

`Get-EVClassificationPolicy` is provided by the snap-in `Symantec.EnterpriseVault.PowerShell.AdminAPI.dll`.

Syntax

```
Get-EVClassificationPolicy [[-SiteId] <String>] [[-Name] <String>]  
[<CommonParameters>]
```

Parameters

Table B-5 Get-EVClassificationPolicy parameters

Parameter	Description
<code>-SiteId</code>	The ID of the site for which to return the Enterprise Vault classification policy details. If you omit this parameter, and the cmdlet cannot determine the ID by looking in the registry, then <code>Get-EVClassificationPolicy</code> prompts you to enter the required ID. You can use <code>Get-EVSite</code> to obtain the site ID.
<code>-Name</code>	The name of a specific Enterprise Vault classification policy whose properties you want to return.

Examples

- `Get-EVClassificationPolicy`

Returns a list of all the Enterprise Vault classification policies that are configured in the Enterprise Vault site. As no site ID is specified, the cmdlet first looks for it in the registry and then, if it cannot find the ID there, prompts you for it.

- `Get-EVClassificationPolicy -SiteId 13E...EV.example.com`
Returns a list of all the Enterprise Vault classification policies that are configured in the specified Enterprise Vault site.
- `Get-EVClassificationPolicy -SiteId 13E...EV.example.com -Name "Classification policy"`
Returns the properties of the Enterprise Vault classification policy that is named "Classification policy". For example:

```
Name                : Classification policy
EntryId             : 125...EV.example.com
IsADefaultPolicy    : True
DuringArchivingIndexing : True
DetermineRC         : True
RCDuringDeletion    : True
RCDuringExpiry      : True
PreventRCDuringMove : True
AllowRCOnRecTypeChange : True
Description          : Classification policy
SiteId              : 13E...EV.example.com
```

Output

This cmdlet returns an object of type

`Symantec.EnterpriseVault.Admin.ClassificationPolicy`, which has the following properties.

Table B-6 Get-EVClassificationPolicy properties

Name	Type	Description
Name	String	The name of the Enterprise Vault classification policy.
EntryId	String	The directory entry ID of the Enterprise Vault classification policy.
IsADefaultPolicy	Boolean	Whether the Enterprise Vault classification policy is a default policy.
DuringArchivingIndexing	Boolean	Whether to classify items during archiving/indexing.

Table B-6 Get-EVClassificationPolicy properties (*continued*)

Name	Type	Description
DetermineRC	Boolean	Whether classification is used to determine the retention category.
RCDuringDeletion	Boolean	Whether items are classified during user deletion.
RCDuringExpiry	Boolean	Whether items are classified during automatic expiry.
PreventRCDuringMove	Boolean	Whether to prevent Enterprise Vault from updating the retention categories of archived items when users perform actions that could potentially update these retention categories. For example, users may move archived items between folders to which you have applied different retention categories, or change the retention categories of items in Enterprise Vault Search, if permitted. Both actions can cause the retention categories of the items to change.
AllowRConRecTypeChange	Boolean	Whether to allow user actions to update retention categories in instances where this also causes the record types of the items to change (for example, from Temporary to Permanent).
Description	String	The description of the Enterprise Vault classification policy.
SiteId	String	The site ID to which the Enterprise Vault classification policy belongs.
Identity	Number	The identity number of the Enterprise Vault classification policy.

Related cmdlets

- See [“New-EVClassificationPolicy”](#) on page 89.
- See [“Remove-EVClassificationPolicy”](#) on page 97.
- See [“Set-EVClassificationPolicy”](#) on page 98.

Get-EVClassificationStatus

`Get-EVClassificationStatus` shows the current status of the File Classification Infrastructure and Veritas Information Classifier engines in all sites. You can also show the status of these engines in a specific site using the `-SiteId` parameter.

`Get-EVClassificationStatus` is provided by the snap-in `Symantec.EnterpriseVault.PowerShell.Snapin.dll`.

Syntax

```
Get-EVClassificationStatus [-SiteId <String>] [<CommonParameters>]
```

Parameters

Table B-7 Get-EVClassificationStatus parameters

Parameter	Description
<code>-SiteId</code>	The ID of the Enterprise Vault site for which to show the current status of both classification engines. You can use <code>Get-EVSite</code> to obtain the site ID.

Examples

- `Get-EVClassificationStatus`
Shows the current status of both classification engines in all Enterprise Vault sites.
- `Get-EVClassificationStatus -SiteId 13E...EV.example.com`
Shows the current status of both classification engines in the specified site.

Output

This cmdlet returns an array of objects of type

`Symantec.EnterpriseVault.PowerShell.Commands.ClassificationEngine`, which have the following properties.

Table B-8 Get-EVClassificationStatus properties

Name	Type	Description
<code>SiteName</code>	String	The name of the Enterprise Vault site for which to show the status of the classification engines.
<code>FCIEnabled</code>	Boolean	Whether classification using the File Classification Infrastructure engine is enabled.

Table B-8 Get-EVClassificationStatus properties (*continued*)

Name	Type	Description
VICEnabled	Boolean	Whether classification using the Veritas Information Classifier engine is enabled.
VICPoliciesPath	String	The path to the folder in which Veritas Information Classifier engine keeps policy information. This path is blank if you have disabled the engine.

Get-EVClassificationTestMode

`Get-EVClassificationTestMode` reports on whether the Enterprise Vault classification feature is operating in test mode in the nominated archive. In test mode, the classification feature generates a report that lists the planned changes instead of applying classification tags and other changes to the items in the archive.

`Get-EVClassificationTestMode` is provided by the snap-in `Symantec.EnterpriseVault.PowerShell.Snapin.dll`.

Syntax

```
Get-EVClassificationTestMode [-ArchiveID] <String>
```

Parameters

Table B-9 Get-EVClassificationTestMode parameters

Parameter	Description
<code>-ArchiveID</code> (required)	Specifies the ID of the archive for which to get the status of classification test mode.

Examples

- `Get-EVClassificationTestMode -ArchiveID 19D...EVServer1`
Gets the current status of classification test mode for the specified archive.

Output

[Table B-10](#) lists the properties that are available.

Table B-10 Get-EVClassificationTestMode properties

Name	Type	Description
ArchiveID	String	The ID of the archive for which to get the test mode status.
ArchiveName	String	The name of the archive for which to get the test mode status.
TestMode	Boolean	The current status of classification test mode for the archive: enabled (<code>\$true</code>) or disabled (<code>\$false</code>).

Related cmdlets

- See “[Set-EVClassificationTestMode](#)” on page 102.

Import-EVClassificationFCIRules

Note: This cmdlet is only for use with the classification feature that was introduced in Enterprise Vault 12. This feature uses the Microsoft File Classification Infrastructure (FCI) to classify archived content. The cmdlet is not designed for use with the later, Veritas Information Classifier method of classification.

`Import-EVClassificationFCIRules` imports all the Enterprise Vault classification properties and rules from a file into the target servers. Before the cmdlet does this, it clears any existing properties and rules from those servers.

This cmdlet performs a similar function to the `Publish-EVClassificationFCIRules` cmdlet. The difference is that `Publish-EVClassificationFCIRules` first exports the classification properties and rules to an XML file before it publishes them to the target servers; `Import-EVClassificationFCIRules` uses an existing XML file to perform the import part of the operation only.

Note the following:

- To run this cmdlet, you must have the system administrator role on both the server where you run the cmdlet and on all the target servers.
- Install the Microsoft Data Classification Toolkit on the server where you run this cmdlet. You can download the toolkit from the following webpage:
<http://www.microsoft.com/download/details.aspx?id=27123>
- If you do not run the cmdlet on an Enterprise Vault server, you must specify either the `-SiteId` or `-Servers` parameter. If you run the cmdlet on an Enterprise Vault server and omit these parameters, the cmdlet uses the site of the current server to publish to all the other Enterprise Vault servers in the site.

- In a cluster configuration (either Windows Server Failover Clustering or Veritas Cluster Server), if you import the classification properties and rules into one cluster node then all the other nodes are also updated. So, after a failover to another node, classification continues with the same rules as before.
- In an Enterprise Vault building blocks environment, this cmdlet imports only to servers that are currently hosting Enterprise Vault tasks and services.
- This cmdlet stops the Enterprise Vault Storage service on each target server and then, after it has imported the classification properties and rules, restarts the service.

Note: Other methods for publishing the classification properties and rules do not automatically stop and then restart the Storage service, and this can lead to classification errors. For example, this is the case if you use the PowerShell cmdlets that come with the Microsoft Data Classification Toolkit. Therefore, we strongly recommend that you use `Import-EVClassificationFCIRules` (or `Publish-EVClassificationFCIRules`) to publish the classification properties and rules.

`Import-EVClassificationFCIRules` is provided by the snap-in `Symantec.EnterpriseVault.PowerShell.Snapin.dll`.

Syntax

```
Import-EVClassificationFCIRules [-ImportRulesFile <String>] [-SiteId <String>] [-Servers <String>] [-TimeoutSecs <Integer>] [-Confirm <Boolean>]
```

Parameters

Table B-11 Import-EVClassificationFCIRules parameters

Parameter	Description
<code>-ImportRulesFile</code> (required)	Specifies the file from which the cmdlet imports the classification properties and rules. The file must have a <code>.xml</code> file name extension.
<code>-SiteId</code>	Identifies the site to which you want to publish the classification properties and rules. If you set this parameter, you cannot set the <code>-Servers</code> parameter as well.

Table B-11 Import-EVClassificationFCIRules parameters (*continued*)

Parameter	Description
-Servers	<p>Nominates the servers that will receive the set of classification properties and rules. Type the NETBIOS name, IP address, or fully-qualified domain name of each server in a comma-separated list. To specify the local computer, type the computer name "localhost".</p> <p>If you set this parameter, you cannot set the -SiteId parameter as well.</p>
-TimeoutSecs	<p>Sets the timeout value in seconds when the cmdlet stops or starts the Enterprise Vault Storage service on each of the target servers. The default is 300 seconds.</p> <p>Note: If the cmdlet fails to restart a service within the specified period, check the state of the classification rules and Storage services on the failed servers. A server can be left without classification rules if the cmdlet clears the existing rules without also importing the new ones.</p>
-Confirm	<p>When set to <code>\$true</code> (the default value), causes the cmdlet to prompt you for confirmation before it imports the classification properties and rules. Set to <code>\$false</code> to suppress the prompts.</p>

Examples

- `Import-EVClassificationFCIRules -ImportRulesFile c:\Data\RulesFile.xml`
Imports the classification properties and rules that are in the specified file into all the Enterprise Vault servers that are in the current site (that is, the same site as the server on which you run the cmdlet).
- `Import-EVClassificationFCIRules -ImportRulesFile c:\Data\RulesFile.xml -SiteId 13E...EV.example.com`
Imports the classification properties and rules that are in the specified file into all the Enterprise Vault servers that are in the specified site.
- `Import-EVClassificationFCIRules -ImportRulesFile c:\Data\RulesFile.xml -Servers SERVER1,SERVER2.ABC.DEF.COM`
Imports the classification properties and rules that are in the specified file into all the specified servers.

Output

This cmdlet returns objects of type

`Symantec.EnterpriseVault.PowerShell.Commands.ServerInfo`, which has the following default properties.

Table B-12 Import-EVClassificationFCIRules properties

Name	Type	Description
ServerName	String	The name of the Enterprise Vault server.
ServerFQDN	String	The fully qualified domain name of the Enterprise Vault server.
Result	String	The import result (Succeeded/Failed/DuplicateServer).
ErrorMessage	String	The error reason, if the import to the server was not successful.

Related cmdlets

- See [“Publish-EVClassificationFCIRules”](#) on page 94.

New-EVClassificationPolicy

`New-EVClassificationPolicy` creates an Enterprise Vault classification policy for a site.

`New-EVClassificationPolicy` is provided by the snap-in `Symantec.EnterpriseVault.PowerShell.AdminAPI.dll`.

Syntax

```
New-EVClassificationPolicy [[-SiteId] <String>] [-Name] <String>  
[-Description <String>] [-DuringArchivingIndexing <Boolean>]  
[-DetermineRC <Boolean>] [-RCDuringDeletion <Boolean>]  
[-RCDuringExpiry <Boolean>] [-PreventRCDuringMove <Boolean>]  
[-AllowRConRecTypeChange <Boolean>] [<CommonParameters>]
```

Parameters

Table B-13 New-EVClassificationPolicy parameters

Parameter	Description
-SiteId	<p>The ID of the site for which to create the Enterprise Vault classification policy. If you omit this parameter, and the cmdlet cannot determine the ID by looking in the registry, then <code>New-EVClassificationPolicy</code> prompts you to enter the required ID.</p> <p>You can use <code>Get-EVSite</code> to obtain the site ID.</p>
-Name (required)	<p>The name of the Enterprise Vault classification policy. The name must be unique, and it can contain up to 40 alphanumeric or space characters.</p>
-Description	<p>The description to set for the Enterprise Vault classification policy. The description can contain up to 127 alphanumeric, space, or special characters.</p>
-DuringArchivingIndexing	<p>Specifies whether Enterprise Vault should classify items during archiving/indexing (<code>\$true</code>) or not (<code>\$false</code>). The default is <code>\$true</code>.</p> <p>This setting also determines whether Enterprise Vault reclassifies items when you rebuild the indexes. Note that if you have chosen to archive classified items to smart partitions, reclassifying the items does not cause them to move from one smart partition to another. These items remain on the smart partition to which Enterprise Vault originally archived them.</p> <p>For example, suppose that you have associated the classification tag "PII" with one smart partition and the tag "Credit-Card" with another smart partition. An item that Enterprise Vault archived to the partition that is associated with the "PII" tag remains on this partition, even if Enterprise Vault subsequently reclassifies the item with the "Credit-Card" tag.</p>
-DetermineRC	<p>Specifies whether to allow the classification feature to update the retention categories of items (<code>\$true</code>) or not (<code>\$false</code>). The default is <code>\$true</code>.</p>

Table B-13 New-EVClassificationPolicy parameters (*continued*)

Parameter	Description
-RCDuringDeletion	<p>When <code>DetermineRC</code> is <code>\$true</code>, specifies whether to enable classification on user deletion (<code>\$true</code>) or not (<code>\$false</code>). The default is <code>\$false</code>.</p> <p>You cannot set <code>RCDuringDeletion</code> to <code>\$true</code> when <code>DetermineRC</code> is set to <code>\$false</code>.</p>
-RCDuringExpiry	<p>When <code>DetermineRC</code> is <code>\$true</code>, specifies whether to enable classification on automatic expiry (<code>\$true</code>) or not (<code>\$false</code>). The default is <code>\$false</code>.</p> <p>Note the following:</p> <ul style="list-style-type: none">■ You cannot set <code>RCDuringExpiry</code> to <code>\$true</code> when <code>DetermineRC</code> is set to <code>\$false</code>.■ You must set <code>RCDuringExpiry</code> to <code>\$true</code> when <code>DuringArchivingIndexing</code> is <code>\$false</code> and <code>DetermineRC</code> is <code>\$true</code>.
-PreventRCDuringMove	<p>When <code>DetermineRC</code> is <code>\$true</code>, specifies whether to prevent Enterprise Vault from updating the retention categories of archived items when users perform actions that could potentially update these retention categories. For example, users may move archived items between folders to which you have applied different retention categories, or change the retention categories of items in Enterprise Vault Search, if permitted. Both actions can cause the retention categories of the items to change, potentially overriding the retention categories that the classification feature has set.</p> <p>The default for <code>PreventRCDuringMove</code> is <code>\$false</code>. Enterprise Vault allows user actions to update the retention categories of items, subject to site archive settings.</p>

Table B-13 New-EVClassificationPolicy parameters (*continued*)

Parameter	Description
<code>-AllowRConRecTypeChange</code>	<p>For use in environments where you use the Enterprise Vault records management feature to mark selected items as records.</p> <p>When <code>PreventRCDuringMove</code> is <code>\$true</code> (prevent user actions from updating retention categories), <code>AllowRConRecTypeChange</code> specifies whether to allow these updates in instances where this also causes the record types of the items to change. The default for <code>AllowRConRecTypeChange</code> is <code>\$true</code>.</p> <p>When <code>PreventRCDuringMove</code> is <code>\$false</code>, <code>AllowRConRecTypeChange</code> has no effect.</p>

Examples

- `New-EVClassificationPolicy -SiteId 13E...EV.example.com -Name "Classification policy" -Description "Classification policy created using PowerShell"`

Creates an Enterprise Vault classification policy that is named "Classification policy" in the specified Enterprise Vault site. The new policy has the description "Classification policy created using PowerShell".
- `New-EVClassificationPolicy -Name "Classification policy" -DuringArchivingIndexing $true -DetermineRC $false`

Creates an Enterprise Vault classification policy that is named "Classification policy". This policy does classify items during archiving/indexing but does not use classification to determine their retention categories.
- `New-EVClassificationPolicy -Name "Classification policy" -PreventRCDuringMove $true`

Creates an Enterprise Vault classification policy to classify items during archiving/indexing and allow the classification feature to update the retention categories of items. The policy prevents Enterprise Vault from updating the retention categories of items when users perform actions that could potentially update these retention categories, except when this will change the record type of the items.

Output

This cmdlet returns an object of type

`Symantec.EnterpriseVault.Admin.ClassificationPolicy`, which has the following properties.

Table B-14 New-EVClassificationPolicy properties

Name	Type	Description
Name	String	The name of the Enterprise Vault classification policy.
EntryId	String	The directory entry ID of the Enterprise Vault classification policy.
IsADefaultPolicy	Boolean	Whether the Enterprise Vault classification policy is a default policy.
DuringArchivingIndexing	Boolean	Whether to classify items during archiving/indexing, and reclassify them during an index rebuild.
DetermineRC	Boolean	Whether classification is used to determine the retention category.
RCDuringDeletion	Boolean	Whether items are classified during user deletion.
RCDuringExpiry	Boolean	Whether items are classified during automatic expiry.
PreventRCDuringMove	Boolean	Whether to prevent Enterprise Vault from updating the retention categories of archived items when users perform actions that could potentially update these retention categories. For example, users may move archived items between folders to which you have applied different retention categories, or change the retention categories of items in Enterprise Vault Search, if permitted. Both actions can cause the retention categories of the items to change.
AllowRConRecTypeChange	Boolean	Whether to allow user actions to update retention categories in instances where this also causes the record types of the items to change (for example, from Temporary to Permanent).
Description	String	The description of the Enterprise Vault classification policy.
SiteId	String	The site ID to which the Enterprise Vault classification policy belongs.

Table B-14 New-EVClassificationPolicy properties (*continued*)

Name	Type	Description
Identity	Number	The identity number of the Enterprise Vault classification policy.

Related cmdlets

- See “[Get-EVClassificationPolicy](#)” on page 81.
- See “[Remove-EVClassificationPolicy](#)” on page 97.
- See “[Set-EVClassificationPolicy](#)” on page 98.

Publish-EVClassificationFCIRules

Note: This cmdlet is only for use with the classification feature that was introduced in Enterprise Vault 12. This feature uses the Microsoft File Classification Infrastructure (FCI) to classify archived content. The cmdlet is not designed for use with the later, Veritas Information Classifier method of classification.

`Publish-EVClassificationFCIRules` exports all the Enterprise Vault classification properties and rules from a nominated server to an XML file in the specified location. Enterprise Vault then uses this file to import the classification properties and rules into the target servers. Before the cmdlet does this, it clears any existing properties and rules from those servers.

This cmdlet performs a similar function to the `Import-EVClassificationFCIRules` cmdlet. However, `Import-EVClassificationFCIRules` does not create the XML file that Enterprise Vault subsequently imports into the target servers; the cmdlet uses an existing XML file to perform the import part of the operation only.

Note the following:

- You can run the cmdlet on a different server from the server on which you have configured the classification properties and rules.
- To run this cmdlet, you must have the system administrator role on both the server where you run the cmdlet and on all the target servers.
- You must install the Microsoft Data Classification Toolkit on the computer where you run this cmdlet. You can download the toolkit from the following webpage: <http://www.microsoft.com/download/details.aspx?id=27123>
- If you do not run the cmdlet on an Enterprise Vault server, you must specify either the `-SiteId` or `-Servers` parameter. If you run the cmdlet on an Enterprise

Vault server and omit these parameters, the cmdlet uses the site of the current server to publish to all the other Enterprise Vault servers in the site.

- In a cluster configuration (either Windows Server Failover Clustering or Veritas Cluster Server), if you publish the classification properties and rules to one cluster node then all the other nodes are also updated. So, after a failover to another node, classification continues with the same rules as before.
- In an Enterprise Vault building blocks environment, this cmdlet imports only to servers that are currently hosting Enterprise Vault tasks and services.
- This cmdlet stops the Enterprise Vault Storage service on each target server and then, after it has imported the classification properties and rules, restarts the service.

Note: Other methods for publishing the classification properties and rules do not automatically stop and then restart the Storage service, and this can lead to classification errors. For example, this is the case if you use the PowerShell cmdlets that come with the Microsoft Data Classification Toolkit. Therefore, we strongly recommend that you use `Publish-EVClassificationFCIRules` (or `Import-EVClassificationFCIRules`) to publish the classification properties and rules.

`Publish-EVClassificationFCIRules` is provided by the snap-in `Symantec.EnterpriseVault.PowerShell.Snapin.dll`.

Syntax

```
Publish-EVClassificationFCIRules [-StagingServer <String>]
[-ExportRulesFile <String>] [-SiteId <String>] [-Servers <String>]
[-TimeoutSecs <Integer>] [-Confirm <Boolean>]
```

Parameters

Table B-15 Publish-EVClassificationFCIRules parameters

Parameter	Description
<code>-StagingServer</code> (required)	Specifies the name of the server on which you have configured the classification properties and rules and from which you now want to export them.

Table B-15 Publish-EVClassificationFCIRules parameters (*continued*)

Parameter	Description
<code>-ExportRulesFile</code> (required)	Specifies the path to a file to which the cmdlet exports the classification properties and rules, before importing them into the target servers. The cmdlet creates the file locally, so you must specify a local path such as <code>c:\Data\RulesFile.xml</code> . Ensure that the file name has a <code>.xml</code> extension.
<code>-SiteId</code>	Identifies the Enterprise Vault site to which you want to publish the classification properties and rules. If you set this parameter, you cannot set the <code>-Servers</code> parameter as well.
<code>-Servers</code>	Nominates the servers that will receive the set of classification properties and rules. Type the NETBIOS name, IP address, or fully-qualified domain name of one or more servers in a comma-separated list. To specify the local computer, type the computer name "localhost". If you set this parameter, you cannot set the <code>-SiteId</code> parameter as well.
<code>-TimeoutSecs</code>	Sets the timeout value in seconds when stopping or starting the Enterprise Vault Storage service on each of the target servers. The default is 300 seconds. Note: If the cmdlet fails to restart a service within the specified period, check the state of the classification rules and Storage services on the failed servers. A server can be left without classification rules if the cmdlet clears the existing rules without also importing the new ones.
<code>-Confirm</code>	When set to <code>\$true</code> (the default value), causes the cmdlet to prompt you for confirmation before it publishes the classification data. Set to <code>\$false</code> to suppress the prompts.

Examples

- `Publish-EVClassificationFCIRules -StagingServer SERVERXYZ -ExportRulesFile c:\Data\RulesFile.xml`

Exports the classification properties and rules from server SERVERXYZ to the specified local file. The cmdlet then publishes the properties and rules to all the Enterprise Vault servers that are in the current site (that is, the same site as the server on which you run the cmdlet).

- `Publish-EVClassificationFCIRules -StagingServer SERVERXYZ -ExportRulesPath c:\Data\RulesFile.xml -SiteId 13E...EV.example.com`
Publishes the exported classification properties and rules to all the Enterprise Vault servers that are in the specified site.
- `Publish-EVClassificationFCIRules -StagingServer SERVERXYZ -ExportRulesPath c:\Data\RulesFile.xml -Servers SERVER1, SERVER2.ABC.DEF.COM`
Publishes the exported classification properties and rules to the specified servers.

Output

This cmdlet returns objects of type

`Symantec.EnterpriseVault.PowerShell.Commands.ServerInfo`, which has the following default properties.

Table B-16 Publish-EVClassificationFCIRules properties

Name	Type	Description
ServerName	String	The name of the Enterprise Vault server.
ServerFQDN	String	The fully qualified domain name of the Enterprise Vault server.
Result	String	The publish result (Succeeded/Failed/DuplicateServer).
ErrorMessage	String	The error reason, if the import to the server was not successful.

Related cmdlets

- See “[Import-EVClassificationFCIRules](#)” on page 86.

Remove-EVClassificationPolicy

`Remove-EVClassificationPolicy` removes the specified Enterprise Vault classification policy, if it is not in use. The cmdlet prompts you to confirm the removal of the classification policy.

`Remove-EVClassificationPolicy` is provided by the snap-in `Symantec.EnterpriseVault.PowerShell.AdminAPI.dll`.

Syntax

```
Remove-EVClassificationPolicy [[-SiteId] <String>] [-Name] <String> [  
  <CommonParameters>]
```

Parameters

Table B-17 Remove-EVClassificationPolicy parameters

Parameter	Description
-SiteId	The ID of the site to which the Enterprise Vault classification policy belongs. If you omit this parameter, and the cmdlet cannot determine the ID by looking in the registry, then <code>Remove-EVClassificationPolicy</code> prompts you to enter the required ID. You can use <code>Get-EVSite</code> to obtain the site ID.
-Name (required)	The name of the Enterprise Vault classification policy to remove.

Examples

- `Remove-EVClassificationPolicy -SiteId 13E...EV.example.com -Name "Classification policy"`
Removes the Enterprise Vault classification policy that is named "Classification policy" from the specified Enterprise Vault site.

Output

None.

Related cmdlets

- See [“Get-EVClassificationPolicy”](#) on page 81.
- See [“New-EVClassificationPolicy”](#) on page 89.
- See [“Set-EVClassificationPolicy”](#) on page 98.

Set-EVClassificationPolicy

`Set-EVClassificationPolicy` sets or updates the properties of an existing Enterprise Vault classification policy.

`Set-EVClassificationPolicy` is provided by the snap-in `Symantec.EnterpriseVault.PowerShell.AdminAPI.dll`.

Syntax

```
Set-EVClassificationPolicy [[-SiteId] <String>] [-Name] <String>  
[-Description <String>] [-DuringArchivingIndexing <Boolean>]  
[-DetermineRC <Boolean>] [-RCDuringDeletion <Boolean>]
```

```
[-RCDuringExpiry <Boolean>] [-PreventRCDuringMove <Boolean>]  
[-AllowRConRecTypeChange <Boolean>] [<CommonParameters>]
```

Parameters

Table B-18 Set-EVClassificationPolicy parameters

Parameter	Description
-SiteId	<p>The ID of the site for which to set or update the Enterprise Vault classification policy details. If you omit this parameter, and the cmdlet cannot determine the ID by looking in the registry, then <code>Set-EVClassificationPolicy</code> prompts you to enter the required ID.</p> <p>You can use <code>Get-EVSite</code> to obtain the site ID.</p>
-Name (required)	<p>The name of a specific Enterprise Vault classification policy whose properties you want to set or update. If you want to rename the policy then the new name must be unique, and it can contain up to 40 alphanumeric or space characters.</p>
-Description	<p>The description to set for the Enterprise Vault classification policy. The description can contain up to 127 alphanumeric, space, or special characters.</p>
-DuringArchivingIndexing	<p>Specifies whether Enterprise Vault should classify items during archiving/indexing (<code>\$true</code>) or not (<code>\$false</code>). The default is <code>\$true</code>.</p> <p>This setting also determines whether Enterprise Vault reclassifies items when you rebuild the indexes. Note that if you have chosen to archive classified items to smart partitions, reclassifying the items does not cause them to move from one smart partition to another. These items remain on the smart partition to which Enterprise Vault originally archived them.</p> <p>For example, suppose that you have associated the classification tag "PII" with one smart partition and the tag "Credit-Card" with another smart partition. An item that Enterprise Vault archived to the partition that is associated with the "PII" tag remains on this partition, even if Enterprise Vault subsequently reclassifies the item with the "Credit-Card" tag.</p>

Table B-18 Set-EVClassificationPolicy parameters (*continued*)

Parameter	Description
-DetermineRC	Specifies whether to allow the classification feature to update the retention categories of items (\$true) or not (\$false). The default is \$true.
-RCDuringDeletion	<p>When <code>DetermineRC</code> is \$true, specifies whether to enable classification on user deletion (\$true) or not (\$false). The default is \$false.</p> <p>You cannot set <code>RCDuringDeletion</code> to \$true when <code>DetermineRC</code> is set to \$false.</p>
-RCDuringExpiry	<p>When <code>DetermineRC</code> is \$true, specifies whether to enable classification on automatic expiry (\$true) or not (\$false). The default is \$false.</p> <p>Note the following:</p> <ul style="list-style-type: none">■ You cannot set <code>RCDuringExpiry</code> to \$true when <code>DetermineRC</code> is set to \$false.■ You must set <code>RCDuringExpiry</code> to \$true when <code>DuringArchivingIndexing</code> is \$false and <code>DetermineRC</code> is \$true.
-PreventRCDuringMove	<p>When <code>DetermineRC</code> is \$true, specifies whether to prevent Enterprise Vault from updating the retention categories of archived items when users perform actions that could potentially update these retention categories. For example, users may move archived items between folders to which you have applied different retention categories, or change the retention categories of items in Enterprise Vault Search, if permitted. Both actions can cause the retention categories of the items to change, potentially overriding the retention categories that the classification feature has set.</p> <p>The default for <code>PreventRCDuringMove</code> is \$false. Enterprise Vault allows user actions to update the retention categories of items, subject to site archive settings.</p>

Table B-18 Set-EVClassificationPolicy parameters (*continued*)

Parameter	Description
-AllowRConRecTypeChange	<p>For use in environments where you use the Enterprise Vault records management feature to mark selected items as records.</p> <p>When <code>PreventRCDuringMove</code> is <code>\$true</code> (prevent user actions from updating retention categories), <code>AllowRConRecTypeChange</code> specifies whether to allow these updates in instances where this also causes the record types of the items to change. The default for <code>AllowRConRecTypeChange</code> is <code>\$true</code>.</p> <p>When <code>PreventRCDuringMove</code> is <code>\$false</code>, <code>AllowRConRecTypeChange</code> has no effect.</p>

Examples

- ```
Set-EVClassificationPolicy -SiteId 13E...EV.example.com -Name "Classification policy" -Description "Classification example policy"
```

Updates the description of an existing Enterprise Vault classification policy that is named "Classification policy" in the specified Enterprise Vault site.
- ```
Set-EVClassificationPolicy -SiteId 13E...EV.example.com -Name "Classification policy" -PreventRCDuringMove $true -AllowRConRecTypeChange $false
```

Configures the specified Enterprise Vault classification policy to prevent user actions from updating the retention categories of items, including when this will change their record type, in those archives to which you apply the policy.

Output

There is a confirmation message on completion.

Related cmdlets

- See ["Get-EVClassificationPolicy"](#) on page 81.
- See ["New-EVClassificationPolicy"](#) on page 89.
- See ["Remove-EVClassificationPolicy"](#) on page 97.

Set-EVClassificationTestMode

`Set-EVClassificationTestMode` specifies whether the Enterprise Vault classification feature should operate in test mode in the nominated archive. In test mode, the classification feature generates a report that lists the planned changes instead of applying classification tags and other changes to the items in the archive. You can then run `Get-EVClassificationTestMode` on the same archive to check that the outcome is satisfactory.

`Set-EVClassificationTestMode` is provided by the snap-in `Symantec.EnterpriseVault.PowerShell.Snapin.dll`.

Syntax

```
Set-EVClassificationTestMode [-ArchiveID] <String> [-Enabled  
<Boolean>]
```

Parameters

Table B-19 Set-EVClassificationTestMode parameters

Parameter	Description
<code>-ArchiveID</code> (required)	Specifies the ID of the archive for which to set the test mode status.
<code>-Enabled</code> (required)	Specifies whether to enable classification test mode for the archive (<code>\$true</code>) or disable it (<code>\$false</code>).

Examples

- ```
Set-EVClassificationTestMode -ArchiveID 1E...EVServer1 -Enabled $true
```

Specifies that the classification feature should operate in test mode in the nominated archive.

## Output

Returns an exception in the event of failure but otherwise provides no output.

## Related cmdlets

- See [“Get-EVClassificationTestMode”](#) on page 85.

# Monitoring and troubleshooting

This appendix includes the following topics:

- [Auditing](#)
- [Checking the classification performance counters](#)
- [Troubleshooting classification](#)

## Auditing

[Table C-1](#) describes the classification activities for which Enterprise Vault can store audit log entries in its auditing database. Auditing is disabled by default, but you can enable it by following the instructions in the *Administrator's Guide*.

**Table C-1** Audited classification activities

| Category       | Logged classification activities                                                                                                                                                                                                                                      |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Admin Activity | <ul style="list-style-type: none"><li>■ Create, update, or delete an Enterprise Vault classification policy.</li><li>■ Enable or disable classification test mode for an archive.</li><li>■ View or clear the classification test mode data for an archive.</li></ul> |

**Table C-1** Audited classification activities (*continued*)

| Category       | Logged classification activities                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Classification | <ul style="list-style-type: none"> <li>■ Classify an item during indexing (CLASSIFIED).</li> <li>■ Classify and discard an item during indexing (DISCARDED).</li> <li>■ Classify and try to discard an item during indexing, but the item or archive is on hold (DISCARDONHOLD).</li> <li>■ Classify an item and allow it to be discarded during automatic expiry (EXPIRY_ALLOWED).</li> <li>■ Classify an item but do not allow it to be discarded during automatic expiry (EXPIRY_BLOCKED).</li> <li>■ Classify an item and allow it to be discarded during user deletion (USERDELETION_ALLOWED).</li> <li>■ Classify an item but do not allow it to be discarded during user deletion (USERDELETION_BLOCKED).</li> </ul> |

Enterprise Vault provides the Audit Viewer utility with which you can view and filter the data in the auditing database. For more information on Audit Viewer, see the *Utilities* guide.

## Checking the classification performance counters

Enterprise Vault provides a number of counters with which you can get live, real-time performance data for the classification feature. You can view this data using the Windows Performance Monitor or any other program that you use to monitor performance counters.

[Table C-2](#) describes the counters.

**Table C-2** Enterprise Vault Classification performance counters

| Counter                                      | Description                                                                                                                             |
|----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Items allowed for automatic expiry           | The number of items that Enterprise Vault has allowed to be automatically expired as a result of classification.                        |
| Items allowed for user deletion              | The number of items that Enterprise Vault has allowed users to delete as a result of classification.                                    |
| Items blocked from automatic expiry          | The number of items that Enterprise Vault has blocked from automatic expiry as a result of classification.                              |
| Items blocked from discard on classification | The number of items that classification has marked for deletion but that Enterprise Vault cannot delete because they are on legal hold. |

**Table C-2** Enterprise Vault Classification performance counters (*continued*)

| Counter                           | Description                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Items blocked from user deletion  | The number of items that Enterprise Vault has blocked users from deleting as a result of classification.                                                                                                                                                                                                                                                                                                                                 |
| Items discarded on classification | The number of items that Enterprise Vault has discarded because classification has marked them for deletion.                                                                                                                                                                                                                                                                                                                             |
| Items failed classification       | The number of items that Enterprise Vault has failed to classify.                                                                                                                                                                                                                                                                                                                                                                        |
| Items successfully classified     | <p>The number of items that Enterprise Vault has passed for classification with a success result. The count includes any items that classification has marked for deletion, whether or not Enterprise Vault was able to discard them.</p> <p>Any items that are successfully classified but that Enterprise Vault later fails to index may be counted multiple times, as Enterprise Vault automatically retries the whole operation.</p> |

## Troubleshooting classification

The following issues may arise when you use the classification feature.

**Table C-3** Potential classification issues

| Issue                                     | Explanation/solution                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Enterprise Vault fails to classify items. | <p>Ensure all of the following:</p> <ul style="list-style-type: none"><li>■ The File Server Resource Manager service is running and correctly configured.</li><li>■ You have a valid license for the Enterprise Vault retention feature.</li><li>■ The correct classification rules are in place.</li><li>■ You have correctly configured the retention plan and classification policy for the target archives. Each archive must have an associated retention plan that has a classification policy.</li><li>■ You are running classification in normal mode rather than test mode.<br/>See <a href="#">“About classification test mode”</a> on page 56.</li></ul> <p>In addition, check the Application event log. If the File Server Resource Manager returns an error when it evaluates a classification rule, an Error event may provide an explanation. For example, event 41620 may indicate an invalid Veritas Information Classifier rule.</p> <p>You may also want to examine the files in the classification cache folder.</p> <p>See <a href="#">“Configuring Enterprise Vault to keep the classification files in the cache folder”</a> on page 18.</p> |

**Table C-3** Potential classification issues (*continued*)

| Issue                                      | Explanation/solution                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Items are not classified as you expect.    | <p>Try the following:</p> <ul style="list-style-type: none"> <li>■ Ensure that Enterprise Vault is classifying items (see above).</li> <li>■ If Enterprise Vault does classify items but the resulting tags do not persist, check whether classification is running in test mode.<br/>See <a href="#">“About classification test mode”</a> on page 56.</li> <li>■ Run the PowerShell cmdlet <code>Get-EVClassificationFCITags</code> to identify the rules that each item matches.<br/>See <a href="#">“Get-EVClassificationFCITags”</a> on page 79.</li> <li>■ Configure Enterprise Vault to keep the classification files instead of automatically deleting them.<br/>See <a href="#">“Configuring Enterprise Vault to keep the classification files in the cache folder”</a> on page 18.<br/>Then you can review the file contents for any anomalies that you did not anticipate.</li> <li>■ Run the DTrace utility against the fsdmhost process to determine why a rule does not match.<br/>For guidelines on running DTrace, see the <i>Utilities</i> guide.</li> </ul> |
| Classification operates in test mode only. | <p>You have associated one or more classification policies with one or more retention plans, but Enterprise Vault cannot detect a valid license for the retention feature.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Timeouts occur during classification.      | <p>In Windows Server 2012 R2, the File Classification Infrastructure has a default timeout of 10 minutes. If a rule is particularly complex, this timeout is reached and Error event 12351 is logged in the Application event log. Enterprise Vault makes four more attempts to classify the item and then records Error event 29075 in the Veritas Enterprise Vault event log (“Failed to classify item content”).</p> <p>To resolve this issue, simplify the rules that are responsible for the timeouts.</p> <p><b>Note:</b> Timeouts do not occur in Windows Server 2012 Original Release, so classifying complex rules can theoretically take many hours to process. This can affect system performance because the process is CPU-intensive. For this reason we recommend that you run Windows Server 2012 R2 on all Enterprise Vault servers.</p>                                                                                                                                                                                                                     |